



**Free Standing  
Cookers**  
2017-2018

**VESTEL**



I N D E X



---

**COMPANY PROFILE**

02 - 03



---

**GLOBAL OPERATIONS**

04 - 05



---

**FREE STANDING COOKERS**

12 - 62



---

**DOUBLE OVENS**

63 - 92



---

**90x60 FREE STANDING COOKERS**

93 - 118



---

**SPECIFICATIONS**

119 - 134



---

**ADDRESSES**

137



## VESTEL

### COMPANY PROFILE

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.



1.100.000 m<sup>2</sup>  
Closed Production Area



16.000  
Employees



18 Million  
TV Production Capacity



10,9 Million  
Home Appliances  
Production Capacity



35 Million  
Device Production  
Capacity



\$ 4 Billion  
Turnover



Export Leader of Turkey with  
\$ 2.5 Billion



Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

As one of the leading enterprises in Turkey, Vestel is a major player in consumer electronics, mobile technologies, household appliances, professional displays and LED lighting with renowned products, including refrigerators, washing machines, cooking appliances, dishwashers, air conditioners, water heaters, television sets, educational, hospitality and digital signage solutions, digital set-top boxes, tablet PCs, and smart phones.

The company is recognised for its cutting-edge designs, high product quality, large production capacity, and superior market share growth.

Vestel is one of the ten biggest household appliance manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to

clients' demands.

Operating with an annual capacity of 3.2 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to table top fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 2.5 million units a year, with models ranging from 4 kg to 9 kg drum capacities. The group added washer dryers to the product range in 2012. The plant for cooking appliances operates with an annual capacity of 2.2 million units, producing free-standing cookers, built-in hobs and ovens.

The household appliances product range includes free standing, semi and fully integrated dishwashers. The plant has the capacity to produce 2.5 million units a year.

In addition, the air conditioner factory is capable of producing


750,000 units of split-type models.

Vestel is the first company in Turkey operating two manufacturing plants in Russia for the production of refrigerators, washing machines, and televisions with the aim of becoming a leader in CIS countries.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 73% percent of its production under leading Japanese and European brands to 155 countries.

Vestel Trade has achieved export sales of 8.3 million units of electronics and 4.8 million units of household appliances.

Distributing its products to seven continents, Vestel takes its place as a world-class company.





## GLOBAL OPERATIONS



### Manufacturing & Assembly Plants

LED TV, HD, IP/OTT, PVR Set-top Boxes – Manisa, Turkey

Professional Displays, Tablet PC, Smart Phone, LED lighting – Manisa Turkey

Refrigerator, Washing Machine, Dishwasher, Tumble Dryer, Cooking Appliances, Air Conditioner, Water Heater – Manisa, Turkey



### Marketing & Sales Companies

Vestel Trade, Turkey

Vestel France, France

Vestel Germany, Germany

Vestel UK, The UK

Vestel Iberia, Spain

Gruppo Industriale Vesit, Italy

Vestel Benelux, The Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania

Vestel Scandinavia, Finland

Vestfrost Household, Denmark

Vestel Central Asia, Kazakhstan



### R&D Centers

Manisa, Turkey

Istanbul, Turkey

Bristol, UK

Shanghai, China

## PRODUCT RANGE

VESTEL HOUSEHOLD COOKING APPLIANCE RANGE													
Free Standing Cookers										Free Standing Double Oven Cookers			
Size [cm]	90x60		60x60		50x60		50x50		60x60		50x60		
Oven	Gas	Electric	Gas (60LT)	Electric (60/65LT)	Gas	Electric	Gas	Electric	Gas	Electric	Gas	Electric	
Hob	Gas Mixed	Gas Mixed Radiant Induction	Gas Mixed Gas on Glass	Gas Mixed Gas on Glass Hotplate Radiant Induction	Gas Mixed	Gas Mixed Hotplate Radiant	Gas Mixed	Gas Mixed Hotplate Radiant	Gas Mixed	Gas Mixed Hotplate Radiant Induction	Gas Mixed	Gas Mixed Hotplate Radiant	
Bottle Compartment	Yes/No	Yes/No	No	No	No	No	No	No	No	No	No	No	
Self Clean (Pyro)	No	No	No	No/Yes	No	No	No	No	No	No	No	No	

FREE STANDING COOKERS		Gas Cooker	Electric Cooker with Solid Hotplates	Electric Cooker with Ceran Glass	Electric Cooker with Induction Hob	Combi (Dual Fuel) Cooker	
Colours	White	Default	Default	Default	Default	Default	
	Brown/Black/Silver/Red/Dark Green/TDF	Optional	Optional	Optional	Optional	Optional	
	Stainless Steel/Inox painted	Optional	Optional	Optional	Optional	Optional	
	Anthracite*, Cream*	Optional	Optional	Optional	Optional	Optional	
Control Panel	Flat Metal Control Panel	Default	Default	Default	Default	Default	
	3D Metal Control Panel	Optional	Optional	Optional	Optional	Optional	
	Glass Control Panel	Optional	Optional	Optional	Optional	Optional	
	Edge Aesthetic Metal Control Panel**	Optional	Optional	Optional	Optional	Optional	
	Level Aesthetic Control Panel**	Optional	Optional	Optional	Optional	Optional	
Oven Doors	Flat - Full Outer Glass and Inner Metal Door	Default	Default	Default	Default	Default	
	Flat - Full Outer Glass and Inner Metal Door (mirror glass)	Optional	Optional	Optional	Optional	Optional	
	Flat - Full Outer and Inner Glass Door	Optional	Optional	Optional	Optional	Optional	
	Flat - Full Outer and Inner Glass Door (mirror glass)	Optional	Optional	Optional	Optional	Optional	
	Flat - Triple Glass Door	Optional	Optional	Optional	Optional	Optional	
	Flat - Flat Metal Oven Door with Small Glass	Optional	Optional	Optional	-	Optional	
	3D - 3D Metal Oven Door with Small Glass**	Optional	Optional	Optional	Optional	Optional	
Flat - Full Inner Glass Door***	-	-	Optional	Optional	Optional		
Handles	Inox/Inox Painted	Optional	Optional	Optional	Optional	Optional	
	Knobs	Inox Painted Knobs	Optional	Optional	Optional	Optional	Optional
		Stainless Steel Covered Plastic Knobs	Optional	Optional	Optional	Optional	Optional
		Push-Pull Knobs**	Optional	Optional	Optional	Optional	Optional
Printed Knobs		Optional	Optional	Optional	Optional	Optional	
Oven Functions	Top Heating Element	-	Default	Default	Default	Default	
	Bottom Heating Element	-	Default	Default	Default	Default	
	Electric Grill	Optional	Optional	Optional	Optional	Optional	
	Gas Oven Burner	Default	-	-	-	-	
	Gas Grill	Optional	-	-	-	-	
	Gas Safety in Oven	Default	-	-	-	-	
	Thermostat	Optional	Default	Default	Default	Default	
	Turnspit	Optional	Optional	Optional	Optional	Optional	
	Multifunction	-	Optional	Optional	Optional	Optional	
	Electric Double Grill	-	Optional	Optional	Optional	Optional	
	Fan	Optional	Optional	Optional	Optional	Optional	
	Double Fan****	-	-	Optional	Optional	Optional	
	Fan with Ring Heating Element	-	Optional	Optional	Optional	Optional	
	Pyrolize Function**	-	-	Optional	-	-	
	Cooling Fan	Optional	Optional	Optional	Default	Optional	
Automatic Boost Function**	-	-	-	-	-		
Shabat**	-	Optional	Optional	Optional	Optional		
Hob Features	Enamel Pan Supports	Default	-	-	-	Default	
	Cast Iron Pan Supports	Optional	-	-	-	Optional	
	Enamel Burner Caps	Default	-	-	-	Default	
	Cast Iron Burner Caps	Optional	-	-	-	Optional	
	Coffee Adaptor	Optional	-	-	-	Optional	
	Wok Adaptor	Optional	-	-	-	Optional	
	Vitroceraic Glass Cleaning Spatula	-	-	Optional	Optional	-	
	Battery ignition	Optional	-	-	-	-	
Button Ignition	Optional	-	-	-	Optional		



## PRODUCT RANGE

GENERAL SPECIFICATIONS		Gas Cooker	Electric Cooker with Solid Hotplates	Electric Cooker with Ceran Glass	Electric Cooker with Induction Hob	Combi (Dual Fuel) Cooker
Hob Features	One-touch-Ignition through knobs	Optional	-	-	-	Optional
	Gas on Glass Hob	Optional	-	-	-	Optional
	Gas-Hotplate Hob Configuration	Optional	-	-	-	Optional
	Ø 80 mm Hotplate**	-	Optional	-	-	-
	Ø 145 mm Hotplate	Optional	Default	-	-	Optional
	Ø 180 mm Hotplate	Optional	Default	-	-	Optional
	Ø 220 mm Hotplate**	-	Optional	-	-	-
	Ø 145 mm Rapid Hotplate	Optional	Optional	-	-	Optional
	Ø 180 mm Rapid Hotplate	Optional	Optional	-	-	Optional
	Ø145 mm Highlite Element	-	-	Default	-	-
	Ø180 mm Highlite Element	-	-	Default	-	-
	Ø210 mm Highlite Element	-	-	Optional	-	-
	Ø180 mm Dual Highlite Element	-	-	Optional	-	-
	Oval Highlite Element	-	-	Optional	-	-
	Ø210 mm Dual Highlite Element	-	-	Optional	-	-
	Ø160 mm Induction Element	-	-	-	-	-
	Ø200 mm Induction Element	-	-	-	-	-
	Ø160 mm Induction Element (Boost)	-	-	-	Default	-
	Ø200 mm Induction Element (Boost)	-	-	-	Default	-
	Ø250 mm Induction Element (Boost)	-	-	-	Optional	-
	Hot Surface Indicator Light	-	-	Optional	Default	-
Hotplate Operation Indicator Light	-	Default	-	-	Default	
Thermostat Operation Indicator Light	-	Default	Default	Default	Default	
Stainless Steel Burner Pan (in case of gas on glass hob)	Optional	-	-	-	Optional	
Burner Safety Valves	Optional	-	-	-	Optional	
Timers	Mechanical Minute Minder	Optional	Optional	Optional	Optional	Optional
	Mechanical Timer	-	Optional	Optional	Optional	Optional
	Digital Clock	Optional	Optional	Optional	Optional	Optional
	Digital Programmer	-	Optional	Optional	Optional	Optional
	Digital Touch Programmer	-	Optional	Optional	-	Optional
Accessories	Baking Tray (Shallow Tray)	Optional	Optional	Optional	Optional	Optional
	Glass Tray**	Optional	Optional	Optional	Optional	Optional
	Roasting Tray (Deep Tray)	1	1	1	1	1
	Round Tray**	-	Optional	Optional	Optional	Optional
	8 cm Deep Tray**	-	Optional	Optional	Optional	Optional
	Chromed Grid with Stoper	1	1	1	1	1
	Wire grid for deep tray	Optional	Optional	Optional	Optional	Optional
	Broil Pan with/without Handle Set**	Optional	Optional	Optional	Optional	Optional
	Oven Light (25W)	Optional	Optional	Optional	Optional	Optional
	Easy to Clean Enamel	Default	Default	Default	Default	Default
	Catalytic Enamel Panels (Left, right and rear)	Optional	Optional	Optional	Optional	Optional
	Wire Racks	Optional	Optional	Optional	Optional	Optional
	Wire Racks with Half Telescopic Rails (1 or 2)	Optional	Optional	Optional	Optional	Optional
	Wire Racks with Full Telescopic Rails (1 or 2)	Optional	Optional	Optional	Optional	Optional
	Adjustable Feet	Default	Default	Default	Default	Default
	Wheel**	Optional	Optional	Optional	Optional	Optional
Lid	Metal Lid**	Default	Optional	-	-	Default
	Splashback	Optional	Optional	Optional	Optional	Optional
	Glass Lid (Transparent)	Optional	Optional	-	-	Optional
Energy Class	B Class	-	Default	Default	Default	Default
	A Class	Default	Optional	Optional	Optional	Optional
Drawers	Flap Drawer	Optional	Optional	Optional	Optional	Optional
	4WG Farmer Drawer at the bottom**	Optional	Optional	Optional	Optional	Optional
	Glass Warmer Drawer (white/black/mirror glass)	Optional	Optional	Optional	-	Optional
Packaging	Shrink Packaging**	Default	Default	Default	Default	Default
	Carton Box Packaging	Optional	Optional	Optional	Optional	Optional
	SKD/CKD**	Optional	Optional	Optional	Optional	Optional

\* Only on painted parts  
 \*\* Not available on 90x60 FS  
 \*\*\*Only available for 60x60 65lt FS  
 \*\*\*\*Only available for 90x60 FS

## KNOB TYPES



**Antero**



**Big Macro Ring**



**Delta Ring**

	Antero	Big Macro Ring	Delta Ring
DOUBLE-OVEN	✓	X	X
NGFS	✓	✓	✓
FS 90 CM	X	X	X



**Eclipse Ring**



**Epsilon**



**Gama Ring**

	Eclipse Ring	Epsilon	Gama Ring
DOUBLE-OVEN	✓	✓	✓
NGFS	✓	✓	✓
FS 90 CM	X	X	✓



**Jannu Ring**



**Nord Ring**



**Omega**

	Jannu Ring	Nord Ring	Omega
DOUBLE-OVEN	✓	✓	✓
NGFS	✓	✓	✓
FS 90 CM	X	✓	X



Pipo



Rimo



Rustic Risus (with Ring)

	Pipo	Rimo	Rustic Risus (with Ring)
DOUBLE-OVEN	X	✓	✓
NGFS	✓	✓	✓
FS 90 CM	X	X	✓



Sigma (Small)



Spectrum



Trio

	Sigma (Small)	Spectrum	Trio
DOUBLE-OVEN	✓	✓	✓
NGFS	✓	✓	✓
FS 90 CM	X	✓	X



Vesta











Vario Ring










Zeta Ring

	Vesta	Vario Ring	Zeta Ring
DOUBLE-OVEN	X	✓	✓
NGFS	X	✓	✓
FS 90 CM	✓	X	X

## HANDLE TYPES

HANDLE TYPE - Length (mm)	50x50 FS	50x60 FS	60x60 FS	90x60 Free Standing			50x60 DO	60x60 DO
				Standard	Professional	Bottle Compartment		
<b>ELLIPSE ARC</b> 	✓	✓	✓	x	x	x	✓	✓
<b>D PROFILE ARC</b> 	✓	✓	✓	x	x	x	✓	✓
<b>ARC QUADRANGLE</b> 	✓	✓	✓	x	x	x	✓	✓
<b>3D QUADRANGLE</b> 	✓	✓	✓	x	x	x	✓	✓
<b>FLAT QUADRANGLE</b> 	✓	✓	✓	✓	✓	x	✓	✓
<b>ARC TUBE</b> 	✓	✓	✓	x	x	x	✓	✓
<b>FLAT SLICE</b> 	✓	✓	✓	x	x	x	✓	✓
<b>TRIO</b> 	✓	✓	✓	✓	✓	✓	✓	✓

## HANDLE TYPES

HANDLE TYPE - Length (mm)	50x50 FS	50x60 FS	60x60 FS	90x60 Free Standing			50x60 DO	60x60 DO
				Standard	Professional	Bottle Compartment		
<b>METALUX</b> 	✓	✓	✓	x	x	x	✓	✓
<b>RUSTIC</b> 	✓	✓	✓	✓	✓	x	✓	✓
<b>CURVED QUADRANGLE</b> 	✓	✓	✓	x	x	x	✓	✓
<b>BOW</b> 	✓	✓	✓	✓	✓	✓	✓	✓
<b>CYLINDER</b> 	✓	✓	✓	✓	✓	✓	✓	✓
<b>TROY</b> 	✓	✓	✓	✓	✓	✓	✓	✓
<b>VERO</b> 	✓	✓	✓	✓	✓	✓	✓	✓

60x60 FREE STANDING COOKERS





- |                         |                   |
|-------------------------|-------------------|
| 1. LID                  | 9. KNOBS          |
| 2. WARMER DRAWER BUTTON | 10. CONTROL PANEL |
| 3. TIMER                | 11. HANDLE        |
| 4. SIDE PANEL           | 12. ADD-ON        |
| 5. OVEN DOOR            | 13. DRAWER        |
| 6. PLINTH               | 14. KICKPLATE     |
| 7. PAN SUPPORTS         | 15. FEET          |
| 8. COOKTOP              |                   |

AESTHETICS

FLAT



COMBINED



3 D



LEVEL



GLASS







TYPE 9  
FULL OUTER AND  
INNER GLASS DOOR



TYPE 10  
3D METAL OVEN  
DOOR WITH SMALL  
GLASS



TYPE 11  
FULL GLASS OVEN  
DOOR



TYPE 12  
PYRO OVEN DOOR



ADD-ON TYPES

MONO STRIPE  
17 MM



MONO STRIPE  
50 MM



I TYPE  
50 MM



U TYPE  
50 MM






METAL LID



GLASS LID WITH BUMPERS



GLASS LID WITH METAL PROFILE



TIMER TYPES



Digital Touch Timer



Digital Full Programmer



Digital Touch Timer (for glass panel)



Digital Touch Clock and Minute Minder (for glass panel)



Digital Touch Clock and Minute Minder



Digital Clock and Minute Minder




Pyrolytic Timer



Mechanical Timer



Minute Minder



Enamel Mold Runners



Enamel Cavity with Mold Runners



Catalytic Enamel Side Panels




Catalytic Enamel Side and Rear Panels



Wire Rack in Enamel Cavity



Wire Racks in Enamel Cavity



Wire Rack in Catalytic Enamel Cavity



Catalytic Enamel Panel with Side Wire Racks

TELESCOPIC SHELF TYPES




Single Telescopic Shelf



Double Telescopic Shelves



Full Extension Telescopic Shelf



Double Full Extension Telescopic Shelves




Telescopic Shelves



Full Extension Telescopic




Telescopic Shelves Stabilizer



Telescopic Shelves Stabilizer



Electric Grill



Fan with The Ring for Multifunction Ovens




Oven Lamp



Side Lighting



Gas Grill (Free Standing Gas Cooker)



Oven Gas Burner



Oven Gas Burner Cover



Function Fan for Gas Cookers

DETAILS



4WG Warmer Drawer



Flap Drawer



Warming Drawer Handle



Cooling Fan



Concrete Weight



Rear Bottom Cover



Heat Shield for Gas Grill



Plinth



Adjustable Feet





Wheels at Rear



Ground Type Anti-Tip Bracket



Wall Type Anti-Tip Bracket



Warming Drawer Button



Ignition Button (fs gas cookers)



Light Button (fs gas cookers)



Turnspit Button (fs gas cookers)



Child Lock



Wall Type Anti-Tip Bracket


HOB DETAILS



Slim Design for Vitroceramic Hobs



Arc Design for Vitroceramic Hobs



Point Design for Vitroceramic Hobs




Slim Design (for Induction Hobs)



Dual Zone for Vitroceramic Hobs




210 mm Zone for Vitroceramic Hobs



Hot Surface Indicator Light for Vitroceramic Hobs




Hot Surface Indicators for Vitroceramic Hobs




Touch Control Panel for Induction Cookers



Slider Touch Control Panel for Induction Cookers



Highlight Heating Element



Touch Control Panel for Induction Cookers

HOB DETAILS



Vitroceramic Glass Cleaning Spatula



Wok Burner



Flame Failure Device for Gas Burners



Ignition for Gas Burners



Rapid Solid Hotplate

PAN SUPPORT TYPES



Enamel Pan Supports



Mat Enamel Pan Supports



Cast Iron Pan Supports



Enamel Burner Pan



Mat Enamel Burner Pan



Inox Burner Pan



Enamel Burner Cap



Enamel Flat Burner Cap



Mat Enamel Burner Cap



Cast Iron Burner Cap

PAN SUPPORT TYPES



S-Type Enamelled Pan Support



V-Type Enamelled Pan Support



D-Type Enamelled Pan Support



S-Type Cast Iron Pan Support



Cast Iron Wok Adapter



Enamel Wok Adapter



Coffee Support



Cast Iron Coffee Support



Shallow Tray



Deep Tray



80 mm Deep Tray



Chromed Wired Grid for Deep Tray



Chromed Wire Grid



Glass Tray



Grill Pan Handle Set



Pizza Stone and Shovel (Pizza Set)




Grill Pan Handle




Heavy Duty Grill Pan Handle

FUNCTIONING ACCESSORIES



Turnspit Set with Metal Bracket



Turnspit Set with Grid



Meat Probe



Oil Filter



CLEANING FUNCTIONS



VapClean® Function



With VapClean®, function, dried food stains inside the oven cavity is softened with vapor.

To perform VapClean®, a glass of water is poured into the small tray which will be placed at the bottom of the oven. After that, VapClean® function is activated to create vapor inside oven cavity which will soften dried food stains.



Pyrolysis Function



During the pyrolytic cleaning process, the oven heats up to approximately 480°C at which the temperature is kept for 1 hour while the door is locked for safety purposes.

At this temperature, residues from roasting, grilling and baking are reduced to a thin layer of ash that can simply be wiped away with a damp cloth.

ENERGY CONSUMPTION



A+ Energy Class Freestanding Oven

The first of the world A+ energy rating freestanding oven with mechanical control.

Available cavity volume : 65lt

Available functions : Multifunction Electrical Oven

Available control unit : All control units

## FIPC66.02



### STANDARD FEATURES

- 60x60 pyrolytic cooker
- Induction cooktop (2x200mm, 2x160mm)
- Boost for induction zones
- Electronic thermostat in oven
- Pyrolytic oven door
- Pyrolytic digital full programmer
- Flat aesthetic control panel
- Cooling fan

### OPTIONAL FEATURES

- Stainless Steel
- Inox handle
- Pop-in pop-out knobs
- 4 wheel guided drawer
- 90 cm height
- Mono stripe 50mm inox add-on on oven door
- Knob control for induction cooktop

## FIPC66.01

### STANDARD FEATURES

- 60x60 pyrolytic cooker
- Induction cooktop (2x200mm, 2x160mm)
- Boost for induction zones
- Electronic thermostat in oven
- Pyrolytic oven door
- Pyrolytic digital full programmer
- Flat aesthetic control panel
- Cooling fan

### OPTIONAL FEATURES

- Stainless Steel
- Inox handle
- Metal clad knobs
- 4 wheel guided warmer drawer
- Knob control for induction cooktop



## FIC66.01



### STANDARD FEATURES

60x60 induction cooker  
 Induction touch control cooktop  
 (2x200mm, 2x160mm)  
 Boost for induction zones  
 Electrical oven  
 Thermostat in oven  
 Cooling fan

### OPTIONAL FEATURES

Stainless steel  
 Inox handle  
 Pop-in pop-out knobs  
 Metal oven door  
 Digital full programmer  
 4 wheel guided drawer  
 3D aesthetic control panel

## FIC66.05

### STANDARD FEATURES

60x60 induction cooker  
 Induction touch control cooktop  
 (2x200mm, 2x160mm)  
 Boost for induction zones  
 Electrical oven  
 Thermostat in oven  
 Cooling fan

### OPTIONAL FEATURES

Stainless steel  
 Inox handle  
 Metal oven door  
 Mechanical timer  
 Flap drawer  
 Metal clad knobs  
 3D aesthetic control panel



## FIC66.02



### STANDARD FEATURES

- 60x60 induction cooker
- Induction cooktop (2x200mm, 2x160mm)
- Boost for induction zones
- Electrical oven
- Thermostat in oven
- Cooling fan
- Wide visible area oven door

### OPTIONAL FEATURES

- Stainless steel
- Inox handle
- Pop-in pop-out knobs
- Digital full programmer
- 4 wheel guided drawer
- Full outer glass door with big inner glass
- 3D aesthetic control panel

## FIC56.01

### STANDARD FEATURES

- 50x60 induction cooker
- Induction cooktop (2x200mm, 2x160mm)
- Boost for induction zones
- Electrical oven
- Thermostat in oven
- Cooling fan

### OPTIONAL FEATURES

- Stainless steel
- Inox handle
- Metal cladded knobs
- Digital full programmer
- 4 wheel guided drawer
- Full outer glass door with big inner glass
- Level aesthetic control panel



## FPC66.01



### STANDARD FEATURES

- 60x60 pyrolytic cooker
- Vitroceraamic cooktop
- Hot surface indicator
- Electronic thermostat in oven
- Pyrolytic oven door
- Pyrolytic digital full programmer
- Flat aesthetic control panel
- Cooling fan

### OPTIONAL FEATURES

- Stainless steel
- Inox handle
- Inox painted knobs
- 4 wheel guided drawer
- Side stripe inox add-on on oven door

## FPC66.02

### STANDARD FEATURES

- 60x60 pyrolytic cooker
- Vitroceraamic cooktop
- Hot surface indicator
- Pyrolytic digital full programmer
- Electronic thermostat in oven
- Flat aesthetic control panel
- Pyrolytic oven door
- Cooling fan

### OPTIONAL FEATURES

- Flap drawer
- 90 cm height



## FVC66.10



### STANDARD FEATURES

- 60x60 vitroc ceramic cooker
- Vitroc ceramic cooktop (2x145, 2x180)
- Hot surface indicator
- Electric oven
- Thermostat in oven
- Wide visible area oven door

### OPTIONAL FEATURES

- Stainless steel
- Glass aesthetic
- Black glass control panel, oven door and storage panel
- Full outer glass door with big inner glass
- Digital touch rimer
- 4 wheel guided drawer
- Pop-in pop-out knobs
- Inox handle
- 90 cm height

## FVC66.01

### STANDARD FEATURES

- 60x60 vitroc ceramic cooker
- Vitroc ceramic cooktop (2x145, 2x180)
- Hot surface indicator
- Electric oven
- Thermostat in oven
- Flat aesthetic control panel
- Wide visible area oven door

### OPTIONAL FEATURES

- Stainless steel
- Mechanical timer
- Flap drawer
- Inox handle
- Metal clad knobs
- Mono stripe 50mm inox add-on on oven door



## FVC66.11



### STANDARD FEATURES

60x60 vitroceramic cooker  
 Vitroceramic cooktop (2x145,  
 2x180)  
 Hot surface indicator  
 Electric oven  
 Thermostat in oven  
 Wide visible area oven door

### OPTIONAL FEATURES

Stainless steel  
 Inox handle  
 Metal clad knobs  
 Digital full programmer  
 Side stripe inox add-on on oven  
 door  
 Full outer glass door with big  
 inner glass  
 Level aesthetic control panel

## FVC66.03

### STANDARD FEATURES

60x60 vitroceramic cooker  
 Vitroceramic cooktop (2x145,  
 2x180)  
 Hot surface indicator  
 Electric oven  
 Thermostat in oven  
 Wide visible area oven door  
 Flat aesthetic control panel

### OPTIONAL FEATURES

Stainless steel  
 Mirror glass oven door  
 Inox handle  
 Digital full programmer  
 Inox painted knobs  
 Full outer glass door with big  
 inner glass



## FVC66.05



### STANDARD FEATURES

- 60x60 vitroceraic cooker
- Vitroceraic cooktop (2x145, 2x180)
- Hot surface indicator
- Electric oven
- Thermostat in oven

### OPTIONAL FEATURES

- Metal oven door
- Mechanical timer
- 4 wheel guided drawer
- 3D aesthetic control panel

## FVC66.08

### STANDARD FEATURES

- 60x60 vitroceraic cooker
- Vitroceraic cooktop (2x145, 2x180)
- Hot surface indicator
- Electric oven
- Thermostat in oven
- Wide visible area oven door

### OPTIONAL FEATURES

- White glass oven door
- Full outer glass door with big inner glass
- Flap drawer
- 3D aesthetic control panel





## FVC56.01



### STANDARD FEATURES

50x60 vitroceramic cooker  
 Vitroceramic cooktop (2x145,  
 2x180)  
 Hot surface indicator  
 Electric oven  
 Thermostat in oven  
 Flat aesthetic control panel

### OPTIONAL FEATURES

Stainless steel  
 Mechanical timer  
 Metal cladded knobs  
 Black painted handle  
 Flap drawer  
 Full outer glass door with big  
 inner glass

## FVC56.02

### STANDARD FEATURES

50x60 vitroceramic cooker  
 Vitroceramic cooktop (2x145,  
 2x180)  
 Hot surface indicator  
 Electric oven  
 Thermostat in oven

### OPTIONAL FEATURES

Stainless steel  
 Inox handle  
 Inox painted knobs  
 Full outer glass door with big  
 inner glass  
 Side stripe inox add-on on oven  
 door  
 3D aesthetic control panel



## FVC56.04



### STANDARD FEATURES

- 50x60 vitroceraamic cooker
- Vitroceraamic cooktop (2x145, 2x180)
- Hot surface indicator
- Electric oven
- Thermostat in oven
- Flat aesthetic control panel

### OPTIONAL FEATURES

- Black painted
- Inox handle
- Metal cladded knobs
- Digital full programmer
- Full outer glass door with big inner glass
- 4 wheel guided drawer
- 90 cm height

## FVC56.03

### STANDARD FEATURES

- 50x60 vitroceraamic cooker
- Vitroceraamic cooktop (2x145, 2x180)
- Hot surface indicator
- Electric oven
- Thermostat in oven
- Flat aesthetic control panel

### OPTIONAL FEATURES

- Mechanical timer
- Full outer glass door with big inner glass
- Flap drawer



## FVC55.01



### STANDARD FEATURES

50x50 vitroceraamic cooker  
 Vitroceraamic cooktop (2x145,  
 1x180)  
 Hot surface indicator  
 Electric oven  
 Thermostat in oven

### OPTIONAL FEATURES

Stainless steel  
 Mechanical timer  
 Inox handle  
 Metal claddeed knobs  
 Full outer glass door with big  
 inner glass  
 4 wheel guided drawer  
 Level aesthetic control panel  
 Mono stripe 50mm inox add-on  
 on oven door

## FVC55.02

### STANDARD FEATURES

50x50 vitroceraamic cooker  
 Vitroceraamic cooktop (2x145,  
 1x180)  
 Hot surface indicator  
 Electric oven  
 Thermostat in oven

### OPTIONAL FEATURES

Anthracite painted  
 Anthracite painted handle  
 Metal oven door  
 3D aesthetic control panel  
 Black knobs





## FEC66.01

### STANDARD FEATURES

60x60 electric cooker  
Electric oven  
Thermostat in oven

### OPTIONAL FEATURES

4 solid hotplates (1x80, 1x145,  
1x180, 1x220)  
Metal oven door  
3D aesthetic control panel  
4 wheel guided drawer  
Metal clad knobs  
Metal lid

## FEC66.02

### STANDARD FEATURES

60x60 electric cooker  
Electric oven  
Thermostat in oven  
Flat aesthetic control panel  
Wide visible area oven door

### OPTIONAL FEATURES

4 solid hotplates (1x80, 1x145,  
1x180, 1x220)  
Metal lid  
Flap drawer  
Full outer glass door with big  
inner glass





## FEC66.03

### STANDARD FEATURES

60x60 electric cooker  
 Electric oven  
 Thermostat in oven  
 4 solid hotplates (2x145, 2x180)  
 Flat aesthetic control panel  
 Wide visible area oven door

### OPTIONAL FEATURES

Silver painted  
 180 mm rapid hotplate  
 Inox cooktop  
 Full outer glass door with big inner glass  
 Silver painted knobs and handle  
 Metal lid  
 Flap drawer

## FEC66.05

### STANDARD FEATURES

60x60 electric cooker  
 Electric oven  
 Thermostat in oven

### OPTIONAL FEATURES

4 solid hotplates (1x80, 1x145, 1x180, 1x220)  
 Stainless steel  
 Metal oven door  
 Cooling fan  
 Metal clad knobs  
 Inox handle  
 4 wheel guided drawer  
 Metal lid  
 3D aesthetic control panel



## FEC66.06



### STANDARD FEATURES

- 60x60 electric cooker
- Electric oven
- Thermostat in oven
- 4 solid hotplates (2x145, 2x180)
- Wide visible area oven door

### OPTIONAL FEATURES

- Stainless steel
- Mechanical timer
- Full outer glass door with big inner glass
- Metal clad knobs
- Inox handle
- Level aesthetic control panel
- U type inox add-on on oven door

## FEC66.07

### STANDARD FEATURES

- 60x60 electric cooker
- Electric oven
- Thermostat in oven
- 4 solid hotplates (2x145, 2x180)
- Wide visible area oven door

### OPTIONAL FEATURES

- Black painted
- Full outer glass door with big inner glass
- Black painted knobs and handle
- 4 wheel guided drawer
- 3D aesthetic control panel
- Metal lid





## FEC56.01

### STANDARD FEATURES

50x60 electric cooker  
Electric oven  
Thermostat in oven  
Flat aesthetic control panel

### OPTIONAL FEATURES

4 solid hotplates (1x80, 1x145, 2x180)  
180 mm rapid hotplate  
Full outer glass door with big inner glass  
Metal lid  
Flap drawer

## FEC56.02

### STANDARD FEATURES

50x60 electric cooker  
Electric oven  
Thermostat in oven  
4 solid hotplates (2x145, 2x180)

### OPTIONAL FEATURES

Stainless steel  
Mechanical timer  
Full outer glass door with big inner glass  
U type inox add-on on oven door  
Inox painted knobs  
Inox handle  
3D aesthetic control panel





## FEC55.03

### STANDARD FEATURES

- 50x50 electric cooker
- Electric oven
- Thermostat in oven
- 4 solid hotplates (2x145, 2x180)
- Flat aesthetic control panel

### OPTIONAL FEATURES

- Stainless steel
- Inox painted knobs
- Inox handle
- Flap drawer
- Glass lid with bumpers
- Full outer glass door with big inner glass

## FEC55.02

### STANDARD FEATURES

- 50x50 electric cooker
- Electric oven
- Thermostat in oven
- 4 solid hotplates (2x145, 2x180)
- Flat aesthetic control panel

### OPTIONAL FEATURES

- White painted glass oven door
- Full outer glass door with big inner glass
- Flap drawer







## FMC66.19

### STANDARD FEATURES

60x60 dual fuel cooker  
 4 gas burners  
 Electric oven  
 Thermostat in oven  
 Wide visible area oven door

### OPTIONAL FEATURES

Stainless steel  
 Mechanical timer  
 Inox handle  
 Mat enamel pan support  
 Mat enamel burner caps  
 Glass lid with bumpers  
 Automatic ignition  
 4 wheel guided drawer  
 Serigraphy on the knob ring  
 Level aesthetic control panel  
 Full outer glass door with big inner glass

## FMC66.20

### STANDARD FEATURES

60x60 dual fuel cooker  
 3 gas burners + Electric  
 Hotplate  
 Electric oven  
 Thermostat in oven  
 Enamel pan support  
 Enamel burner caps  
 Wide visible area oven door

### OPTIONAL FEATURES

Silver painted  
 Black enamel cooktop  
 Glass lid with bumpers  
 Automatic ignition  
 4 wheel guided drawer  
 Serigraphy on the knob ring  
 Level aesthetic control panel  
 Metal clad knobs  
 Inox handle  
 Full outer glass door with big inner glass



## FMC66.18



### STANDARD FEATURES

- 60x60 dual fuel cooker
- 4 gas burners
- Electric oven
- Thermostat in oven
- Wide visible area oven door

### OPTIONAL FEATURES

- Glass aesthetic
- Inox cooktop
- Wok burner
- Inox handle
- Metal clad knobs
- Cast iron pan supports & burner caps
- Automatic ignition
- Warming drawer
- Full outer glass door with big inner glass

## FMC66.08

### STANDARD FEATURES

- 60x60 dual fuel cooker
- 4 gas burners
- Electric oven
- Thermostat in oven
- Wide visible area oven door

### OPTIONAL FEATURES

- Stainless steel
- Wok burner
- Cast iron pan supports & burner caps
- Digital full programmer
- 4 wheel guided drawer
- Glass lid with inox profile
- Automatic ignition
- Inox painted knobs
- Inox handle
- Full outer glass door with big inner glass
- Side stripe inox add-on on oven door
- Full flat aesthetic control panel





## FMC66.02

### STANDARD FEATURES

60x60 dual fuel cooker  
 3 gas burners + Electric  
 Hotplate  
 Electric oven  
 Thermostat in oven  
 Enamel pan support  
 Enamel burner caps  
 Wide visible area oven door

### OPTIONAL FEATURES

Stainless steel  
 180mm rapid hotplate  
 Digital full programmer  
 Automatic ignition  
 Inox painted knobs  
 Inox handle  
 Flap drawer  
 Full outer glass door with big  
 inner glass  
 3D aesthetic control panel

## FMC66.23

### STANDARD FEATURES

60x60 dual fuel cooker  
 4 gas burners  
 Electric oven  
 Thermostat in oven  
 Enamel pan support  
 Enamel burner caps  
 Wide visible area oven door  
 Flat aesthetic control panel

### OPTIONAL FEATURES

Black painted  
 Full outer glass door with big  
 inner glass  
 Black painted knobs and handle  
 4 wheel guided drawer  
 Automatic ignition  
 Flap drawer





## FMC66.09

### STANDARD FEATURES

60x60 dual fuel cooker  
3 gas burners + Electric  
Hotplate  
Electric oven  
Thermostat in oven  
Enamel pan support  
Enamel burner caps

### OPTIONAL FEATURES

Silver painted  
Silver enamel cooktop  
Metal oven door  
Black knobs  
Silver painted handle  
Mechanical Timer  
Automatic ignition  
Flap drawer  
Serigraphy on the knob ring  
Metal Lid  
3D aesthetic control panel

## FMC66.24

### STANDARD FEATURES

60x60 dual fuel cooker  
4 gas burners  
Electric oven  
Thermostat in oven  
Enamel pan support  
Enamel burner caps  
Wide visible area oven door

### OPTIONAL FEATURES

Stainless steel  
Wok burner  
4 wheel guided drawer  
Glass lid with inox profile  
Mechanical Timer  
Automatic ignition  
Inox painted knobs  
Inox handle  
Full outer glass door with big  
inner glass  
Mono stripe 50mm inox add-on  
on oven door  
Level aesthetic control panel





## FMC66.10

### STANDARD FEATURES

60x60 dual fuel cooker  
 4 gas burners  
 Electric oven  
 Thermostat in oven  
 Enamel pan support  
 Enamel burner caps  
 Wide visible area oven door

### OPTIONAL FEATURES

Silver painted  
 Black cooktop  
 Inox painted knobs  
 Inox handle  
 Automatic ignition  
 Metal Lid  
 Flap drawer  
 Full outer glass door with big inner glass  
 3D aesthetic control panel

## FMC66.05

### STANDARD FEATURES

60x60 dual fuel cooker  
 3 gas burners + Electric Hotplate  
 Electric oven  
 Thermostat in oven  
 Enamel pan support  
 Enamel burner caps

### OPTIONAL FEATURES

Metal oven door  
 Mechanical Timer  
 Automatic ignition  
 Flap drawer  
 Metal Lid  
 3D aesthetic control panel



## FMC66.13



### STANDARD FEATURES

60x60 dual fuel cooker  
Electric oven  
Thermostat in oven

### OPTIONAL FEATURES

Inox painted  
4 gas burners on glass  
Digital full programmer  
Automatic ignition  
4 wheel guided drawer  
Metal oven door  
Cast iron pan support & burner caps  
Metal clad knobs  
Inox handle  
3D aesthetic control panel

## FMC66.11

### STANDARD FEATURES

60x60 dual fuel cooker  
Electric oven  
Thermostat in oven  
Enamel pan support  
Enamel burner caps  
Wide visible area oven door  
Flat aesthetic control panel

### OPTIONAL FEATURES

4 gas burners on glass  
Digital full programmer  
Automatic ignition  
Flap drawer  
Full outer glass door with big inner glass





## FMC66.22

### STANDARD FEATURES

60x60 dual fuel cooker  
 Electric oven  
 Thermostat in oven  
 Enamel pan support  
 Enamel burner caps  
 Wide visible area oven door  
 Flat aesthetic control panel

### OPTIONAL FEATURES

2 gas burners + 2 electric  
 Button ignition  
 White painted glass oven door  
 Flap drawer  
 Full outer glass door with big inner glass  
 Metal lid

## FMC66.15

### STANDARD FEATURES

60x60 dual fuel cooker  
 Electric oven  
 Thermostat in oven  
 Enamel pan support  
 Enamel burner caps  
 Wide visible area oven door  
 Flat aesthetic control panel

### OPTIONAL FEATURES

2 gas burners + 2 electric  
 Silver painted  
 Stainless steel cooktop  
 Button ignition  
 Flap drawer  
 Metal lid  
 Full outer glass door with big inner glass  
 Inox painted knobs and handle





## FMC66.06

### STANDARD FEATURES

- 60x60 dual fuel cooker
- 4 gas burners
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps
- Wide visible area oven door

### OPTIONAL FEATURES

- Glass lid with bumpers
- Automatic ignition
- Child Lock
- Full outer glass door with big inner glass
- 3D aesthetic control panel

## FMC66.17

### STANDARD FEATURES

- 60x60 dual fuel cooker
- 3 gas burners + Electric Hotplate
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps

### OPTIONAL FEATURES

- Rustic design
- Black painted
- Metal oven door
- Glass lid with bumpers
- Automatic ignition
- Flap drawer
- Rustic knobs and handle
- 3D aesthetic control panel







## FMC56.01

### STANDARD FEATURES

50x60 dual fuel cooker  
 Electric oven  
 Thermostat in oven  
 Enamel pan support  
 Enamel burner caps  
 Flat aesthetic control panel

### OPTIONAL FEATURES

2 gas burners + 2 electric  
 Stainless steel  
 Flap drawer  
 Inox painted knobs  
 Inox handle  
 Serigraphy on the knob ring  
 Metal lid  
 Full outer glass door with big inner glass

## FMC56.02

### STANDARD FEATURES

50x60 dual fuel cooker  
 4 gas burners  
 Electric oven  
 Thermostat in oven  
 Enamel pan support  
 Enamel burner caps

### OPTIONAL FEATURES

Black painted  
 Metal oven door  
 Mechanical Timer  
 4 wheel guided drawer  
 Black knobs and handle  
 Automatic ignition  
 3D aesthetic control panel





## FMC56.03

### STANDARD FEATURES

- 50x60 dual fuel cooker
- 3 gas burners + Electric Hotplate
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps
- Flat aesthetic control panel

### OPTIONAL FEATURES

- White painted glass oven door
- Full outer glass door with big inner glass
- Metal lid
- Button ignition
- Flap drawer

## FMC56.04

### STANDARD FEATURES

- 50x60 dual fuel cooker
- 3 gas burners + Electric Hotplate
- Electric oven
- Thermostat in oven
- Enamel pan support
- Enamel burner caps

### OPTIONAL FEATURES

- Full outer glass door with big inner glass
- Black glass oven door
- U type white serigraphy on oven door
- Automatic ignition
- Level aesthetic control panel
- Metal lid





## FGC66.07

### STANDARD FEATURES

60x60 gas cooker  
4 gas burners  
Gas oven  
Gas safety oven  
Flame failure device  
Enamel pan support  
Enamel burner caps  
Wide visible area oven door

### OPTIONAL FEATURES

Stainless steel  
Wok burner  
Automatic ignition  
Glass lid with metal profile  
Inox painted knobs  
Inox handle  
Turnspit  
Oven lamp  
Digital clock and minute minder  
Electric grill  
Level aesthetic control panel

## FGC66.02

### STANDARD FEATURES

60x60 gas cooker  
4 gas burners  
Gas oven  
Gas safety oven  
Flame failure device  
Enamel pan support  
Enamel burner caps  
Wide visible area oven door

### OPTIONAL FEATURES

Glass aesthetic  
Inox cooktop  
Gas grill  
Automatic ignition  
Glass lid with metal profile  
Inox handle  
Turnspit  
Oven lamp  
Minute minder  
Full outer glass door with big inner glass





## FGC66.04

### STANDARD FEATURES

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Wide visible area oven door

### OPTIONAL FEATURES

- Glass aesthetic
- Inox cooktop
- Mirror glass control panel, oven door and drawer cover
- Glass lid with metal profile
- Inox handle
- Automatic ignition
- Mat Enamel pan support and burner caps
- Full outer glass door with big inner glass

## FGC66.06

### STANDARD FEATURES

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support
- Enamel burner caps
- Wide visible area oven door
- Flat aesthetic control panel

### OPTIONAL FEATURES

- Brown painted
- Brown enamelled cooktop
- Glass lid with brown profile
- Flap drawer
- Lamp
- Button ignition
- Turnspit
- Oven lamp
- Digital clock and minute minder
- Brown knobs and handle
- Full outer glass door with big inner glass





## FGC66.09

### STANDARD FEATURES

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support
- Enamel burner caps
- Wide visible area oven door
- Flat aesthetic control panel

### OPTIONAL FEATURES

- Glass lid with bumpers
- Automatic ignition
- Electric grill
- Minute minder
- Oven lamp
- Gas grill
- Full outer glass door with big inner glass

## FGC66.08

### STANDARD FEATURES

- 60x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support
- Enamel burner caps
- Wide visible area oven door
- Flat aesthetic control panel

### OPTIONAL FEATURES

- Automatic ignition
- White painted glass oven door
- Flap drawer
- Metal lid
- Full outer glass door with big inner glass





## FGC56.01

### STANDARD FEATURES

- 50x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support
- Enamel burner caps
- Flat aesthetic control panel

### OPTIONAL FEATURES

- Glass lid with bumpers
- Automatic ignition
- Minute minder
- Oven lamp
- Turnspit
- Gas grill
- Metal oven door
- 3D aesthetic control panel

## FGC56.02

### STANDARD FEATURES

- 50x60 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support
- Enamel burner caps
- Wide visible area oven door

### OPTIONAL FEATURES

- Stainless steel
- Metal oven door
- Gas grill
- Glass lid with inox profile
- Inox painted knobs
- Inox handle
- 4 wheel guided drawer
- Button ignition
- Lamp
- 3D aesthetic control panel





## FGC55.02

### STANDARD FEATURES

50x50 gas cooker  
4 gas burners  
Gas oven  
Gas safety oven  
Flame failure device  
Enamel pan support  
Enamel burner caps

### OPTIONAL FEATURES

Metal oven door  
Flap drawer  
Metal lid  
3D aesthetic control panel

## FGC55.03

### STANDARD FEATURES

50x50 gas cooker  
4 gas burners  
Gas oven  
Gas safety oven  
Flame failure device  
Enamel pan support  
Enamel burner caps  
Flat aesthetic control panel

### OPTIONAL FEATURES

Silver painted  
Silver enamelled cooktop  
Glass lid with bumper  
Gas grill  
Lamp  
Button ignition  
Minute minder  
4 wheel guided drawer  
Full outer glass door with big inner glass





## FGC55.04

### STANDARD FEATURES

- 50x50 gas cooker
- 3 gas burners + Electric Hotplate
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support
- Enamel burner caps
- Flat aesthetic control panel

### OPTIONAL FEATURES

- Black painted
- Gas grill
- Lamp
- Button ignition
- Oven door thermostat
- Black painted knobs and handle
- Flap drawer
- Metal lid
- Full outer glass door with big inner glass

## FGC66.07

### STANDARD FEATURES

- 50x50 gas cooker
- 4 gas burners
- Gas oven
- Gas safety oven
- Flame failure device
- Enamel pan support
- Enamel burner caps
- Flat aesthetic control panel

### OPTIONAL FEATURES

- Brown painted
- Brown enamelled cooktop
- Black painted knobs and handle
- Metal lid
- Full outer glass door with big inner glass





DOUBLE OVENS



GENERAL PARTS



1. LID

2. WARMER DRAWER BUTTON

3. TIMER

4. SIDE PANEL

5. HANDLE

6. PLINTH

7. SHUT-OFF VALVE

8. PAN SUPPORTS

9. COOKTOP

10. KNOBS

11. IGNITION BUTTON

12. TOP OVEN DOOR

13. MAIN OVEN DOOR

14. FEET

FLAT



3 D



FULL FLAT PLUS



FULL FLAT



DOOR TYPES



FLAT METAL OVEN  
DOOR WITH SMALL  
GLASS



FULL OUTER AND  
INNER GLASS OVEN  
DOOR



3D METAL OVEN  
DOOR WITH SMALL  
GLASS



3D METAL OVEN  
DOOR WITH BIG  
GLASS



ADD-ON TYPES & DOOR OPEN TYPES



I type add-on



Mono Stripe add-on



U type add-on



Double U type add-on


Dropdown Opening Main Oven Door



Side Opening Main Oven Door



CAVITY RACK TYPES



Enamel Mold Runners



Enamel Cavity with Mold Runners



Catalytic Enamel Side Panels




Catalytic Enamel Side and Rear Panels



Wire Rack in Enamel Cavity



Wire Racks in Enamel Cavity



Wire Rack in Catalytic Enamel Cavity



Catalytic Enamel Panel with Side Wire Racks


TELESCOPIC SHELF TYPES




Single Telescopic Shelf



Double Telescopic Shelves



Full Extension Telescopic Shelf



Double Full Extension Telescopic Shelves




Telescopic Shelves



Full Extension Telescopic



Telescopic Shelves Stabilizer



Telescopic Shelves Stabilizer

DETAILS



Metal Lid



Glass Lid with Bumpers



Glass Lid with Metal Profile



Glass Lid Shut-Off Valve



Oven Lamp




Flame Failure Device for Gas Burners



Ignition for Gas Burners



Wok Burner



Rapid Solid Hotplate



Electric Grill



Fan with The Ring for Multifunction Ovens





Gas Grill



Open Flame Burner for Double Oven Cookers



Gas Burner Cover for Double Oven Cookers



Light Button



Ignition Button



Adjustable Feet



Wheels at Rear



Ground Type Anti-Tip Bracket




Wall Type Anti-Tip Bracket




Cooling Fan System


VITROCERAMIC HOB DETAILS



Slim Design for Vitroceramic Hobs



Arc Design for Vitroceramic Hobs



Point Design for Vitroceramic Hobs




210 mm Zone for Vitroceramic Hobs




Dual Zone for Vitroceramic Hobs




Vitroceramic Glass Cleaning Spatula



Hot Surface Indicator Light for Vitroceramic Hobs



Hot Surface Indicators for Vitroceramic Hobs



Highlight Heating Element



DIGITAL FULL PROGRAMMER



DIGITAL CLOCK



MECHANICAL TIMER



DIGITAL TOUCH FULL PROGRAMMER (FULL FLAT PLUS)



DIGITAL FULL PROGRAMMER (FULL FLAT PLUS)



DIGITAL TOUCH CLOCK AND MINUTE MINDER (FULL FLAT PLUS)

TIMER TYPES



DIGITAL CLOCK AND MINUTE MINDER (FULL FLAT PLUS)



MECHANICAL TIMER (FULL FLAT PLUS)



DIGITAL FULL PROGRAMMER (FULL FLAT)



DIGITAL CLOCK (FULL FLAT)



MECHANICAL TIMER (FULL FLAT)

PAN SUPPORT TYPES



Enamel Pan Supports



Mat Enamel Pan Supports



Cast Iron Pan Supports



Enamel Burner Cap



Enamel Flat Burner Cap



Mat Enamel Burner Cap



Cast Iron Burner Cap



Coffee Support



Cast Iron Coffee Support



Enamel Wok Adapter



Cast Iron Wok Adapter

PAN SUPPORT TYPES



S Type Enamelled



V Type Enamelled



D Type Enamelled



S Type Cast Iron



S Type Enamelled for Full Flat Aesthetics



V Type Enamelled for Full Flat Aesthetics



D Type Enamelled for Full Flat Aesthetics



Cast Iron S - Type Pan Support for Full Flat Aesthetics



Shallow Tray



Deep Tray



80 mm Deep Tray



Chromed Wire Grid for Deep Tray



Chromed Wire Grid



Grill Pan Handle Set



Grill Pan Handle



Heavy Duty Grill Pan Handle



Glass Tray

## DIC66.01



### STANDARD FEATURES

- 60 cm twin cavity electric cooker
- Induction cooktop (2x160mm, 2x200mm)
- Thermostat in oven
- 90 cm height
- Cooling Fan
- Drop down top oven door and side opening main oven door
- Full Flat design control panel

### OPTIONAL FEATURES

- Knob control for induction cooktop
- Stainless steel control panel
- Static top oven and grill
- Multifunction main oven
- Black glass oven door with side stripe inox add-on
- Digital full programmer for main oven
- Lamp
- Full outer glass door with big inner glass

## DIC66.02

### STANDARD FEATURES

- 60 cm twin cavity electric cooker
- Induction cooktop (2x160mm, 2x200mm)
- Thermostat in oven
- 90 cm height
- Cooling Fan
- Drop down top oven door and side opening main oven door
- Full Flat Plus design control panel

### OPTIONAL FEATURES

- Touch control for induction cooktop
- Stainless steel control panel
- Static top oven and grill
- Multifunction main oven
- Digital full programmer for main oven
- Lamp
- Full outer glass door with big inner glass





## DIC66.03 RUSTIC



### STANDARD FEATURES

60 cm twin cavity electric cooker  
 Induction cooktop (2x160mm, 2x200mm)  
 Thermostat in oven  
 90 cm height  
 Cooling Fan  
 Drop down top oven door and side opening main oven door  
 Full Flat Plus design control panel

### OPTIONAL FEATURES

Touch control for induction cooktop  
 Black painted  
 Static top oven and grill  
 Multifunction main oven  
 Rustic style knobs and handles  
 Lamp  
 Full outer glass door with big inner glass

## DIC56.01

### STANDARD FEATURES

50x60 cm twin cavity electric cooker  
 Induction cooktop (2x160mm, 2x200mm)  
 Thermostat in oven  
 90 cm height  
 Cooling Fan  
 Drop down top oven door and side opening main oven door  
 Full Flat design control panel

### OPTIONAL FEATURES

Touch control for induction cooktop  
 Stainless steel control panel  
 Static top oven and grill  
 Fan assisted main oven  
 Black glass oven door with U type inox add-on  
 Digital full programmer for main oven  
 Lamp



## DVC66.05



### STANDARD FEATURES

- 60 cm twin cavity electric cooker
- Hot surface indicator light
- Thermostat in oven
- 90 cm height
- Drop down top oven door and side opening main oven door
- Full Flat design control panel

### OPTIONAL FEATURES

- Vitroceraamic cooktop (2x145mm, 2x180mm)
- Stainless steel control panel
- Static top oven and grill
- Multifunction main oven
- Black glass oven door with U type inox add-on
- Digital clock for main oven
- Cooling Fan
- Lamp
- Full outer glass door with big inner glass

## DVC66.03

### STANDARD FEATURES

- 60 cm double oven electric cooker
- Hot surface indicator light
- Thermostat in oven
- 90 cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

### OPTIONAL FEATURES

- Vitroceraamic cooktop (2x145, 1x180, 1x210)
- Stainless steel control panel
- Static top oven and grill
- Multifunction main oven
- Black glass oven door with side stripe inox add-on
- Lamp
- Full outer glass door with big inner glass



## DVC66.01



### STANDARD FEATURES

- 60 cm double oven electric cooker
- Vitroc ceramic cooktop (2x145) (2x180)
- Hot surface indicator light
- Thermostat in oven
- 90 cm height
- Drop down top oven door and side opening main oven door

### OPTIONAL FEATURES

- Static top oven and grill
- Multifunction main oven
- 3D design control panel
- Black glass oven door with white side stripe serigraphy
- Digital clock for main oven
- Inox cladded knobs
- Full outer glass door with big inner glass

## DVC66.04

### STANDARD FEATURES

- 60 cm twin cavity electric cooker
- Hot surface indicator light
- Thermostat in oven
- 90 cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

### OPTIONAL FEATURES

- Vitroc ceramic cooktop (2x145mm, 2x180mm)
- Black painted
- Static top oven and grill
- Static main oven and grill
- Black glass oven door
- Lamp
- Full outer glass door with big inner glass





## DVC56.02

### STANDARD FEATURES

50x60 cm twin cavity electric cooker  
Hot surface indicator light  
Thermostat in oven  
90 cm height  
Drop down top oven door and side opening main oven door  
Full Flat Plus design control panel

### OPTIONAL FEATURES

Vitroc ceramic cooktop (2x145mm, 2x180mm)  
Static top oven and grill  
Static main oven  
Black glass oven door with white side stripe serigraphy  
Digital full programmer for main oven  
Cooling Fan  
Lamp

## DVC56.03

### STANDARD FEATURES

50x60 cm twin cavity electric cooker  
Hot surface indicator light  
Thermostat in oven  
90 cm height  
Drop down top oven door and side opening main oven door  
Flat design control panel

### OPTIONAL FEATURES

Vitroc ceramic cooktop (2x145mm, 2x180mm)  
Black painted  
Static top oven and grill  
Static main oven and grill  
Black glass oven door  
Lamp



## DEC66.01



### STANDARD FEATURES

60 cm double oven electric cooker  
 4 solid hotplates (2x145) (2x180)  
 Thermostat in oven  
 90 cm height  
 Drop down top oven door and side opening main oven door  
 Flat design control panel

### OPTIONAL FEATURES

Stainless steel  
 1 rapid hotplate  
 Static top oven and grill  
 Multifunction main oven  
 Mechanical timer for main oven  
 Black glass oven door with side stripe inox add-on  
 Black knobs  
 Inox handle  
 Full outer glass door with big inner glass

## DEC66.02

### STANDARD FEATURES

60 cm double oven electric cooker  
 4 solid hotplates (2x145mm, 2x180mm)  
 Thermostat in oven  
 90 cm height  
 Drop down top oven door and side opening main oven door  
 Full Flat Plus design control panel

### OPTIONAL FEATURES

Static top oven and grill  
 Multifunction main oven  
 Black glass oven door with white mono stripe serigraphy  
 Lamp





## DEC56.02

### STANDARD FEATURES

50x60 cm double oven electric cooker  
4 solid hotplates (2x145, 2x180)  
Thermostat in oven  
90 cm height  
Drop down top oven door and side opening main oven door  
Flat design control panel

### OPTIONAL FEATURES

Stainless steel control panel  
Static top oven and grill  
Static main oven and grill  
Black glass oven door with side stripe inox serigraphy  
Lamp  
Full outer glass door with big inner glass

## DEC56.01

### STANDARD FEATURES

50x60 cm double oven electric cooker  
4 solid hotplates (2x145) (2x180)  
Thermostat in oven  
90 cm height  
Drop down top oven door and side opening main oven door  
Flat design control panel

### OPTIONAL FEATURES

White painted  
Static top oven and grill  
Static main oven and grill  
Mechanical timer  
Metal oven door with small inner and outer glass  
Lamp  
Full outer glass door with big inner glass





## DMC66.05

### STANDARD FEATURES

60 cm twin cavity dual fuel cooker  
 4 gas burners  
 Electric oven  
 Thermostat in oven  
 90 cm height  
 Enamel pan supports & burner caps  
 Drop down top oven door and side opening main oven door  
 Full Flat design control panel

### OPTIONAL FEATURES

Black painted  
 Static top oven and grill  
 Multifunction main oven  
 Black glass oven door  
 Glass lid with bumpers  
 Digital full programmer for main oven  
 Lamp  
 Full outer glass door with big inner glass  
 Shut-off valve

## DMC66.01

### STANDARD FEATURES

60 cm twin cavity dual fuel cooker  
 4 gas burners  
 Electric oven  
 Thermostat in oven  
 90 cm height  
 Enamel pan supports & burner caps  
 Drop down top oven door and side opening main oven door  
 3D design control panel

### OPTIONAL FEATURES

Stainless steel control panel  
 Static top oven and grill  
 Multifunction main oven  
 Black glass oven door  
 Black glass oven door with side stripe inox add-on  
 Mechanical timer for main oven  
 Lamp





## DMC66.02

### STANDARD FEATURES

60 cm double oven dual fuel cooker  
3 gas burners + electric hotplate  
Enamel pan supports & burner caps  
Drop down top oven door and main oven door  
Thermostat in oven

### OPTIONAL FEATURES

Static top oven and grill  
Multifunction main oven  
3D design  
Silver painted metal oven door  
Digital full programmer for main oven  
Inox cladded knobs  
Metal lid

## DMC66.03 RUSTIC

### STANDARD FEATURES

60 cm double oven dual fuel cooker  
4 gas burners  
Enamel pan supports & burner caps  
Drop down top oven door and main oven door  
Thermostat in oven

### OPTIONAL FEATURES

Static top oven and grill  
Rustic style knobs and handles  
3D design  
Black painted  
Silver painted metal oven door  
Mechanical timer for main oven



\*available only as twin cavity  
(only grill function in top cavity)





## DMC66.04

### STANDARD FEATURES

60 cm double oven dual fuel cooker  
 4 gas burners  
 Electric oven  
 Thermostat in oven  
 85cm height  
 Drop down top oven door and main oven door  
 Enamel pan supports & burner caps  
 3D design control panel

### OPTIONAL FEATURES

White painted  
 Static top oven and grill  
 Multifunction main oven  
 Mechanical timer  
 Glass lid with bumpers  
 Metal oven door with big outer glass  
 Lamp

## DMC66.06

### STANDARD FEATURES

60 cm twin cavity dual fuel cooker  
 4 gas burners  
 Wok burner  
 Electric oven  
 Thermostat in oven  
 90 cm height  
 Enamel pan supports & burner caps  
 Drop down top oven door and side opening main oven door  
 Full Flat Plus design control panel

### OPTIONAL FEATURES

Stainless steel control panel  
 Static top oven and grill  
 Multifunction main oven  
 Black glass oven door  
 Glass lid with profile  
 Digital full programmer for main oven  
 Button ignition  
 Lamp  
 Full outer glass door with big inner glass





## DMC56.01

### STANDARD FEATURES

- 50x60 cm double oven dual fuel cooker
- 4 gas burners
- Enamel pan supports & burner caps
- 90 cm height
- Drop down top oven door and side opening main oven door
- Thermostat in oven
- Flat design control panel

### OPTIONAL FEATURES

- Static top oven and grill
- Multifunction main oven
- Black glass oven door with white side stripe serigraphy
- Full outer glass door with big inner glass

## DMC56.02

### STANDARD FEATURES

- 50x60 cm double oven dual fuel cooker
- 4 gas burners
- Electric oven
- Thermostat in oven
- 90 cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

### OPTIONAL FEATURES

- Black painted
- Static top oven and grill
- Multifunction main oven
- Black glass oven door
- Lamp
- Full outer glass door with big inner glass



## DGC66.05



### STANDARD FEATURES

60 cm twin cavity gas cooker  
 4 gas burners  
 Open flame burner in main oven  
 Enamel pan supports & burner caps  
 90 cm height  
 Drop down top oven door and side opening main oven door  
 Full Flat Plus design control panel

### OPTIONAL FEATURES

Button ignition  
 Variable gas grill and open flame burner in top oven  
 Black glass oven door with white side stripe serigraphy  
 Lamp  
 Full outer glass door with big inner glass

## DGC66.04 RUSTIC

### STANDARD FEATURES

60cm twin cavity gas cooker  
 4 gas burners  
 Open flame burner in main oven  
 Cast iron pan supports & burner caps  
 90cm height  
 Drop down top oven door and side opening main oven door  
 3D design control panel

### OPTIONAL FEATURES

Cream painted  
 Rustic style knobs and handles  
 Button ignition  
 Variable gas grill and open flame burner in top oven  
 Digital clock for main oven  
 Metal oven door with small inner and outer glass  
 Lamp





## DGC66.01

### STANDARD FEATURES

- 60 cm double oven gas cooker
- 4 gas burners
- Enamel pan supports & burner caps
- Open flame burner in main oven
- 90 cm height
- Drop down top oven door and side opening main oven door
- Black painted knobs
- Flat design control panel

### OPTIONAL FEATURES

- Button ignition
- Glass lid with black profile
- Variable gas grill and open flame burner in top oven
- Anthracite painted
- Black glass oven door with anthracite side stripe serigraphy
- Digital clock for main oven
- Thermostat in top and main oven
- Full outer glass door with big inner glass

## DGC66.03

### STANDARD FEATURES

- 60 cm double oven gas cooker
- 4 gas burners
- Open flame burner in main oven
- Enamel pan supports & burner caps
- 90 cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

### OPTIONAL FEATURES

- White painted
- Button ignition
- Variable gas grill and open flame burner in top oven
- Digital clock for main oven
- Metal oven door with small inner and outer glass
- Lamp





## DGC56.04

### STANDARD FEATURES

- 50x60 cm twin cavity gas cooker
- 4 gas burners
- Open flame burner in main oven
- Enamel pan supports & burner caps
- 90 cm height
- Drop down top oven door and side opening main oven door
- Full Flat Plus design control panel

### OPTIONAL FEATURES

- Button ignition
- Variable gas grill and open flame burner in top oven
- Black glass oven door
- Lamp
- Full outer glass door with big inner glass

## DGC56.03

### STANDARD FEATURES

- 50x60 cm double oven gas cooker
- 4 gas burners
- Open flame burner in main oven
- Enamel pan supports & burner caps
- 90cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

### OPTIONAL FEATURES

- White painted
- Button ignition
- Variable gas grill and open flame burner in top oven
- Digital clock for main oven
- Metal oven door with small inner and outer glass
- Lamp





## DGC56.01

### STANDARD FEATURES

- 50x60 cm double oven gas cooker
- 4 gas burners
- Enamel pan supports & burner caps
- Open flame burner in main oven
- 90 cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

### OPTIONAL FEATURES

- Button ignition
- Variable gas grill and open flame burner in top oven
- 3D Design
- Thermostat in top and main oven
- Metal oven door
- Inox knobs

\*available only as twin cavity (only grill function in top cavity)

## DGC56.05

### STANDARD FEATURES

- 50x60 cm twin cavity gas cooker
- 4 gas burners
- Open flame burner in main oven
- Enamel pan supports & burner caps
- 90 cm height
- Drop down top oven door and side opening main oven door
- Flat design control panel

### OPTIONAL FEATURES

- Ignition with battery
- Variable gas grill and open flame burner in top oven
- Black glass oven door
- Silver painted knobs and handles
- Glass lid with bumpers



90 x 60 FREE STANDING COOKERS



GENERAL PARTS



1. LID

2. TIMER

3. IGNITION BUTTON

4. SIDE PANEL

5. OVEN DOOR

6. DRAWER

7. PAN SUPPORTS

8. COOKTOP

9. CONTROL PANEL

10. KNOBS

11. HANDLES

12. BOTTLE COMPARTMENT  
DOOR

13. ADJUSTABLE FEET



STANDARD  
FLAT  
LOOK



STANDARD  
3D LOOK



PROFESSIONAL  
LOOK



PROFESSIONAL  
GLASS LOOK



DOOR TYPES & ADD-ON TYPES



Type 8



Type 8 Bottle Compartment



Type 9



Type 9 BC



U Type



I Type



Mono Stripe



Enamel Cavity with Mold Runners



Enamel Cavity with Wire Racks



Catalytic Enamel Side and Rear Panel



Catalytic Enamel Panel with Side Wire Racks



Wire Racks with Single Telescopic Shelf



Wire Racks with Double Telescopic Shelves



Wire Racks with Single Full Extension Telescopic Shelf

CAVITY TYPES & LAMP



Electric Multi-Function Oven Cavity Double Fan Assisted



Electric Oven Cavity Double Fan Assisted



Electric Standard Oven Cavity Static



Fan-Assisted Gas Oven Cavity



Electric Cooker Lamps



Gas Cooker Lamps



Bottle Compartment Gas Oven Cavity

BOTTLE COMPARTMENT



Standart Compartment Door



Full Compartment Door



Inox Bottle Compartment Door



Standard Floor Support Sheet



Tube Holder Sheet Cover



Tube Holder Wire

## TIMER TYPES



Digital Full Programmer



Digital Touch Full Programmer



Digital Clock and Minute Minder



Digital Touch Clock and Minute Minder



Mechanical Timer



Minute Minder



Glass Lid with Metal Profile



Glass Lid with Bumpers



Splashback



Splashback for Professional Aesthetics



Flap Drawer



Cooling Fan




Kickplate



Adjustable Feet


CERAN DETAILS



Slim Design for Vitroceramic Hobs



Arc Design for Vitroceramic Hobs



Point Design for Vitroceramic Hobs



Slim Design (for Induction Hobs)



210 mm Zone for Vitroceramic Hobs



Dual Zone for Vitroceramic Hobs



Induction Touch Control Panel



Highlight Heating Element






Enamel Pan Supports




Mat Enamel Pan Supports



Cast Iron Pan Supports



Rapid Solid Hotplate



Wok Burner



Fish Burner



Flame Failure Device for Gas Burners



Ignition for Gas Burners

PAN SUPPORT DETAILS



Enamel Burner Cap



Enamel Flat Burner Cap



Mat Enamel Burner Cap



Cast Iron Burner Cap



Coffee Support



Cast Iron Coffee Support



Enamel Wok Adapter



Cast Iron Wok Adapter



Enameled S Type



Enameled E Type



Cast Iron T Type



Cast Iron S Type

ACCESSORIES




Baking (Shallow Tray)



Roasting (Deep) Tray



Deep Tray Grid



Chromed Wire Grid



Turnspit Set



Small Tray



Grill Pan Handle Set



## FIC90.01

### STANDARD FEATURES

90x60 dual fuel cooker  
 Standard flat aesthetic  
 4 gas burners  
 2 induction zones  
 (1x200mm, 1x160mm)  
 Electric oven  
 Thermostat in oven

### OPTIONAL FEATURES

Stainless Steel  
 Inox handle  
 Inox painted knobs  
 Cast iron burner caps & pan supports  
 Flap drawer  
 Side stripe laser-cut inox cladding on oven door  
 Automatic ignition  
 Splashback  
 Lamp

## FVC90.02

### STANDARD FEATURES

90x60 vitroceramic cooker  
 Standard flat aesthetic  
 Hot surface indicator light  
 Electric oven  
 Thermostat in oven

### OPTIONAL FEATURES

Stainless steel  
 Vitroceramic cooktop  
 (2x145) (1x180) (1x210 dual)  
 (1xoval ceran)  
 Digital full programmer  
 Flap drawer  
 Splashback  
 Double fan assisted oven  
 Inox painted knobs  
 Inox handle  
 Lamp



90x60



## FMC90.09

### STANDARD FEATURES

90x60 dual fuel cooker  
Standard flat aesthetic  
4 gas burners + 2 solid  
hotplates (1x145, 1x180)  
Electric oven  
Thermostat in oven

### OPTIONAL FEATURES

Stainless steel  
Enamel burner caps & pan  
supports  
Mechanical timer  
Flap drawer  
Glass lid with bumpers  
Auto ignition  
Inox painted knobs  
Inox handle  
Lamp & turnspit

## FMC90.04

### STANDARD FEATURES

90x60 dual fuel cooker  
Standard 3D aesthetic  
4 gas burners + 2 solid  
hotplates (1x145mm,  
1x180mm)  
Electric oven  
Thermostat in oven

### OPTIONAL FEATURES

Cast iron pan supports &  
burner caps  
Stainless Steel  
Mechanical timer  
Flap drawer  
Glass lid with inox profil  
Auto ignition  
Lamp  
Turnspit  
Inox handle  
Inox painted feet  
Inox painted knobs  
U type laser-cut inox  
cladding on oven door





## FMC90.11

### STANDARD FEATURES

- 90x60 gas cooker
- 5 gas burners
- Gas oven
- Gas safety oven

### OPTIONAL FEATURES

- Professional Aesthetic
- Red Painted
- Cast iron burner caps and pan supports
- Wok burner
- Flap drawer
- Rustic knobs & handle
- Splash back
- Side stripe laser-cut painted cladding on oven door
- Lamp

## FMC90.08

### STANDARD FEATURES

- 90x60 dual fuel cooker
- Standard flat aesthetic
- 4 gas burners + 2 solid hotplates (1x145, 1x180)
- Electric oven
- Thermostat in oven

### OPTIONAL FEATURES

- Cream painted
- Cast iron pan supports & burner caps
- Mechanical timer
- Flap drawer
- Splashback
- Auto ignition
- Rustic knobs & handle
- Black painted cooktop
- Lamp & turnspit



90x60



## FMC90.01

### STANDARD FEATURES

90x60 dual fuel cooker  
5 gas burners  
Electric oven  
Thermostat in oven  
Enamelled pan supports  
Enamelled burner caps

### OPTIONAL FEATURES

Stainless steel  
Glass lid with inox profile  
Wok burner  
Flap drawer  
Inox painted knobs  
Inox handle  
Inox painted feet  
Mono stripe 100mm laser-cut inox cladding on oven door  
Button ignition  
Lamp  
3D aesthetics

## FMC90.05

### STANDARD FEATURES

90x60 dual fuel cooker  
5 gas burners  
Electric oven  
Thermostat in oven

### OPTIONAL FEATURES

Stainless steel  
Professional aesthetic  
Cast iron burner caps & pan supports  
Wok burner  
Flap drawer  
Inox painted feet  
Inox painted knobs  
Inox handle  
Digital full programmer  
Splashback  
Mono stripe 100mm laser-cut inox cladding on oven door  
Lamp







## FMC90.06

### STANDARD FEATURES

90x60 dual fuel cooker  
5 gas burners  
Electric oven  
Thermostat in oven

### OPTIONAL FEATURES

Professional aesthetic  
Cream painted  
Cast iron burner caps & pan supports  
Wok burner  
Flap Drawer  
Rustic knobs & handle  
Mechanical Timer  
Splashback  
Side stripe laser-cut painted cladding on oven door  
Lamp  
Inox cooktop

## FMC90.07

### STANDARD FEATURES

90x60 dual fuel cooker  
Standard flat aesthetic  
5 gas burners  
Electric oven  
Thermostat in oven

### OPTIONAL FEATURES

Anthracite painted  
Cast iron burner caps & pan supports  
Wok burner  
Flap Drawer  
Digital full programmer timer  
Splashback  
Lamp  
Button ignition  
Turnspit



90x60



## FMC90.10

### STANDARD FEATURES

90x60 dual fuel cooker  
Standard flat aesthetic  
4 gas burners + 2 solid  
hotplate (1x145mm,  
1x180mm)  
Electric oven  
Thermostat in oven  
Enamel burner caps and  
pan support

### OPTIONAL FEATURES

Full door bottle  
compartment  
Enamel burner caps and  
pan support  
Glass lid with bumpers  
Flap drawer  
Mechanical timer  
Button ignition  
Black glass oven door

## FMC90.02

### STANDARD FEATURES

90x60 dual fuel cooker  
Standard flat aesthetic  
5 gas burners  
Electric oven  
Thermostat in oven  
Enamel pan supports  
Enamel burner caps

### OPTIONAL FEATURES

Digital clock  
Wok burner  
Flap drawer  
Glass lid with bumpers  
Button ignition  
Lamp  
Turnspit





## FGC90.07

### STANDARD FEATURES

90x60 dual fuel cooker  
Standard flat aesthetic  
5 gas burners  
Electric oven  
Thermostat in oven

### OPTIONAL FEATURES

Anthracite painted  
Cast iron burner caps & pan supports  
Wok burner  
Flap Drawer  
Digital full programmer timer  
Splashback  
Lamp  
Button ignition  
Turnspit

## FGC90.06

### STANDARD FEATURES

90x60 gas cooker  
5 gas burners  
Gas oven  
Gas safety oven

### OPTIONAL FEATURES

Professional aesthetic  
Stainless steel  
Mechanical minute minder  
Cast iron pan supports & burner caps  
Wok burner  
Flap drawer  
Inox painted knobs  
Inox handle  
Splashback  
Auto ignition  
Separate knob control gas oven and gas grill  
Lamp  
Turnspit



90x60



## FGC90.01

### STANDARD FEATURES

90x60 gas cooker  
Standard flat aesthetic  
5 gas burners  
Gas oven  
Gas safety oven

### OPTIONAL FEATURES

Stainless steel  
Mechanical minute minder  
Cast iron pan supports & burner caps  
Wok burner  
Flap drawer  
Inox painted knobs  
Inox handle  
Splashback  
U type laser-cut inox cladding on oven door  
Electrical grill  
Inox painted feet  
Auto ignition  
Lamp  
Turnspit

## FGC90.14

### STANDARD FEATURES

90x60 gas cooker  
Standard flat aesthetic  
5 gas burners  
Gas oven  
Gas safety oven

### OPTIONAL FEATURES

Stainless steel  
Cast iron burner caps and pan supports  
Wok burner  
Flap drawer  
Spalshback  
Digital clock  
Inox painted feet  
Button ignition  
Lamp





## FGC90.13

### STANDARD FEATURES

90x60 gas cooker  
 Standard flat aesthetic  
 5 gas burners  
 Gas oven  
 Gas safety oven

### OPTIONAL FEATURES

White painted  
 Enamel burner caps & pan supports  
 Glass lid with bumpers  
 Auto ignition  
 White painted knobs  
 White painted handle

## FGC90.10

### STANDARD FEATURES

90x60 gas cooker  
 Standard flat aesthetic  
 5 gas burners  
 Gas oven  
 Gas safety oven  
 Enamel burner caps & pan supports

### OPTIONAL FEATURES

Flap Drawer  
 Mechanical Timer  
 Button ignition  
 Turnspit  
 Lamp  
 Wok burner  
 Glass lid with profile



90x60



## FGC90.11

### STANDARD FEATURES

90x60 gas cooker  
5 gas burners  
Gas oven  
Gas safety oven

### OPTIONAL FEATURES

Professional aesthetic  
Blue painted  
Wok burner  
Cast iron burner caps & pan supports  
Flap drawer  
Rustic knobs  
Inox handle  
Splashback  
Side stripe laser-cut painted cladding on oven door  
Automatic ignition  
Turnspit  
Lamp  
Inox cooktop

## FGC90.02

### STANDARD FEATURES

90x60 gas cooker  
Standard flat aesthetic  
5 gas burners  
Gas oven & gas safety oven  
Enamelled pan supports  
Enamelled burner caps

### OPTIONAL FEATURES

Stainless steel  
Wok burner  
Flap drawer  
Inox painted knobs & feet  
Inox handles  
Full door bottle compartment  
Electrical grill  
Glass lid with bumpers





## FGC90.09

### STANDARD FEATURES

90x60 gas cooker  
 Standard flat aesthetic  
 5 gas burners  
 Gas oven  
 Electric grill  
 Gas safety oven

### OPTIONAL FEATURES

Stainless steel  
 Half door bottle compartment  
 Wok burner  
 Glass lid with inox profile  
 Flap drawer  
 Cast iron pan supports & burner caps  
 Button ignition

## FGC90.03

### STANDARD FEATURES

90x60 gas cooker  
 5 gas burners  
 Gas Oven  
 Gas safety oven  
 Enamel burner caps & pan supports  
 Standart flat aesthetic

### OPTIONAL FEATURES

Full door bottle compartment  
 Glass lid with metal profile  
 White painted oven door glass  
 Wok burner  
 Flap drawer  
 Mechanical minute minder



90x60



## FGC90.05

### STANDARD FEATURES

90x60 gas cooker  
Standard flat aesthetic  
5 gas burners  
Enamel burner caps & pan supports  
Gas oven  
Gas safety oven

### OPTIONAL FEATURES

Brown painted  
Wok burner  
Wok adaptor  
Flap drawer  
Black knobs  
Black painted handles  
Full door bottle compartment  
Glass lid with bumpers  
Auto ignition

## FGC90.08

### STANDARD FEATURES

90x60 gas cooker  
5 gas burners  
Gas Oven  
Gas safety oven  
Enamel burner caps & pan supports  
Standart flat aesthetic

### OPTIONAL FEATURES

Terre de France Painted  
Full door bottle compartment  
Electrical Grill  
Auto Ignition  
Flap drawer  
Mechanical minute minder





S P E C I F I C A T I O N S





## SPECIFICATIONS

FREESTANDING COOKERS SPECIFICATION SHEET	Gas Cooker					Electric Cooker with Solid Hotplates			
	90x60	90x60 BC	60x60	50x60	50x50	60x60	50x60	50x50	
Oven Features									
Glass Tray	-	Optional	Optional	-	-	Optional	-	-	
Roasting Tray (Deep Tray)	Optional	Optional	1	1	1	1	1	1	
Chromed Grid with Stoper	1	1	1	1	1	1	1	1	
Inner Grid for Deep Tray	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Grill Pan with Handle Set	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Flap Drawer at the Bottom	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
4WG Warmer Drawer at the Bottom	-	-	Optional	Optional	Optional	Optional	Optional	Optional	
Full Outer Glass and Small Inner Glass Metal Door	Default	Default	Default	Default	Default	Default	Default	Default	
Inclined Solid Oven Door	-	-	Optional	Optional	Optional	Optional	Optional	Optional	
Full Outer Glass and Big Inner Glass Door	Optional	Optional	Optional	Optional	-	Optional	Optional	Optional	
Removable Inner Glass (only for flat glass door)	Optional	Optional	Optional	Optional	-	Optional	Optional	Optional	
Full Inner Glass Door**	-	-	-	-	-	Optional	-	-	
Coal Touch Oven Door	-	-	Optional	Optional	-	Optional	Optional	-	
Floatal Oven Door Glass	Optional	Optional	Optional	Optional	-	Optional	Optional	Optional	
Removable Oven Door	Default	Default	Default	Default	Default	Default	Default	Default	
Add-on Stripes on Oven Door	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	
Glass Application on Control Panel	Optional	-	Optional	-	-	Optional	-	-	
Glass Application on Drawer Cover	Optional	-	Optional	-	-	Optional	-	-	
Child Lock on Oven Door	-	-	Optional	Optional	Optional	Optional	Optional	Optional	
Tip over Bracket	Optional	Optional	Default	Default	Default	Default	Default	Default	
Shabat Function	-	-	-	-	-	Optional	-	-	
Cooling Fan	Optional	Optional	Optional	Optional	-	Optional	Optional	-	
Other Features									
Total Power (Depends on Model) Maximum Gas/Electric	kW	14,9/5,4	14,9/5	11,1/4,9	10,3/4,5	9,4/2,5	_/10,1	_/10,0	_/9,6
Voltage	V	230V	230V	230V	230V	230V	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~
Energy consumption according to the EN60335 Standarts	kWh	-	-	-	-	-	0.80 - 0.99	0.79 - 0.95	0.79 - 0.90
Energy rating		B	A	A	A	A	A/B	A/B	A/B
Cavity Insulation		Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White
Pop-in Pop-out Knob		-	-	-	-	-	Optional	Optional	Optional
Bottle Compartment		Optional	Optional	-	-	-	-	-	-
Serigraphy on Knob		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
RoHS Compliance		Default	Default	Default	Default	Default	Default	Default	Default
CE Compliance		Default	Default	Default	Default	Default	Default	Default	Default
Height with Lid Open (85 cm/90 cm)	cm	145/150	145/150	145/150	145/150	135/140	145/150	145/150	145/150
Depth with Door Open	cm	105/106	105/106	105/106	105/106	95	105/106	105/106	100
Carton Box Packaging		Default	Default	Optional	Optional	Optional	Optional	Optional	Optional
Shrink Packed Product Dimensions (85 cm/90 cm)	mm	950x680x860	950x680x860	645x684x922 645x684 x977	545x684x919 545x684x 974	545x586x912 545x586x967	645x684x922 645x684x977	545x684x919 545x684x974	545x586x912 545x586x967
Net Weight (Depends on Model) Maximum	kg	74	74	43	40	36	46	43	42
Gross Weight (Depends on Model) Maximum	kg	77	77	46,5	43,2	39	49,5	46,2	45
Container Loading Quantity* (20 ft Container)	pcs	40	40	48	68	80	48	68	80
Container Loading Quantity* (40 ft Container)	pcs	82	82	108	144	168	108	144	168
Container Loading Quantity* (40 ft HC Container)	pcs	123	123	108	144	168	108	144	168

\* Shrink packaging for model with 85cm high and vertical positioning in container

\*\* Big cavity (65 LT) ovens

\*\*\* Only on painted parts



# SPECIFICATIONS

FREESTANDING COOKERS SPECIFICATION SHEET	Electric Cooker with Ceramic Glass				Electric Cooker with Induction		Mixed (Duel Fuel) Cooker					
	90x60	60x60	50x60	50x50	90x60	60x60	90x60	90x60 BC	60x60	50x60	50x50	
Oven Features												
Double Fan with Double Ring Heating Element	W	-	-	-	-	3200	-	3200	-	-	-	-
Turnspit		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	-
Mechanical Minute Minder		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mechanical Timer		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Clock		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Programmer		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Baking Tray (Shallow Tray)		1	Optional	Optional	Optional	Optional	Optional	1	1	Optional	Optional	Optional
Glass Tray		-	Optional	-	-	-	Optional	-	Optional	Optional	-	-
Roasting Tray (Deep Tray)		Optional	1	1	1	1	1	Optional	Optional	1	1	1
Chromed Grid with Stoper		1	1	1	1	1	1	1	1	1	1	1
Inner Grid for Deep Tray		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Grill Pan with Handle Set		Optional	Optional	Optional	Optional	Default	Default	Optional	Optional	Optional	Optional	Optional
Flap Drawer at the Bottom		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
4WG Warmer Drawer at the Bottom		Optional	Optional	Optional	Optional	-	Optional	-	-	Optional	Optional	Optional
Full Outer Glass and Small Inner Glass Metal Door		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Inclined Solid Oven Door		-	Optional	Optional	Optional	-	Optional	-	-	Optional	Optional	-
Full Outer Glass and Big Inner Glass Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Default
Removable Inner Glass (only for flat glass door)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Full Inner Glass Door**		-	-	-	-	-	Optional	-	-	Optional	-	-
Cool Touch Oven Door		-	Optional	Optional	-	-	Optional	-	-	Optional	Optional	-
Floatal Oven Door Glass		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Removable Oven Door		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Add-on Stripes on Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Glass Application on Control Panel		Optional	Optional	-	-	Optional	Optional	Optional	-	Optional	-	-
Glass Application on Drawer Cover		Optional	Optional	-	-	Optional	Optional	Optional	-	Optional	-	-
Child Lock on Oven Door		-	Optional	Optional	Optional	-	Optional	-	-	Optional	Optional	Optional
Tip over Bracket		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Shabat Function		-	Optional	-	-	-	Optional	-	-	Optional	-	-
Cooling Fan		Optional	Optional	Optional	-	Default	Default	-	-	-	-	-
Other Features												
Total Power (Depends on Model)	kW	~11,2	~11,4	~9,6	~8,0	??	~10,5	11,1/6,6	11,1/6,2	8,3/6,6	7,5/6,1	7,3/4,1
Maximum Gas/Electric												
Voltage	v	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~	230V/400V 3N~	230V	230V	230V	230V	230V
Energy consumption according to the EN60335 Standarts	kWh	0,98 - 1,18	0,80 - 0,99	0,79 - 0,95	0,79 - 0,90	0,98 - 1,18	0,80 - 0,99	0,98 - 1,18	0,98 - 1,18	0,80 - 0,99	0,79 - 0,95	0,79 - 0,90
Energy rating		A/B	A/B	A/B	A/B	A/B	A/B	A/B	A/B	A/B	A/B	A/B
Cavity Insulation		Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White
Pop-in Pop-out Knob		Optional	Optional	Optional	Optional	Optional	Optional	-	-	-	-	-
Bottle Compartment		-	-	-	-	-	-	Optional	Optional	-	-	-
Serigraphy on Knob		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
RoHS Compliance		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
CE Compliance		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Height with Lid Open (85 cm/90 cm)	cm	145/150	145/150	145/150	145/150	145/150	145/150	145/150	145/150	145/150	145/150	145/150
Depth with Door Open	cm	105/106	105/106	105/106	100	105/106	105/106	105/106	105/106	105/106	105/106	95
Carton Box Packaging		Default	Optional	Optional	Optional	Default	Optional	Default	Default	Optional	Optional	Optional
Shrink Packed Product Dimensions (85 cm/90 cm)	mm	950x680x860	645x684x922 645x684x977	545x684x919 545x684x974	545x586x912 545x586x967	950x680x860	645x684x922 645x684x977	950x680x860	950x680x860	645x684x922 645x684x977	545x684x919 545x684x974	545x586x912 545x586x967
Net Weight (Depends on Model) Maximum	kg	74	45	42	41	86,5	54,8	74	74	45	42	39
Gross Weight (Depends on Model) Maximum	kg	77	48,5	45,2	44	89,5	58,1	77	77	48,5	45,2	43
Container Loading Quantity* (20 ft Container)	pcs	40	48	68	80	40	48	40	40	48	68	80
Container Loading Quantity* (40 ft Container)	pcs	82	108	144	168	82	108	82	82	108	144	168
Container Loading Quantity* (40 ft HC Container)	pcs	123	108	144	168	123	108	123	123	108	144	168

\* Shrink packaging for model with 85cm high and vertical positioning in container

\*\* Big cavity (65 LT) ovens

\*\*\* Only on painted parts



DOUBLE OVEN SPECIFICATION SHEET		Gas DO		Electric DO with Solid Hot-plates Hob		Electric DO with Ceramic Glass Hob		Electric DO with Induction Hob		Mixed (Duel Fuel) DO	
		60x60	50x60	60x60	50x60	60x60	50x60	60x60****	50x60****	60x60	50x60
Oven Features											
Oven Burner (Thermostat Controlled)	W	2400	2400	-	-	-	-	-	-	-	-
Electric Single Grill	W	-	-	1600	1400	1600	1400	1600	1400	1600	1400
Electric Double Grill	W	-	-	2300	1900	2300	1900	2300	1900	2300	1900
Gas Grill with European Type Burner	W	2100	2000	-	-	-	-	-	-	-	-
Gas Oven with Open Flame Burner	Optional	Optional	Optional	-	-	-	-	-	-	-	-
Energy Rating		A	A	A	A	A	A	A	A	A	A
Common Features											
Mechanical Minute Minder		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mechanical Timer for MO		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Clock		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Digital Programmer for MO		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Baking Tray (Shallow Tray)		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Roasting Tray (Deep Tray)		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Chromed Grid with Stoper		1	1	1	1	1	1	1	1	1	1
Inner Grid for Deep Tray		-	-	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Grill Pan with Handle Set		-	1	1	1	1	1	1	1	1	1
Flat Metal Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
3D Metal Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
3D Glass Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Flat Glass Door with Full Inner Glass		-	-	-	-	-	-	-	-	-	-
Removable Inner Glass (only for flat glass door)		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Mirrored Oven Door Glass		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Removable Oven Door		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Add-on Stripes on Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Left Side Opening Oven Door **		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Drop Down Opening Oven Door		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Gas Conversion Kit		Default	Default	-	-	-	-	-	-	-	-
Tip over Bracket		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Cooling Fan****		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Default	-	-
Other Features											
Total Power (Depends on Model) Maximum	kW	12,3	12,3	11,6	10,9	11,6	9,9	11,6	5,4	6,1	5,4
Voltage	V	230	230	230 / 400V 3N~	230 / 400V 3N~	230 / 400V 3N~	230 / 400V 3N~	230 / 400V 3N~	230	230	230
Energy consumption according to the EN60335 Standards	kWh	-	-	0,79-0,88	0,79-0,89	0,79-0,88	0,79-0,89	0,79-0,88	0,79-0,89	0,79-0,88	0,79-0,89
Cavity Insulation		Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White	Yellow/White
RoHS Compliance		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
CE Compliance		Default	Default	Default	Default	Default	Default	Default	Default	Default	Default
Height with Lid Open (85 cm / 90 cm)	cm	145/150	150	145/150	150	145/150	150	145/150	150	145/150	150
Depth with Door Open	cm	105	105	105	105	105	105	105	105	105	105
Carton Box Packaging		Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional	Optional
Shrink Packed Product Dimensions (85 cm / 90 cm)	mm	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974	645 x 684 x 922 645 x 684 x 977	545 x 684 x 919 545 x 684 x 974
Net Weight (Depends on Model) Maximum	kg	47,5	44,3	46,5	42,9	47,5	44,1	57,3	42	45	42
Gross Weight (Depends on Model) Maximum	kg	50,5	47,3	49,5	45,9	50,5	47,1	60,3	45,2	48,5	45,2

Notes  
 \* Only drop down opening oven door  
 \*\* Only for cookers with 90 cm height  
 \*\*\* Only on painted parts  
 \*\*\*\* Only available in Full Flat & Full Flat Plus Aesthetics

Electric Oven Function for Double Ovens							
TOP OVEN							
Function ID	Identity in the Market	Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	Electrical Power at 230V (W)	
						50x60	60x60
1	Grill	Grill	0 / GRILL	1	-	1400	1600
2	Grill	Grill	0 / GRILL / DOUBLE GRILL	2	-	1900	2300
3	Static oven	(Top + Bottom) + Grill	0 / TOP+BOTTOM / BOTTOM / TOP / GRILL	4	-	1400	1600
4	Static oven	(Top + Bottom) + Grill	0 / TOP+BOTTOM / TOP / GRILL / DOUBLE GRILL	4	-	1900	2300
MAIN OVEN							
Function ID	Identity in the Market	Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	50x60	60x60
1	Static oven	(Top + Bottom)	0 / TOP+BOTTOM	1	-	2000	2300
2	Static oven	(Top + Bottom)	0 / TOP+BOTTOM / BOTTOM / TOP	3	-	2000	2300
3	Turbo oven	(Fan + Ring)	0 / DEFROST / FAN+RING	2	-	2000	2000
4	Multifunction oven	(Top + Bottom + Fan + Ring)	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN	4	-	2000	2300
5	Fan assisted oven	(Top + Bottom + Fan)	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN	3	-	2000	2300
6	Fan assisted oven	(Top + Bottom + Fan) + Grill	0 / DEFROST / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / GRILL+FAN	5	-	2000	2300
7	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0 / DEFROST / FAN+RING / TOP+BOTTOM / TOP+BOTTOM+FAN / GRILL / GRILL+FAN	6	-	2000	2300

## SPECIFICATIONS

Electric Oven Function for Freestanding Ovens								
Function ID	Identity in the Market	Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations	Electrical Power at 230V (W)		
						50x50 & 50x60	60x60	90x60
01	Static oven	(Top + Bottom)	0/TOP+BOTTOM/BOTTOM/TOP	3	-	2000	2300	2400
02	Static oven	(Top + Bottom) + Grill + Turnspit	0/TOP+BOTTOM/BOTTOM/TOP/GRILL+TURNSPIT	4	Not available for 50x50 freestanding oven	2000	2300	2400
03	Static oven	(Top + Bottom) + Grill + Turnspit	0/TOP+BOTTOM/BOTTOM/GRILL+TURNSPIT/DOUBLE GRILL+TURNSPIT	4	Not available for 50x50 freestanding oven	2600	2600	3000
04	Static oven	(Top + Bottom) + Grill + Turnspit	0/OVENLIGHT/TOP+BOTTOM/BOTTOM/TOP/GRILL+TURNSPIT/DOUBLE GRILL+TURNSPIT	6	Not available for 50x50 freestanding oven	2600	2600	3000
05	Turbo oven	(Fan + Ring)	0/DEFROST/FAN+RING	2	Not available for 50x50 freestanding oven	2000	2000	1600
06	Turbo oven	(Fan + Ring) + Grill + Turnspit	0/DEFROST/FAN+RING/GRILL+TURNSPIT/GRILL+FAN+TURNSPIT	4	Not available for 50x50 freestanding oven	2000	2000	1800
07	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill + Turnspit	0/DEFROST/FAN+RING/TOP+BOTTOM/TOP+BOTTOM+FAN/GRILL+TURNSPIT/GRILL+TURNSPIT	6	Not available for 50x50 freestanding oven	2000	2300	2400
08	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill + Turnspit	0/DEFROST/FAN+RING/TOP+BOTTOM/TOP+BOTTOM+FAN/GRILL+TURNSPIT/DOUBLE GRILL+TURNSPIT	6	Not available for 50x50 freestanding oven	2600	2600	3000
09	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill + Turnspit	0/OVENLIGHT/DEFROST/FAN+RING/TOP+BOTTOM/TOP+BOTTOM+FAN/PIZZA/GRILL+TURNSPIT/DOUBLE GRILL+TURNSPIT/DOUBLE GRILL+FAN+TURNSPIT	9	Not available for 50x50 freestanding oven	3000	3100	3000
10	Fan assisted oven	(Top + Bottom + Fan) + Grill + Turnspit	0/DEFROST/TOP+BOTTOM/TOP+BOTTOM+FAN/GRILL+TURNSPIT/GRILL+FAN+TURNSPIT	5	Not available for 50x50 freestanding oven	2000	2300	2400
11	Fan assisted oven	(Top + Bottom + Fan) + Grill + Turnspit	0/DEFROST/TOP+BOTTOM/TOP+BOTTOM+FAN/GRILL+TURNSPIT/DOUBLE GRILL+TURNSPIT	5	Not available for 50x50 freestanding oven	2600	2600	3000
12	Fan assisted oven	(Top + Bottom + Fan) + Grill + Turnspit	0/OVENLIGHT/DEFROST/TOP+BOTTOM/TOP+BOTTOM+FAN/BOTTOM+FAN/GRILL+TURNSPIT/DOUBLE GRILL+TURNSPIT/DOUBLE GRILL+FAN+TURNSPIT	8	Not available for 50x50 freestanding oven	2600	2600	3000
13	Static oven	(Top + Bottom) + Grill	0/TOP+BOTTOM/BOTTOM/TOP/GRILL	4	-	2000	2300	2400
14	Static oven	(Top + Bottom) + Grill	0/TOP+BOTTOM/BOTTOM/GRILL/DOUBLE GRILL	4	-	2600	2600	3000
15	Static oven	(Top + Bottom) + Grill	0/OVENLIGHT/TOP+BOTTOM/BOTTOM/TOP/GRILL/DOUBLE GRILL	6	-	2600	2600	3000
16	Turbo oven	(Fan + Ring) + Grill	0/DEFROST/FAN+RING/GRILL/GRILL+FAN	4	Not available for 50x50 freestanding oven	2000	2000	1800
17	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0/DEFROST/FAN+RING/TOP+BOTTOM/TOP+BOTTOM+FAN/GRILL/GRILL+FAN	6	Not available for 50x50 freestanding oven	2000	2300	2400
18	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0/DEFROST/FAN+RING/TOP+BOTTOM/TOP+BOTTOM+FAN/GRILL/DOUBLE GRILL	6	Not available for 50x50 freestanding oven	2600	2600	3000
19	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0/OVENLIGHT/DEFROST/FAN+RING/TOP+BOTTOM/TOP+BOTTOM+FAN/PIZZA/GRILL/DOUBLE GRILL/DOUBLE GRILL+FAN	9	Not available for 50x50 freestanding oven	3000	3100	3000
20	Fan assisted oven	(Top + Bottom + Fan) + Grill	0/DEFROST/TOP+BOTTOM/TOP+BOTTOM+FAN/GRILL/GRILL+FAN	5	Not available for 50x50 freestanding oven	2000	2300	2400
21	Fan assisted oven	(Top + Bottom + Fan) + Grill	0/DEFROST/TOP+BOTTOM/TOP+BOTTOM+FAN/GRILL/DOUBLE GRILL	5	Not available for 50x50 freestanding oven	2600	2600	3000
22	Fan assisted oven	(Top + Bottom + Fan) + Grill	0/OVENLIGHT/DEFROST/TOP+BOTTOM/TOP+BOTTOM+FAN/BOTTOM+FAN/GRILL/DOUBLE GRILL/DOUBLE GRILL+FAN	8	Not available for 50x50 freestanding oven	2600	2600	3000
23	Multifunction oven	(Top + Bottom + Fan + Ring)	0/DEFROST/FAN+RING/TOP+BOTTOM/TOP+BOTTOM+FAN	4	Not available for 50x50 freestanding oven	2000	2300	2400
24	Multifunction oven	(Top + Bottom + Fan + Ring) + Turnspit	0/DEFROST/FAN+RING+TURNSPIT/TOP+BOTTOM+TURNSPIT/TOP+BOTTOM+FAN+TURNSPIT	4	Not available for 50x50 freestanding oven	2000	2300	2400
25	Fan assisted oven	(Top + Bottom + Fan)	0/DEFROST/TOP+BOTTOM/TOP+BOTTOM+FAN	3	Not available for 50x50 freestanding oven	2000	2300	2400
26	Fan assisted oven	(Top + Bottom + Fan) + Turnspit	0/DEFROST/TOP+BOTTOM+TURNSPIT/TOP+BOTTOM+FAN+TURNSPIT	3	Not available for 50x50 freestanding oven	2000	2300	2400
27	Fan assisted oven	(Top + Bottom + Fan) + Grill	0/DEFROST/TOP+BOTTOM/TOP+BOTTOM+FAN/GRILL/DOUBLE GRILL/PYROLYSIS	6	Not available for 50x50, 50x60 and 90x60 freestanding oven	2600	2600	3000
28	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0/DEFROST/TURBO/TOP+BOTTOM/TOP+BOTTOM+FAN/GRILL/DOUBLE GRILL/PYROLYSIS	7	Not available for 50x50, 50x60 and 90x60 freestanding oven	2600	2600	3000
29	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill + Turnspit	0/DEFROST/TURBO/TOP+BOTTOM/TOP+BOTTOM+FAN/GRILL+TURNSPIT/DOUBLE GRILL+TURNSPIT/PYROLYSIS	7	Not available for 50x50, 50x60 and 90x60 freestanding oven	2600	2600	3000
50	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill + Turnspit	0/OVENLIGHT/DEFROST/TURBO/TOP+BOTTOM/TOP+BOTTOM+FAN/PIZZA/GRILL+TURNSPIT/DOUBLE GRILL+TURNSPIT/DOUBLE GRILL+FAN+TURNSPIT/VAP CLEAN	10	Not available for 50x50 freestanding oven	2600	3100	3000
51	Multifunction oven	(Top + Bottom + Fan + Ring) + Grill	0/OVENLIGHT/DEFROST/TURBO/TOP+BOTTOM/TOP+BOTTOM+FAN/PIZZA/GRILL/DOUBLE GRILL/DOUBLE GRILL+FAN/VAP CLEAN	10	Not available for 50x50 freestanding oven	2600	3100	3000
52	Fan assisted oven	(Top + Bottom + Fan) + Grill	0/DEFROST/BOTTOM/TOP+BOTTOM/TOP+BOTTOM+FAN/GRILL/GRILL+FAN	6	Not available for 50x50 freestanding oven	2000	2300	2400
53	Fan assisted oven	(Top + Bottom + Fan)	0/BOTTOM/TOP/TOP+BOTTOM/TOP+BOTTOM+FAN	4	Not available for 50x50 freestanding oven	2000	2300	2400



Gas Oven Functions for FS Cookers								
Function ID	Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Products				CE Conformity
				50x50	50x60	60x60	90x60	
31	Oven Burner	OVEN BURNER + OVEN LAMP	1	✓	✓	✓	✓	✓
32	Oven Burner	OVEN BURNER + THERMOSTAT + OVEN LAMP	1	✓	✓	✓	✓	✓
33	Oven Burner + Gas Gril	OVEN BURNER + GAS GRILL + OVEN LAMP	2	✓	✓	✓	✓	✓
34	Oven Burner + Gas Gril	OVEN BURNER + GAS GRILL + THERMOSTAT + OVEN LAMP	2	✓	✓	✓	✓	✓
35	Oven Burner + Gas Gril + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT + OVEN LAMP	3	NA	✓	✓	✓	✓
36	Oven Burner + Gas Gril + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT + OVEN LAMP	3	NA	✓	✓	✓	✓
38	Oven Burner + Electric Gril	OVEN BURNER + ELECTRIC GRILL + THERMOSTAT	2	✓	✓	✓	✓	✓
39	Oven Burner + Electric Gril + Turnspit	OVEN BURNER + ELECTRIC GRILL + TURNSPIT + THERMOSTAT + OVEN LAMP	3	NA	✓	✓	✓	✓
41	Oven Burner	OVEN BURNER	1	✓	✓	✓	✓	✓
42	Oven Burner	OVEN BURNER + THERMOSTAT	1	✓	✓	✓	✓	✓
43	Oven Burner + Gas Gril	OVEN BURNER + GAS GRILL	2	✓	✓	✓	✓	✓
44	Oven Burner + Gas Gril	OVEN BURNER + GAS GRILL + THERMOSTAT	2	✓	✓	✓	✓	✓
45	Oven Burner + Gas Gril + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT	3	NA	✓	✓	✓	✓
46	Oven Burner + Gas Gril + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT	3	NA	✓	✓	✓	✓
48	Oven Burner + Electric Gril	OVEN BURNER + ELECTRIC GRILL + THERMOSTAT	2	✓	✓	✓	✓	✓
57	Oven Burner + Electric Gril	OVEN BURNER + ELECTRIC GRILL	2	✓	✓	✓	✓	✓
58	Oven Burner + Electric Gril	OVEN BURNER + ELECTRIC GRILL + OVEN LAMP	2	✓	✓	✓	✓	✓
59	Oven Burner + Electric Gril + Turnspit	OVEN BURNER+ELECTRIC GRILL+TURNSPIT + OVEN LAMP	3	NA	✓	✓	✓	✓
62	Oven Burner + Fan	OVEN BURNER + FAN + OVEN LAMP	2	NA	✓	✓	✓*	✓
63	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + FAN + OVEN LAMP	3	NA	✓	✓	✓*	✓
64	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + THERMOSTAT + FAN + OVEN LAMP	3	NA	✓	✓	✓*	✓
65	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + FAN + OVEN LAMP	4	NA	✓	✓	✓*	✓
66	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + THERMOSTAT + TURNSPIT + FAN + OVEN LAMP	4	NA	✓	✓	✓*	✓
68	Oven Burner + Electric Gril + Fan	OVEN BURNER + ELECTRIC GRILL + THERMOSTAT + FAN + OVEN LAMP	3	NA	✓	✓	✓*	✓
69	Oven Burner + Electric Gril + Turnspit + Fan	OVEN BURNER + ELECTRIC GRILL + TURNSPIT + THERMOSTAT + FAN + OVEN LAMP	4	NA	✓	✓	✓*	✓
70	Oven Burner + Fan	OVEN BURNER + THERMOSTAT + FAN + OVEN LAMP	2	NA	✓	✓	✓*	✓
71	Oven Burner + Fan	OVEN BURNER + FAN	2	NA	✓	✓	✓*	✓
72	Oven Burner + Fan	OVEN BURNER + THERMOSTAT + FAN	2	NA	✓	✓	✓*	✓
73	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + FAN	3	NA	✓	✓	✓*	✓
74	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + THERMOSTAT + FAN	3	NA	✓	✓	✓*	✓
75	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + FAN	4	NA	✓	✓	✓*	✓
76	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT + FAN	4	NA	✓	✓	✓*	✓
78	Oven Burner + Electric Gril + Fan	OVEN BURNER + ELECTRIC GRILL + THERMOSTAT + FAN	3	NA	✓	✓	✓*	✓
79	Oven Burner + Electric Gril + Turnspit + Fan	OVEN BURNER + ELECTRIC GRILL + TURNSPIT + THERMOSTAT + FAN	4	NA	✓	✓	✓*	✓
83	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + FAN + OVEN LAMP + DOUBLE CONTROL	3	NA	✓	✓	✓	NA
84	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + THERMOSTAT + FAN + OVEN LAMP + DOUBLE CONTROL	3	NA	✓	✓	✓	NA
85	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + FAN + OVEN LAMP + DOUBLE CONTROL	4	NA	✓	✓	✓	NA
86	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT + FAN + OVEN LAMP + DOUBLE CONTROL	4	NA	✓	✓	✓	NA
87	Oven Burner + Gas Grill	OVEN BURNER + GAS GRILL + OVEN LAMP + DOUBLE CONTROL	2	ü	✓	✓	✓	NA
88	Oven Burner + Gas Grill	OVEN BURNER + GAS GRILL + THERMOSTAT + OVEN LAMP + DOUBLE CONTROL	2	ü	✓	✓	✓	NA
89	Oven Burner + Gas Grill + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT + OVEN LAMP + DOUBLE CONTROL	3	NA	✓	✓	✓	NA
90	Oven Burner + Gas Grill + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT + OVEN LAMP + DOUBLE CONTROL	3	NA	✓	✓	✓	NA
91	Oven Burner + Gas Grill + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT + DOUBLE CONTROL	3	NA	ü	ü	ü	NA
92	Oven Burner + Gas Grill + Turnspit	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT + DOUBLE CONTROL	3	NA	ü	ü	ü	NA
93	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + FAN + DOUBLE CONTROL	3	NA	✓	✓	✓	NA
94	Oven Burner + Gas Grill + Fan	OVEN BURNER + GAS GRILL + THERMOSTAT + FAN + DOUBLE CONTROL	3	NA	✓	✓	✓	NA
95	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + FAN + DOUBLE CONTROL	4	NA	✓	✓	✓	NA
96	Oven Burner + Gas Grill + Turnspit + Fan	OVEN BURNER + GAS GRILL + TURNSPIT + THERMOSTAT + FAN + DOUBLE CONTROL	4	NA	✓	✓	✓	NA
97	Oven Burner + Electric Gril + Fan	OVEN BURNER + ELECTRIC GRILL + FAN	3	NA	✓	✓	✓*	✓
98	Oven Burner + Electric Gril + Fan	OVEN BURNER+ELECTRIC GRILL + FAN + OVEN LAMP	3	NA	✓	✓	✓*	✓
99	Oven Burner + Electric Gril + Turnspit + Fan	OVEN BURNER+ELECTRIC GRILL+TURNSPIT+FAN+ OVEN LAMP	4	NA	✓	✓	✓*	✓




## SPECIFICATIONS








Gas Oven Functions for Double Ovens				
TOP OVEN				
Function ID	Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations
0	Gas Grill	GAS GRILL(EUROPEAN TYPE,VARIABLE GRILL)	1	-
5	Gas Grill + Oven Burner	GAS GRILL(EUROPEAN TYPE,CONSTANT GRILL) + OVEN BURNER(OPEN FLAME BURNER,THERMOSTAT)	2	Constat grill option is not available
6	Gas Grill + Oven Burner	GAS GRILL(EUROPEAN TYPE,VARIABLE GRILL) + OVEN BURNER(OPEN FLAME BURNER,THERMOSTAT)	2	-
7	Gas Grill	GAS GRILL(SURFACE COMBUSTION BURNER,VARIABLE GRILL)	1	UK type grill burner option is not available
8	Gas Grill + Oven Burner	GAS GRILL(SURFACE COMBUSTION BURNER,CONSTANT GRILL) + OVEN BURNER(OPEN FLAME BURNER,THERMOSTAT)	2	UK type grill burner option is not available
9	Gas Grill + Oven Burner	GAS GRILL(SURFACE COMBUSTION BURNER,VARIABLE GRILL) + OVEN BURNER(OPEN FLAME BURNER,THERMOSTAT)	2	UK type grill burner option is not available
MAIN OVEN				
Function ID	Heating Element, Fan, Turnspit, Grill Availability	Oven Functions	Number of Functions	Limitations
1	Oven Burner	OPEN FLAME BURNER + OVEN LAMP	1	Without thermostat option is not available
2	Oven Burner	OPEN FLAME BURNER + THERMOSTAT + OVEN LAMP	1	-
3	Oven Burner	OPEN FLAME BURNER	1	Without thermostat option is not available
4	Oven Burner	OPEN FLAME BURNER + THERMOSTAT	1	-
5	Oven Burner	OPEN FLAME BURNER + OVEN LAMP	1	Without thermostat option is not available
6	Oven Burner	OPEN FLAME BURNER + THERMOSTAT + OVEN LAMP	1	-

Gas Hob Configuration for 60X60 Free Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
31	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid Burner, 1 x 180 Hotplate	
33	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Hotplate	
34	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Rapid Hotplate	
35	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Rapid Hotplate	
36	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Hotplate	
40	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid Burner	
41	1 x Auxiliary, 2 x Semi Rapid, 1 x Triple Flame Burner	

Gas Hob Configuration for 50X60 Free Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
30	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid	
31	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid Burner, 1 x 180 Hotplate	
33	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Hotplate	
34	1 x Semi Rapid, 1 x Rapid, 1x145 Hotplate, 1x180 Rapid Hotplate	
35	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Rapid Hotplate	
36	1 x Semi Rapid, 1 x Rapid, 1x145 Rapid Hotplate, 1x180 Hotplate	
40	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid Burner	

## SPECIFICATIONS

Gas Hob Configuration for 50X50 Free Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
30	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid	
31	1 x Auxiliary, 1 x Semi Rapid, 1 x Rapid Burner, 1 x 145 Hotplate	
40	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid Burner	

Gas Hob Configuration for 90X60 Free Standing Cookers		
Hob ID	Gas Hob configuration	Element placement
50	1 x Auxiliary, 2 x Semi Rapid, 2 x Rapid	
51	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x Triple Flame Burner	
52	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x Fish Burner	
53	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 2 x Hotplate	
54	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 2 x Induction	
55	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x 180 Rapid Hotplate, 1 x 145 Hotplate	
56	1 x Auxiliary, 2 x Semi Rapid, 1 x Rapid, 1 x 180 Hotplate	

Vitreoceramic Hob Configurations for 60x60 Free-Standing Cookers		
Hob ID	Highlight element configuration	Element placement
10	2 x 145, 2 x 180 highlight element	
11	2 x 145, 1 x 180, 1 x 180 dual highlight element	
12	2 x 145, 1 x 180 dual, 1 x oval highlight element	
13	2 x 145, 1 x 180, 1 x 210 highlight element	
14	2 x 145, 1 x 210, 1 x 180 dual highlight element	
19	1 x 145, 1 x 180 dual, 1 x 210, 1 x oval highlight element	
20	2 x 145, 1 x 180, 1 x oval highlight element	
21	2 x 145, 1 x 210 dual, 1 x oval highlight element	
37	1x145, 1x180, 1x290 dual highlight element	

Vitreoceramic Hob Configurations for 50x60 Free-Standing Cookers		
Hob ID	Highlight element configuration	Element placement
10	2 x 145, 2 x 180 highlight element	
11	2 x 145, 1 x 180, 1 x 180 dual highlight element	
12	2 x 145, 1 x 180 dual, 1 x oval highlight element	

Vitreoceramic Hob Configurations for 50x50 Free-Standing Cookers		
Hob ID	Highlight element configuration	Element placement
30	4x145 highlight element	
31	2 x 145, 1 x 180 highlight element	
32	2 x 145, 1 x 180 dual highlight element	







Vitreoceramic Hob Configurations for 90x60 Free-Standing Cookers		
Hob ID	Highlight element configuration	Element placement
33	2 x 145, 3 x 180 highlight element	
34	2 x 145, 2 x 180, 1 x 210 highlight element	
35	2 x 145, 1 x 180, 1x180 dual, 1 x oval highlight element	
36	2 x 145, 1 x 180, 1x210 dual, 1 x oval highlight element	






## SPECIFICATIONS



Solid Hotplate Hob Configurations for 60x60 Free Standing Cookers		
Hob ID	Highlight element configuration	Element placement
01	2 x 145, 2 x 180 hotplate	
02	2 x 145, 1 x 180, 1 x 180 rapid hotplate	
03	1 x 145, 1 x 145 rapid, 1 x 180, 1 x 180 rapid hotplate	
06	2 x 145, 1 x 180, 1 x 220 hotplate	
08	1 x 80, 2 x 180, 1 x 145 hotplate	
09	1 x 80, 1 x 180, 1 x 180 rapid, 1 x 145 hotplate	

\*\* 1 and 27 hob configurations are available for 400V rated voltage.

Solid Hotplate Hob Configurations for 50x60 Free Standing Cookers		
Hob ID	Hotplate configuration	Element placement
01	2 x 145, 2 x 180 hotplate	
02	2 x 145, 1 x 180, 1 x 180 rapid hotplate	
03	1 x 145, 1 x 145 rapid, 1 x 180, 1 x 180 rapid hotplate	
08	1 x 80, 2 x 180, 1 x 145 hotplate	
09	1 x 80, 1 x 180, 1 x 180 rapid, 1 x 145 hotplate	
17	1 x 80, 1 x 180, 1 x 145, 1 x 220 hotplate	
18	1 x 80, 1 x 180 rapid, 1 x 145, 1 x 220 hotplate	


































Solid Hotplate Hob Configurations for 50x50 Free Standing Cookers		
Hob ID	Hotplate configuration	Element placement
01	2 x 145, 2 x 180 hotplate	
02	2 x 145, 1 x 180, 1 x 180 rapid hotplate	
03	1 x 145, 1 x 145 rapid, 1 x 180, 1 x 180 rapid hotplate	
27	4 x 145 hotplate	
28	4 x 145 rapid hotplate	
29	2 x 145 hotplate, 2 x 145 rapid hotplate	

Induction Hob Configurations for 60x60 Free Standing Cookers			
Hob ID	Hob configuration	Control System	Element placement
56	2x160B, 2x200B induction element 2x(1400 / B1800 W), 2x (2100 / B2500 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER SLIDER TOUCH WITH TIMER KNOB CONTROL	
57	1x160B, 2x200B induction element 1x(1400 / B1800 W), 2x (2100 / B2500 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER SLIDER TOUCH WITH TIMER KNOB CONTROL	
58	1x160B, 1x200B, 1x250B induction element 1x(1400 / B1800 W), 1x (2100 / B2500 W), 1x(2800 / B 3500 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER SLIDER TOUCH WITH TIMER KNOB CONTROL	
62	1x160B, 2x210B induction element 1x(1400 / B1800 W), 2x (2100 / B2500 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER	
63	2x160B, 2x210B induction element 2x(1400 / B1800 W), 2x (2100 / B2500 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER	

Induction Hob Configurations for 50x60 Free Standing Cookers			
Hob ID	Hob configuration	Control System	Element placement
61	2x160B, 1x210B induction element 2x(1400 / B1800 W), 1x (2100 / B2500 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER	
64	4x160B induction element 4x(1400 / B1800 W)	STANDARD TOUCH STANDARD TOUCH WITH TIMER	

\*\* Not available for 400V rated voltage.

# SPECIFICATIONS

	ENAMELLED PAN SUPPORTS						CAST IRON PAN SUPPORTS		
	S-type Enamelled	V-type Enamelled	O-type Enamelled	K-type Enamelled	E-type Enamelled	D-type Enamelled	S-type Cast Iron	W-type Cast Iron	T-type Cast Iron
Freestanding Double Oven 50x60			NA		NA		NA	NA	NA
Freestanding Double Oven 60x60					NA				NA
Full Flat Freestanding Double Oven 50x60			NA	NA	NA		NA	NA	NA
Full Flat Freestanding Double Oven 60x60			NA	NA	NA			NA	NA
New Generation Freestanding 50x50			NA	NA	NA		NA	NA	NA
New Generation Freestanding 50x60			NA	NA	NA			NA	NA
New Generation Freestanding 60x60			NA	NA	NA			NA	NA
New Generation Freestanding 90x60		NA	NA	NA		NA		NA	







**Vestel Trade Co.**

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

**Phone:** 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestel.com.tr

**Vestel Benelux B.V.**

Stationsplein 45,

Groothandelsgebouw A194,

3013 AK Rotterdam,

The Netherlands

**Phone:** 31 - 10 235 1000

info@vestelbenelux.nl

www.vestelbenelux.nl

**TOO Vestel Central Asia**

050026 Kazakhsatan/Almaty Aiteke bi 187, office:215

**Phone:** 7 - 727 263 39 39**Vestel CIS Ltd.**

1-st Graivoronovsky Proezd, No.20 Building 16,

109518, Moscow/Russia

**Phone:** 7 - 095 956 8230

Fax: 7 - 095 956 8233

info@vestel.ru

www.vestel.ru

**Vestel Electronica**

Str Zidarului nr 9-11, Sector 5 Bucuresti, ZIP 051765

Bucharest/Romania

**Phone:** 40 - 31 425 42 93

Fax: 40 -31 425 42 95

office@vestel.ro

www.vestel.ro

**Vestel France S.A.**

17 Rue de la Couture-Silic BP10190-94563 RUNGIS

Cedex/France

**Phone:** 33 - 1 46 75 00 29

Fax: 33 - 1 41 80 99 31

p.benhamou@vestel-france.fr

**Vestel Germany GmbH**

Parkring 6 D-85748 Garching bei München/Germany

**Phone:** 49 - 89 55295 - 0

Fax: 49 - 89 55295 - 2000

info@vestel-germany.de

www.vestel-germany.de

**Gruppo Industriale Vesit SPA**

Società Unipersonale Via Polidoro da Caravaggio, 6

20156 - Milano/Italy

Phone: 39 - 02 842 48577

Fax: 39 - 02 842 48617

info@givesit.it

www.givesit.it

**Vestfrost Household**

Spangsbjerg Mollevej 100, DK-6705 Esbjerg 0, Denmark

Phone: 45 - 7610 4045

Fax: 45 - 7610 4046

**Vestel Iberia**

Avda. Partenon, 16-18 Planta 1 Oficina 6, 28042

Madrid/Spain

**Phone:** 34 - 91 320 63 98

Fax: 34 - 91 320 52 58

vestel@vestel.es www.vestel.es

**Vestel Poland**

Poleczki 33, 02-822 Warszawa, Mazowieckie

Phone: 48 22 2555700

info@vestel-poland.com

**Vestel Scandinavia**

Phone: 358 - 50 - 5681058

**Vestel UK Ltd**

Vestel House, Waterside Drive

Langley, Berkshire SL3 6EZ

Phone: 44 - 3330 146 400

info@vestel-uk.com

www.vestel.co.uk

**United Technical Services**

S.R.O. ul. Seneckâ 16, 91101 Samorin, Slovakia

Phone: 421- 31 590 27 31

Fax: 421- 31 590 27 38

info@uts.sk

www.uts.sk

# VESTEL

---

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye  
Phone: 90 - 236 233 25 82 Fax: 90 - 236 233 25 84  
vesteltrade@vestel.com.tr  
www.vestel.com.tr