



Refrigerators
2017-2018

VESTEL



I N D E X



COMPANY PROFILE
02-03



GLOBAL OPERATIONS
04-05



FEATURES
06-09



DESIGNS
10-25



PRODUCT LINE-UP
26-117



SPECIFICATIONS
118-129



ADDRESSES
133



VESTEL C O M P A N Y P R O F I L E

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

 16.000
Employees

 \$ 4 Billion
Turnover

 35 Million
Device Production Capacity

 Export Leader of Turkey with
\$ 2.5 Billion

 18 Million
TV Production Capacity

 10,9 Million
Home Appliances
Production Capacity

 1.100.000 m²
Closed Production Area

Vestel City, which comprises nine plants located in Manisa, is amongst the biggest industrial complexes of the world.

As one of the leading enterprises in Turkey, Vestel is a major player in consumer electronics, mobile technologies, household appliances, professional displays and LED lighting with renowned products, including refrigerators, washing machines, cooking appliances, dishwashers, air conditioners, water heaters, television sets, educational, hospitality and digital signage solutions, digital set-top boxes, tablet PCs, and smart phones.

The company is recognised for its cutting-edge designs, high product quality, large production capacity, and superior market share growth.

Vestel is one of the ten biggest household appliance manufacturers in Europe, with its new product development ability, flexibility in production, and fast response to clients' demands.

Operating with an annual capacity of 3.2 million units, the company's two refrigerator plants produce a variety of models ranging from french door, no-frost, combi, double door, single door, to table top fridges and freezers, as well as built-in models.

Achieving similar success with washing machines, Vestel is able to produce 2.5 million units a year, with models ranging

from 4 kg to 9 kg drum capacities. The group added washer dryers to the product range in 2012. The plant for cooking appliances operates with an annual capacity of 2.2 million units, producing free-standing cookers, built-in hobs and ovens.

The household appliances product range includes free standing, semi and fully integrated dishwashers. The plant has the capacity to produce 2.5 million units a year.


In addition, the air conditioner factory is capable of producing 750,000 units of split-type models.

Vestel is the first company in Turkey operating two manufacturing plants in Russia for the production refrigerators, washing machines, and televisions with the aim of becoming a leader in CIS countries.

Vestel Trade, the company responsible for the marketing and sales of Vestel products overseas, exports 73% percent of its production under leading Japanese and European brands to 155 countries.

Vestel Trade has achieved export sales of 8.3 million units of electronics and 4.8 million units of household appliances.

Distributing its products to seven continents, Vestel takes its place as a world-class company.





GLOBAL OPERATIONS



Manufacturing & Assembly Plants

LED TV, HD, IP/OTT, PVR Set-top Boxes –
Manisa, Turkey

Professional Displays, Tablet PC, Smart Phone,
LED lighting – Manisa Turkey

Refrigerator, Washing Machine, Dishwasher,
Tumble Dryer, Cooking Appliances, Air
Conditioner, Water Heater – Manisa, Turkey



Marketing & Sales Companies

Vestel Trade, Turkey

Vestel France, France

Vestel Germany, Germany

Vestel UK, The UK

Vestel Iberia, Spain

Gruppo Industriale Vestit, Italy

Vestel Benelux, The Netherlands

Vestel CIS Ltd, Russia

Vestel Electronica, Romania

Vestel Scandinavia, Finland

Vestfrost Household, Denmark

Vestel Central Asia, Kazakhstan



R&D Centers

Manisa, Turkey

Istanbul, Turkey

Bristol, UK

Shanghai, China

FEATURES




Imd



Ice



Flat



Flaty



ELECTRONIC DISPLAYS

Freezer Temperature Adjustment Refrigerator
 Temperature Adjustment Super Freeze
 SuperCool
 Holiday Function Eco Mode
 Door Open Alarm



REVERSIBLE DOORS

Vestel refrigerator doors can be opened to the left or right with a simple adjustment.



REMOVABLE DOOR RACKS

Door racks can be repositioned to provide extra space for bottles and packages of various heights.



WATER DISPENSER

Cold water is in easy reach with the press of a button on the control pad.



SEASON SWITCH

The switch enables the refrigerator to operate at low ambient temperatures without losing its performance. Refrigerator can also operate under subnormal (SN) ambient temperatures.

FEATURES



ANTI BACTERIAL GASKET

The gasket prevents growth of bacteria and microorganisms.



TEMPERED GLASS SHELF

The tempered glass on top of the crisper can hold up to 40 kg. weight.



ICEMATIC

The cube drop-down mechanism prevents ice from sticking on hand. Closed icing compartment stores and preserves ice-cubes. The tray makes handling of ice-cubes easier.



COOLING BATTERY



FREEZER DOOR INDICATOR

The red indicator warns user when freezer door is left open.



MAGIC BOX



TURBO FAN

The fan is integrated in the refrigerator, and is directly activated by the compressor. It ensures even circulation of cool air.

BOTTLE SHELF



The Shelf enable horizontal storage of bottles.

ICE TRAY



ICE BOX



DOOR RACKS



VESTEL



ERA



ERA - Hot Stamp



ARC



ARC - Hotstamp




CUBE



CUBE with add - on




Built - in





VESTEL (V)

SLIMLINE (S)






CLASSIC (K)

ELEGANCE (E)

WING






FLN WAVE

DNZ

MEBAK



CHAIN


TRIA

CURLY



FLX

GLX



HC ORCA

AREMI DUE


AREMI UNO




CURVE

CAST

LEVER







V - MOVE

STELLA


VEGA



NERO

VMK

SLIMLINE



VESTEL (V)

SLIMLINE (S)

SOFTLINE (S)

COOLLINE (C)



CLASSIC (K)

FLATLINE

DIAMOND


MULTI DOOR MODELS



Vestel multi door products with 6 doors and 4 doors offer extra large volume and more storage place with no-frost multi cooling technology.



GT 850



Stainless Steel Sleek Exterior
See-Through Door
Easy to Service
Front-Access Leveling
Self-Closing Drawers
Capacitive-Touch User Display



6 mm Tempered Glass Shelves
Slides for Oven Trays
Sliding Bottle Tray



GT 850

TECHNICAL DATA

Product Dimensions (HxWxD cm):
212 x 121 x 65

Gross/Net Volume:
820 lt / 713lt

Refrigerator/Freezer Net Volume:
466lt /247lt

STANDARD FEATURES

No Frost
Built In Compatible with Optional Side Panels
3 Temperature Zones
Electronic Display
Automatic Ice Maker
Vacuum Insulation Panels
Argon Filled Triple-Pane Glass





GTN/910

CONVERTIBLE COMPARTMENTS

Bottom compartments of the refrigerator can be converted from freezer to fridge mode, or vice versa, on demand.

DCTE

Equipped with double compressors and two evaporators, it employs separate air circulation for fridge and freezer compartments so that taste and odor transfer between the fridge and freezer compartments is prevented. Furthermore, the vegetables are kept fresh longer.



COLD WRAP COOLING

Vestel French Door cooling system is a combination of two cooling systems. Cooler Compartment has Cold Wrap cooling system, as the circulating cold air wraps the food in the fridge compartment. This minimizes the heat transfer from the walls and ensures the food to stay fresh longer.

SUPERIOR INTERNAL ILLUMINATION

Vestel French Door cooling system is a combination of two cooling systems. Cooler Compartment has Cold Wrap cooling system, as the circulating cold air wraps the food in the fridge compartment. This minimizes the heat transfer from the walls and ensures the food to stay fresh longer.

SELF-CLOSE FRESH ZONE

Special sliding rails ensure easy closure of the drawers.

Stainless Steel Add-Ons on Fridge Balconies



GT/N 910

TECHNICAL DATA

Product Dimensions (HxWxD cm):
185x91x75

Gross/Net Volume:
630 lt / 560 lt

Refrigerator/Freezer Net Volume:
390 lt / 170 lt

STANDARD FEATURES

- Convertible Freezer Sections
- Vitastore
- Touch Screen Electronic Display
- Cold Wrap Cooling
- DCTE: Double Compressor Twin Evaporators
- Superior Internal Illumination
- Fresh Zone with Self-Close
- Super Quick Freeze & Cool
- Economy Mode for Energy Saving
- Leveling Feet





GT/N 916

TECHNICAL DATA

Product Dimensions (HxWxD cm):

185 x 91 x 75

Gross/Net Volume :

630 lt / 560 lt

Refrigerator/Freezer Net Volume:

390 lt / 170 lt

STANDARD FEATURES

- Covertible Freezer Section
- Cold Wrap Cooling
- Fresh Zone with Self-Close
- Super Quick Freeze &Cool
- Economy Mode for Energy Saving
- Touch Screen Electronic Display
- Interior LED Lighting
- Leveling Feet





GT/N 911

TECHNICAL DATA

Product Dimensions (HxWxD cm):

185 x 91 x 76

Gross/Net Volume:

645 lt / 557 lt

Refrigerator/Freezer Net Volume:

390 lt / 167 lt

STANDARD FEATURES


- Touch Screen Electronic Display
- Cold Wrap Cooling
- Superior Internal Illumination
- Fresh Zone with Self-Close
- Super Quick Freeze & Cool
- Economy Mode for Energy Saving
- Leveling Feet



GLASS DOOR MODELS



Glass door models offer unique design options on both top mounted and bottom mounted fridge freezers.



GT/N 591

TECHNICAL DATA

Product Dimensions (HxWxD cm):

195 x 76 x 75,5

Gross / Net Volume:

585 lt / 569 lt

Refrigerator / Freezer Net Volume:

444 lt / 125 lt

STANDARD FEATURES

- 3D No Frost Cooling System
- Easy Control Touch Screen Electronic Display
- Elegant Internal Led Lighting
- Freshzone
- Super Freezer Compartment
- Economy Mode for Energy Saving
- Holiday Mode
- Ultra Freeze & Cool
- Door Alarm
- Child Lock





GT/N 5661

TECHNICAL DATA

Product Dimensions (HxWxD cm):

187 x 70 x 73,5

Gross/Net Volume :

486 lt / 437 lt

Refrigerator/Freezer Net Volume:

342 lt / 95 lt


STANDARD FEATURES

No Frost Multi Cooling
Fresh Zone
Leveling Feet
Removable Door Racks
Egg Holders
Bottle Racks
Ice Tray
Front&Rear Rollers
Interior LED Lighting

OPTIONAL FEATURES

Reversible Doors
Economy Mode for Energy Saving
Holiday Mode
Super Freezer & Cooler
Adjustable Door Rack
Foldable Glass Shelf





GT/SN 373

TECHNICAL DATA

Product Dimensions (HxWxD cm):

186 x 59,5 x 65

Gross/Net Volume:

341 lt / 324 lt

Refrigerator/Freezer Net Volume:

230 lt / 94 lt


STANDARD FEATURES

No Frost Multi Cooling
Defrost System: Full Automatic
Dual Control System (Inner Display)
Humidity Controlled Crisper
Leveling Feet
Rear Rollers
Removable Door Racks
Freezer Drawers
Adjustable Shelves
Egg Holders
LED Lighting

OPTIONAL FEATURES

Adjustable Door Rack
Foldable Glass Shelf
Black and white Color Option
Natural Ion Tech
MaxiFresh Preserver





GT/SN 374

TECHNICAL DATA

Product Dimensions (HxWxD cm):
186 x 59,5 x 65

Gross/Net Volume:
348 lt / 336 lt

Refrigerator/Freezer Net Volume:
230 lt / 106 lt

STANDARD FEATURES

Defrost System: Full Automatic
Humidity Controlled Crisper
Leveling Feet
Rear Rollers
Removable Door Racks
Freezer Drawers
Adjustable Shelves
Egg Holders
LED Lighting

OPTIONAL FEATURES

Adjustable Door Rack
Foldable Glass Shelf
Black and white Color Option
MaxiFresh Preserver



RETRO MODELS



Models with retro door and handle design on both top mounted and bottom mounted fridge freezers and a single door fridge freezer.



340 RETRO




374 RETRO




3664 RETRO



373 RETRO



3451 RETRO



RETRO MODELS

HANDLE OPTIONS

BMP



CURVE



UNO



DUE



COLOR OPTIONS



BEIGE



BLUE



GREEN



RED



ORANGE




PINK



BONDE GRAY

TWO DOOR BOTTOM-FREEZER MODELS



Bottom mounted fridge freezer models offer no frost and static cooling technologies with different dimensions, ideal for both large and small families and groups.



GT/SN 653

TECHNICAL DATA

Product Dimensions (HxWxD cm):
186 x 84 x 75

Gross/Net Volume:
620 lt / 564 lt

Refrigerator/Freezer Net Volume:
400 lt / 164 lt

STANDARD FEATURES

No Frost Multi Cooling
Defrost System: Full Automatic
Electronic Control (Inner Display)
Chill Compartment
Leveling Feet
Removable Door Racks
Egg Holders
Front&Rear Rollers
Interior LED Lighting
Humidity Controlled Crisper
Adjustable Door Rack
Freezer Drawers
Clean Back
Zero Clearance

OPTIONAL FEATURES

Twisted Icematic
Electronic Display
Economy Mode for Energy Saving
Holiday Mode
Super Freezer & Cooler
Interior Led Lighting in Fridge (Both Sides and Top Side)
Interior Led Lighting in Fridge (Glass Shelves)
Water Dispenser
Wine Rack
Natural Ion Tech
MaxiFresh Preserver





GT/N 5661

TECHNICAL DATA

Product Dimensions (HxWxD cm):
187 x 70 x 73,5

Gross/Net Volume :
486 lt/ 437 lt

Refrigerator/Freezer Net Volume:
342 lt / 95 lt

STANDARD FEATURES

No Frost Multi Cooling
Fresh Zone
Leveling Feet
Removable Door Racks
Egg Holders
Bottle Racks
Ice Tray
Front&Rear Rollers
Interior LED Lighting

OPTIONAL FEATURES

Reversible Doors
Electronic Display
Economy Mode for Energy Saving
Holiday Mode
Super Freezer & Cooler
Adjustable Door Rack
Foldable Glass Shelf





GT/N 466

TECHNICAL DATA

Product Dimensions (HxWxD cm):
187 x 70 x 63,5

Gross/Net Volume:
389 lt / 357 lt

Refrigerator/Freezer Net Volume:
260 lt / 97 lt

STANDARD FEATURES

No Frost
Multi-Flow Cooling System
Defrost System: Full Automatic
Hybrid Control System (Twin Thermostat)
Fresh Zone
Leveling Feet
Rear Rollers
Removable Door Racks
Freezer Drawers
Adjustable Shelves
Egg Holders

OPTIONAL FEATURES

Reversible Doors
Water Dispenser
Electronic Display
Super Freezer & Cool
LED Lighting
Additional Crispers





GT/SN 383

TECHNICAL DATA

Product Dimensions (HxWxD cm):
201 x 59,5 x 65

Gross/Net Volume :
379 lt/ 360 lt

Refrigerator/Freezer Net Volume:
266 lt /94 lt

STANDARD FEATURES

No Frost Multi Cooling
Defrost System: Full Automatic
Dual Control System (Inner Display)
Humidity Controlled Crisper
Leveling Feet
Rear Rollers
Removable Door Racks
Freezer Drawers
Adjustable Shelves
Egg Holders
LED Lighting
Zero Clearance

OPTIONAL FEATURES

Adjustable Door Rack
Foldable Glass Shelf
Water Dispenser
Natural Ion Tech
MaxiFresh Preserver
Reversible Doors
Electronic Display
Super Freezer & Cool
Economy Mode for Energy Saving
Holiday Mode
Fresh Zone





GT/SN 373

TECHNICAL DATA

Product Dimensions (HxWxD cm):

186 x 59,5 x 65

Gross/Net Volume:

341 lt/ 324 lt

Refrigerator/Freezer Net Volume:

230 lt /94 lt

STANDARD FEATURES

No Frost Multi Cooling
Defrost System: Full Automatic
Dual Control System (Inner Display)
Humidity Controlled Crisper
Leveling Feet
Rear Rollers
Removable Door Racks
Freezer Drawers
Adjustable Shelves
Egg Holders
LED Lighting
Zero Clearance

OPTIONAL FEATURES

Adjustable Door Rack
Foldable Glass Shelf
Water Dispenser
Natural Ion Tech
MaxiFresh Preserver
Reversible Doors
Electronic Display
Super Freezer & Cool
Economy Mode for Energy Saving
Holiday Mode
Fresh Zone





GT/SN 353

TECHNICAL DATA

Product Dimensions (HxWxD cm):
186 x 59,5 x 65

Gross/Net Volume :
330 lt/ 312 lt

Refrigerator/Freezer Net Volume:
202 lt/111 lt

STANDARD FEATURES

No Frost Multi Cooling
Defrost System: Full Automatic
Dual Control System (Inner Display)
Humidity Controlled Crisper
Leveling Feet
Rear Rollers
Removable Door Racks
Freezer Drawers
Adjustable Shelves
Egg Holders
LED Lighting
Zero Clearance

OPTIONAL FEATURES

Adjustable Door Rack
Foldable Glass Shelf
Water Dispenser
Natural Ion Tech
MaxiFresh Preserver
Reversible Doors
Electronic Display
Super Freezer & Cool
Economy Mode for Energy Saving
Holiday Mode
Fresh Zone





GT/N 3664

TECHNICAL DATA

Product Dimensions (HxWxD cm):
185,5 x 59,5 x 63

Gross/Net Volume:
335 lt/ 318 lt

Refrigerator/Freezer Net Volume:
231 lt/ 87 lt


STANDARD FEATURES

No Frost
Defrost System: Full Automatic
Leveling Feet
Rear Rollers
Removable Door Racks
Freezer Drawers
Adjustable Shelves
Egg Holders

OPTIONAL FEATURES

Reversible Doors
Electronic Display
Water Dispenser





GN 319

TECHNICAL DATA

Product Dimensions (HxWxD cm):

183 x 54 x 61

Gross/Net Volume :

262 lt /245 lt

Refrigerator/Freezer Net Volume:

152 lt /93 lt

STANDARD FEATURES

Frost Free
Defrost System: Full Automatic
Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Egg Holders
Transparent Accessories
Ice Tray

OPTIONAL FEATURES

Reversible Doors
Wine Rack
Adjustable Door Rack
Inner Display
Led Lighting





GN 289

TECHNICAL DATA

Product Dimensions (HxWxD cm):

180 x 54 x 61

Gross/Net Volume:

288 lt / 266 lt

Refrigerator/Freezer Net Volume:

194 lt / 72 lt

STANDARD FEATURES

MaxiFresh Preserver

Wine Shelf

Inner Display

LED Lighting

OPTIONAL FEATURES

No Frost Multi Cooling

Defrost System: Full Automatic

Reversible Doors

Leveling Feet

Removable Door Racks

Freezer Drawers

Egg Holder

Transparent Accessories

Ice Tray





GN 287

TECHNICAL DATA

Product Dimensions (HxWxD cm):
180 x 54 x 61

Gross/Net Volume :
288 lt / 274 lt

Refrigerator/Freezer Net Volume:
202 lt / 72 lt

OPTIONAL FEATURES

MaxiFresh Preserver
Wine Shelf
Inner Display
Led Lighting

STANDARD FEATURES

Frost Free
Defrost System: Full Automatic
Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Egg Holder
Transparent Accesories
Ice Tray





GN 309

TECHNICAL DATA

Product Dimensions (HxWxD cm):
170 x 54 x 61

Gross/Net Volume:
242 lt/ 214 lt

Refrigerator/Freezer Net Volume:
147 lt / 67 lt


OPTIONAL FEATURES

Reversible Doors

STANDARD FEATURES

Frost Free
Defrost System: Full Automatic
Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Adjustable Wire Shelves
Egg Holders
Transparent Accessories





GN 267

TECHNICAL DATA

Product Dimensions (HxWxD cm):

166 x 54 x 61

Gross/Net Volume :

255 lt/239 lt

Refrigerator/Freezer Net Volume:

142 lt/ 97 lt

STANDARD FEATURES

Frost Free
Defrost System: Full Automatic
Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Egg Holder
Transparent Accessories
Ice Tray

OPTIONAL FEATURES

Reversible Doors
Adjustable Door Rack
MaxiFresh Preserver
Wine Shelf





GN 253

TECHNICAL DATA

Product Dimensions (HxWxD cm):

152 x 54 x 61

Gross/Net Volume:

232 lt/218 lt

Refrigerator/Freezer Net Volume:

146 lt/ 72 lt

STANDARD FEATURES

Frost Free
Defrost System: Full Automatic
Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Egg Holder
Transparent Accesories
Ice Tray

OPTIONAL FEATURES

Reversible Doors
Adjustable Door Rack
MaxiFresh Preserver
Wine Shelf





GN 271

TECHNICAL DATA

Product Dimensions (HxWxD cm):
152 x 54 x 61

Gross/Net Volume :
208 lt / 184 lt

Refrigerator/Freezer Net Volume:
124 lt / 60 lt

OPTIONAL FEATURES

Reversible Doors

STANDARD FEATURES

- Frost Free
- Defrost System: Full Automatic
- Reversible Doors
- Leveling Feet
- Removable Door Racks
- Freezer Drawers
- Adjustable Wire Shelves
- Egg Holders
- Transparent Accessories





GST/N 171

TECHNICAL DATA

Product Dimensions (HxWxD cm):
148 x 48 x 56

Gross/Net Volume:
159 lt/ 140 lt

Refrigerator/Freezer Net Volume:
94 lt /46 lt

STANDARD FEATURES

Frost Free
Defrost System: Full Automatic
Leveling Feet
Removable Door Racks
Freezer Drawers
Adjustable Wire Shelves
Egg Holders
Transparent Accessories

OPTIONAL FEATURES

Reversible Doors

A+



GT/SN 384

TECHNICAL DATA

Product Dimensions (HxWxD cm):
186 x 59,5 x 65

Gross/Net Volume:
341 lt / 336 lt

Refrigerator/Freezer Net Volume:
230 lt / 106 lt

STANDARD FEATURES

Defrost System: Full Automatic
Humidity Controlled Crisper
Leveling Feet
Rear Rollers
Removable Door Racks
Freezer Drawers
Adjustable Shelves
Egg Holders
LED Bulb
Zero Clearance

OPTIONAL FEATURES

Adjustable Door Rack
Foldable Glass Shelf
Black and white Color Option
MaxiFresh Preserver
Water Dispenser
Head Panel Display
LED Lighting
Fresh Zone





GT 385 / GST 380

TECHNICAL DATA

Product Dimensions (HxWxD cm):
200 x 59,5 x 60

Gross/Net Volume:
362 lt/ 338 lt

Refrigerator/Freezer Net Volume:
224 lt/114 lt

STANDARD FEATURES

Reversible Doors
Single Compressor: GN385
Double Compressor: GN380
Leveling Feet
Rear Rollers
Removable Door Racks
Freezer Drawers
Adjustable Wire Shelves
Egg Holder

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Transparent Accessories





GT/SN 374

TECHNICAL DATA

Product Dimensions (HxWxD cm):
186 x 59,5 x 65

Gross/Net Volume:
348 lt / 336 lt

Refrigerator/Freezer Net Volume:
230 lt / 106 lt

STANDARD FEATURES

Defrost System: Full Automatic
Humidity Controlled Crisper
Leveling Feet
Rear Rollers
Removable Door Racks
Freezer Drawers
Adjustable Shelves
Egg Holders
LED Bulb
Zero Clearance

OPTIONAL FEATURES

Adjustable Door Rack
Foldable Glass Shelf
Black and white Color Option
MaxiFresh Preserver
Water Dispenser
Head Panel Display
LED Lighting
Fresh Zone
Turbo Fan





GST/N 360

TECHNICAL DATA

Product Dimensions (HxWxD cm):
185,5 x 59,5 x 59,8

Gross/Net Volume:
344 lt / 318 lt

Refrigerator/Freezer Net Volume:
228 lt / 90 lt

STANDARD FEATURES

Double Compressor
Leveling Feet
Rear Rollers
Removable Door Racks
Freezer Drawers
Adjustable Wire Shelves
Egg Holder
Transparent Accessories

OPTIONAL FEATURES

Reversible Doors
Adjustable Tempered Glass Shelves





GN 350

TECHNICAL DATA

Product Dimensions (HxWxD cm):
185,5 x 59,5 x 60

Gross/Net Volume :
324 lt/ 302 lt

Refrigerator/Freezer Net Volume:
188 lt/114 lt

STANDARD FEATURES

- Reversible Doors
- Single Compressor
- Leveling Feet
- Rear Rollers
- Removable Door Racks
- Freezer Drawers
- Adjustable Wire Shelves
- Egg Holder

OPTIONAL FEATURES

- Adjustable Tempered Glass Shelves
- Transparent Accessories





GN 330

TECHNICAL DATA

Product Dimensions (HxWxD cm):
171 x 59,5 x 60

Gross/Net Volume:
301 lt/ 279 lt

Refrigerator/Freezer Net Volume:
188 lt /91 lt

STANDARD FEATURES

Reversible Doors
Single Compressor
Leveling Feet
Rear Rollers
Removable Door Racks
Freezer Drawers
Adjustable Wire Shelves
Egg Holder

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Transparent Accessories





GN 318

TECHNICAL DATA

Product Dimensions (HxWxD cm):

183 x 54 x 61

Gross/Net Volume :

262 lt / 256 lt

Refrigerator/Freezer Net Volume:

152 lt / 104 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Egg Holders
Transparent Accessories
Ice Tray

OPTIONAL FEATURES

Reversible Doors
Wine Rack
Adjustable Door Rack





GN 286

TECHNICAL DATA

Product Dimensions (HxWxD cm):

180 x 54 x 61

Gross/Net Volume:

288 lt / 286 lt

Refrigerator/Freezer Net Volume:

202 lt / 84 lt


STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Egg Holder
Transparent Accessories
Ice Tray

OPTIONAL FEATURES

Reversible Doors
Adjustable Door Rack
MaxiFresh Preserver
Wine Shelf





GN 278

TECHNICAL DATA

Product Dimensions (HxWxD cm):

166 x 54 x 61

Gross/Net Volume :

270 lt/268 lt

Refrigerator/Freezer Net Volume:

184 lt/ 84 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Egg Holder
Transparent Accessories
Ice Tray

OPTIONAL FEATURES

Reversible Doors
Adjustable Door Rack
MaxiFresh Preserver
Wine Shelf





GN 308

TECHNICAL DATA

Product Dimensions (HxWxD cm):
170 x 54 x 61

Gross/Net Volume:
242 lt/ 225 lt

Refrigerator/Freezer Net Volume:
147 lt /78 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Adjustable Wire Shelves
Egg Holder
Transparent Accessories

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves





GN 312

TECHNICAL DATA

Product Dimensions (HxWxD cm):
170 x 54 x 61

Gross/Net Volume :
172 lt / 63 lt

Refrigerator/Freezer Net Volume:
172 lt / 63 lt

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Wine Shelf

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Adjustable Wire Shelves
Egg Holder
Transparent Accessories





GN 266

TECHNICAL DATA

Product Dimensions (HxWxD cm):

166 x 54 x 61

Gross/Net Volume:

255 lt / 253 lt

Refrigerator/Freezer Net Volume:

142 lt / 111 lt


STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Egg Holder
Transparent Accesories
Ice Tray

OPTIONAL FEATURES

Reversible Doors
Adjustable Door Rack
MaxiFresh Preserver
Wine Shelf





GN 252

TECHNICAL DATA

Product Dimensions (HxWxD cm):

152 x 54 x 61

Gross/Net Volume :

232 lt / 230 lt

Refrigerator/Freezer Net Volume:

146 lt / 84 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Egg Holder
Transparent Accessories
Ice Tray

OPTIONAL FEATURES

Reversible Doors
Adjustable Door Rack
MaxiFresh Preserver
Wine Shelf





GN 270

TECHNICAL DATA

Product Dimensions (HxWxD cm):
152 x 54 x 61

Gross/Net Volume:
208 lt / 192 lt

Refrigerator/Freezer Net Volume:
124 lt / 68 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Adjustable Wire Shelves
Egg Holder
Transparent Accessories

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves





GN 272

TECHNICAL DATA

Product Dimensions (HxWxD cm):
152 x 54 x 61

Gross/Net Volume :
213 lt/ 198 lt

Refrigerator/Freezer Net Volume:
152 lt /46 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Adjustable Wire Shelves
Egg Holder
Transparent Accessories

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves





GN 170

TECHNICAL DATA

Product Dimensions (HxWxD cm):
148 x 48 x 56

Gross/Net Volume:
155 lt/ 143 lt

Refrigerator/Freezer Net Volume:
92 lt /51 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Adjustable Wire Shelves
Egg Holder
Transparent Accessories

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves





GN 172

TECHNICAL DATA

Product Dimensions (HxWxD cm):

148 x 48 x 56

Gross/Net Volume :

161 lt/ 148 lt

Refrigerator/Freezer Net Volume:

110 lt /38 lt

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves

STANDARD FEATURES

- Reversible Doors
- Leveling Feet
- Removable Door Racks
- Freezer Drawers
- Adjustable Wire Shelves
- Egg Holder
- Transparent Accessories





GN 236

TECHNICAL DATA

Product Dimensions (HxWxD cm):
136 x 54 x 61

Gross/Net Volume:
202 lt/200 lt

Refrigerator/Freezer Net Volume:
133 lt/ 67 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Freezer Drawers
Egg Holder
Transparent Accessories
Ice Tray

OPTIONAL FEATURES

Reversible Doors
Adjustable Door Rack
MaxiFresh Preserver



TWO DOOR TOP-FREEZER MODELS



Top mounted fridge freezer models offer no frost and static cooling technologies with different dimensions, ideal for both large and small families and groups.



GT/SN 643

TECHNICAL DATA

Product Dimensions (HxWxD cm):
186 x 84 x 75

Gross/Net Volume:
625 lt / 575 lt

Refrigerator/Freezer Net Volume:
435 lt /140 lt

STANDARD FEATURES

No Frost Multi Cooling
Defrost System: Full Automatic
Electronic Control (Inner Display)
Chill Compartment
Leveling Feet
Removable Door Racks
Egg Holder
Front & Rear Rollers
Interior Led Lighting in Fridge
Humidity Controlled Crisper
Adjustable Door Rack
Freezer Door Racks
Clean Back
Zero Clearance

OPTIONAL FEATURES

Sliding Icematic
Electronic Display
Economy Mode for Energy Saving
Holiday Mode
Super Freezer & Cooler
Interior Led Lighting in Fridge (Both Sides and Top Side)
Interior Led Lighting in Fridge (Glass Shelves)
Interior Led Lighting in Freezer
Water Dispenser
Wine Shelf
Natural Ion Tech
MaxiFresh Preserver





GT/N 585

TECHNICAL DATA

Product Dimensions (HxWxD cm):
196,2 x 76 x 76

Gross/Net Volume :
585 lt/ 569 lt

Refrigerator/Freezer Net Volume:
444 lt /125 lt

STANDARD FEATURES

3D No Frost Cooling System
Easy Control Touch Screen Electronic Display
Elegant Internal Led Lighting
Freshzone
Super Freezer Compartment
Economy Mode for Energy Saving
Holiday Mode
Ultra Freeze & Cool
Door Alarm
Child Lock





GT/N 485 E

TECHNICAL DATA

Product Dimensions (HxWxD cm):
194 x 70 x 80

Gross/Net Volume:
530/486

Refrigerator/Freezer Net Volume:
385 lt /101 lt

STANDARD FEATURES

No Frost
Multi-Flow Cooling System
Defrost System: Full Automatic
Quick Freezer Compartment
Fresh Zone
Interior Led Lighting in both Fridge and Freezer
Freezer Door Racks
Leveling Feet
Front & Rear Rollers
Egg Holder

OPTIONAL FEATURES

Water Dispenser





GT/N 6401

TECHNICAL DATA

Product Dimensions (HxWxD cm):
182 x 81 x 72

Gross/Net Volume :
532 lt/ 498 lt

Refrigerator/Freezer Net Volume:
394 lt /104 lt

OPTIONAL FEATURES

Water Dispenser
Electronic Display
Super Freezer & Cool
Economy Mode for Energy Saving
Holiday Mode
LED Lighting

STANDARD FEATURES

No Frost
3D Cooling System
Defrost System: Full Automatic
Quick Freezer Compartment
Fresh Zone
Interior Light in both Fridge and Freezer
Freezer Door Racks
Leveling Feet
Front & Rear Rollers
Egg Holder
Adjustable Shelves
Icematic





GT/N 5401

TECHNICAL DATA

Product Dimensions (HxWxD cm):
182 x 76 x 68

Gross/Net Volume:
484 lt / 457 lt

Refrigerator/Freezer Net Volume:
362 lt / 95 lt

STANDARD FEATURES

- No Frost
- Multi-Flow Cooling System
- Defrost System: Full Automatic
- Quick Freezer Compartment
- Fresh Zone
- Interior Light in both Fridge and Freezer
- Freezer Door Racks
- Leveling Feet
- Front & Rear Rollers
- Egg Holder
- Adjustable Shelves
- Icematic

OPTIONAL FEATURES

- Electronic Display
- Super Freezer & Cool
- Economy Mode for Energy Saving
- Holiday Mode
- LED Lighting

A+

A



GT/N 483

TECHNICAL DATA

Product Dimensions (HxWxD cm):
187 x 70 x 72

Gross/Net Volume :
478 lt / 432 lt

Refrigerator/Freezer Net Volume:
335 lt / 97 lt

STANDARD FEATURES

No Frost Multi Cooling
Defrost System: Full Automatic
Chill Compartment
Interior Led Lighting in Fridge
Removable Door Racks
Freezer Door Racks
Leveling Feet
Front & Rear Rollers
Egg Holder
Adjustable Shelves
Clean Back
Zero Clearance

OPTIONAL FEATURES

Electronic Display
Interior Led Lighting in Freezer
Sliding Icematic
Wine Shelf
Adjustable Door Rack
Water Dispenser





GT/N 473

TECHNICAL DATA

Product Dimensions (HxWxD cm):
183 x 70 x 72

Gross/Net Volume:
478 lt / 432 lt

Refrigerator/Freezer Net Volume:
335 lt / 97 lt

STANDARD FEATURES

No Frost Multi Cooling
Defrost System: Full Automatic
Chill Compartment
Interior Led Lighting in Fridge
Removable Door Racks
Freezer Door Racks
Leveling Feet
Front & Rear Rollers
Egg Holder
Adjustable Shelves
Clean Back
Zero Clearance

OPTIONAL FEATURES

Electronic Display
Interior Led Lighting in Freezer
Sliding Icematic
Wine Shelf
Adjustable Door Rack
Water Dispenser





GT/N 463

TECHNICAL DATA

Product Dimensions (HxWxD cm):
173 x 70 x 72

Gross/Net Volume :
445 lt /400 lt

Refrigerator/Freezer Net Volume:
303 lt/ 97 lt

STANDARD FEATURES

No Frost Multi Cooling
Defrost System: Full Automatic
Chill Compartment
Interior Led Lighting in Fridge
Removable Door Racks
Freezer Door Racks
Leveling Feet
Front & Rear Rollers
Egg Holder
Adjustable Shelves
Clean Back
Zero Clearance

OPTIONAL FEATURES

Interior Led Lighting in Freezer
Sliding Icematic
Wine Shelf
Adjustable Door Rack
Electronic Display





GT/N 3702

TECHNICAL DATA

Product Dimensions (HxWxD cm):
170 x 59,5 x 68

Gross/Net Volume:
341 lt/ 328 lt

Refrigerator/Freezer Net Volume:
271 lt / 57 lt

STANDARD FEATURES

No Frost
Multi-Flow Cooling System
Defrost System: Full Automatic
Leveling Feet
Removable Door Racks
Bottle Racks
Egg Holder
Adjustable Shelves

OPTIONAL FEATURES

Fresh Zone
LED Lighting





GT/N 555

TECHNICAL DATA

Product Dimensions (HxWxD cm):
182 x 70 x 75

Gross/Net Volume :
528 lt/ 521 lt

Refrigerator/Freezer Net Volume:
403 lt / 118 lt

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Adjustable Tempered Glass Shelves
Transparent Accessories
Additional Crisper

STANDARD FEATURES

Reversible Doors
Leveling Feet
Front and Rear Rollers
Freezer Shelf
Removable Door Racks
Bottle Rack
Adjustable Wire Shelves
Egg Holder





GT/N 453

TECHNICAL DATA

Product Dimensions (HxWxD cm):
183 x 70 x 65

Gross/Net Volume:
439 lt / 436 lt

Refrigerator/Freezer Net Volume:
320 lt / 116 lt

STANDARD FEATURES

Reversible Doors
Interior LED Lighting
Leveling Feet
Front and Rear Rollers
Freezer Shelf
Removable Door Racks
Bottle Rack
Egg Holder
Humidity Controlled Crisper
Zero Clearance

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Adjustable Tempered Glass Shelves
Additional Crisper
Adjustable Door Rack





GN 400

TECHNICAL DATA

Product Dimensions (HxWxD cm):
180,5 x 59,5 x 60

Gross/Net Volume :
342 lt/ 337 lt

Refrigerator/Freezer Net Volume:
267 lt / 70 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Rear Rollers
Freezer Shelf
Removable Door Racks
Bottle Rack
Adjustable Wire Shelves
Egg Holder

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Adjustable Tempered Glass Shelves
Transparent Accessories





GT/N 3451

TECHNICAL DATA

Product Dimensions (HxWxD cm):
170,5 x 59,5 x 60

Gross/Net Volume:
310 lt/ 305 lt

Refrigerator/Freezer Net Volume:
242 lt /63 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Rear Rollers
Freezer Shelf
Removable Door Racks
Bottle Rack
Adjustable Wire Shelves
Egg Holder

OPTIONAL FEATURES

Turbo Fan-Air Cooling
Adjustable Tempered Glass Shelves
Transparent Accessories

A⁺⁺

A⁺

A



GT/N 283

TECHNICAL DATA

Product Dimensions (HxWxD cm):
160 x 54 x 57

Gross/Net Volume :
243 lt /240 lt

Refrigerator/Freezer Net Volume:
198 lt/42 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Freezer Shelf
Removable Door Racks
Bottle Rack
Egg Holder
Transparent Accessories

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Adjustable Door Rack





GT/N 2801

TECHNICAL DATA

Product Dimensions (HxWxD cm):
160 x 54 x 59,5

Gross/Net Volume:
256 lt/ 253 lt

Refrigerator/Freezer Net Volume:
211 lt /42 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Freezer Shelf
Removable Door Racks
Bottle Rack
Adjustable Wire Shelves
Egg Holder

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Transparent Accessories





GT/N 263

TECHNICAL DATA

Product Dimensions (HxWxD cm):
144 x 54 x 57

Gross/Net Volume :
216 lt/ 213 lt

Refrigerator/Freezer Net Volume:
171 lt /42 lt

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Adjustable Door Rack

STANDARD FEATURES

Reversible Doors
Leveling Feet
Freezer Shelf
Removable Door Racks
Bottle Rack
Egg Holder
Transparent Accessories





GST/N 2601

TECHNICAL DATA

Product Dimensions (HxWxD cm):
144 x 54 x 59,5

Gross/Net Volume:
230 lt / 227 lt

Refrigerator/Freezer Net Volume:
187 lt / 40 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Freezer Shelf
Removable Door Racks
Bottle Rack
Adjustable Wire Shelves
Egg Holder

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Transparent Accessories





GT/N 233

TECHNICAL DATA

Product Dimensions (HxWxD cm):
122 X 54 X 57

Gross/Net Volume :
172 lt /170 lt

Refrigerator/Freezer Net Volume:
128 lt / 42 lt

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Adjustable Door Rack

STANDARD FEATURES

Reversible Doors
Leveling Feet
Freezer Shelf
Removable Door Racks
Bottle Rack
Egg Holder
Transparent Accessories





GT/N 2301

TECHNICAL DATA

Product Dimensions (HxWxD cm):
118 x 54 x 59,5

Gross/Net Volume:
175 lt/ 172 lt

Refrigerator/Freezer Net Volume:
132 lt / 40 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Freezer Shelf
Removable Door Racks
Bottle Rack
Adjustable Wire Shelves
Egg Holder

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Transparent Accessories



S I N G L E D O O R M O D E L S



Single door models
coming with and
without freezer
compartment options.



GT/SN 375

TECHNICAL DATA

Product Dimensions (HxWxD cm):

186 x 59,5 x 65

Gross/Net Volume:

404 lt/ 401 lt (Mechanical)

404 lt/380 lt (Electronic)

STANDARD FEATURES

No Frost Cooling (Electronic version)

Reversible Doors

Defrost System: Full Automatic

Humidity Controlled Crisper

Leveling Feet

Rear Rollers

Removable Door Racks

Adjustable Shelves

Egg Holders

Bottle Rack

Zero Clearance

OPTIONAL FEATURES

Adjustable Door Rack

Foldable Glass Shelf

Water Dispenser

Natural Ion Tech

MaxiFresh Preserver

Electronic Display

Super Cool

Economy Mode for Energy Saving

Holiday Mode

Fresh Zone

Additional crisper (3rd place)

Wine Rack





GT/N 3951

TECHNICAL DATA

Product Dimensions (HxWxD cm):
185 x 59,5 x 63

Gross/Net Volume :
353 lt /350 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Bottle Rack
Adjustable Wire Shelves
Egg Holder

OPTIONAL FEATURES

Electronic Display
Water Dispenser (only for electronic version)
Adjustable Tempered Glass Shelves
Transparent Accessories
Turbo Fan Air Cooling
Additional Crispers





GT/N 325

TECHNICAL DATA

Product Dimensions (HxWxD cm):
155,5x59,5x63

Gross/Net Volume:
288 lt /285 lt

Refrigerator/Freezer Net Volume:
288 lt /285 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Bottle Rack
Adjustable Wire Shelves
Egg Holder

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Transparent Accessories
Turbo Fan Air Cooling





GT/N 265

TECHNICAL DATA

Product Dimensions (HxWxD cm):
144 x 54 x 59,5

Gross/Net Volume :
253 lt /250 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Bottle Racks
Adjustable Wire Shelves
Egg Holder

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Transparent Accessories





GT/N 250

TECHNICAL DATA

Product Dimensions (HxWxD cm):
123,5 x 54 x 56

Gross/Net Volume:
206 lt / 204 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Bottle Racks
Adjustable Wire Shelves
Egg Holder

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Transparent Accessories





GT/N 425

TECHNICAL DATA

Product Dimensions (HxWxD cm):
173 x 70 x 63,5

Gross/Net Volume :
405 lt / 381 lt

Refrigerator/Freezer Net Volume:
341 lt / 40 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Rear Rollers
Removable Door Racks
Bottle Rack
Adjustable Wire Shelves
Egg Holder
Turbo Fan Air Cooling

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Transparent Accessories





GT/N 340

TECHNICAL DATA

Product Dimensions (HxWxD cm):
172 x 59,5 x 60

Gross/Net Volume:
323 lt / 311 lt

Refrigerator/Freezer Net Volume:
281 lt / 30 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Removable Door Racks
Bottle Rack
Adjustable Wire Shelves
Egg Holder
Turbo Fan Air Cooling

OPTIONAL FEATURES

Adjustable Tempered Glass Shelves
Transparent Accessories





GT/N 255

TECHNICAL DATA

Product Dimensions (HxWxD cm):
144 x 54 x 59,5

Gross/Net Volume :
230 lt /226 lt

Refrigerator/Freezer Net Volume:
206 lt /20 lt

Star Rating:
* ** *

STANDARD FEATURES

- Reversible Doors
- Leveling Feet
- Removable Door Racks
- Bottle Racks
- Adjustable Wire Shelves
- Egg Holder

OPTIONAL FEATURES

- Adjustable Tempered Glass Shelves
- Transparent Accessories





GN 240

TECHNICAL DATA

Product Dimensions (HxWxD cm):
123,5 x 54 x 56

Gross/Net Volume:
195 lt /192 lt

Refrigerator/Freezer Net Volume:
175 lt /17 lt

Star Rating:



STANDARD FEATURES

- Reversible Doors
- Leveling Feet
- Dairy Compartment
- Removable Door Racks
- Bottle Racks
- Adjustable Wire Shelves
- Egg Holder

OPTIONAL FEATURES

- Adjustable Tempered Glass Shelves
- Transparent Accessories

A+

F R E E Z E R M O D E L S



Single door freezer models with different dimensions offering both no frost and static cooling technologies.



GT/SN 371

TECHNICAL DATA

Product Dimensions (HxWxD cm):
186 x 59,5 x 65

Gross/Net Volume:
307 lt/280 lt

OPTIONAL FEATURES

Led Lighting
Twisted Icematic

STANDARD FEATURES

No Frost Cooling
Electronic Control
Reversible Doors
Leveling Feet
7 Freezer Compartments
Big Box
Zero Clearance





GT 391 / GT 390

TECHNICAL DATA

Product Dimensions (HxWxD cm):
186 x 59,5 x 63

Gross/Net Volume :
GN 391: 265 lt/ 251 lt
GN 390: 286 lt/ 258 lt

STANDARD FEATURES

No Frost Cooling: GN 391
Direct Cooling: GN 390
Electronic Control (GN 391)
Reversible Doors
Leveling Feet
7 Freezer Compartments
Big Box

OPTIONAL FEATURES

Electronic Display (391 model only)
Transparent Accessories
Twisted Icematic





GT 321 / GT 320

TECHNICAL DATA

Product Dimensions (HxWxD cm):
155,5 x 59,5 x 63

Gross/Net Volume:
GN 321: 225 lt/ 194 lt
GN 320: 232 lt/ 206 lt

STANDARD FEATURES

No Frost Cooling: GN 321
Direct Cooling: GN 320
Electronic Control (GN 321)
Reversible Doors
Leveling Feet
6 Freezer Compartments

OPTIONAL FEATURES

Transparent Accessories





GT/SN 243 / GT/SN 2451

TECHNICAL DATA

Product Dimensions (HxWxD cm):
145,5 x 54 x 59,5

Gross/Net Volume :
GN 243: 210 lt/ 175 lt
GN 2451: 210 lt/ 182 lt

OPTIONAL FEATURES

Drawers with add-on
Five drawers + 1 flat
LED Lighting (243 model only)

STANDARD FEATURES

No-frost Cooling (243 model only)
Reversible Doors
Leveling Feet
Freezer Drawers
Quick Freeze Compartment



T A B L E T O P M O D E L S



Small size under counter
models with fridge
freezer, freezer and
larder options.



GT/N 1501

TECHNICAL DATA

Product Dimensions (HxWxD cm):
84 x 54 x 59,5

Gross/Net Volume :
107 lt /106 lt

STANDARD FEATURES

- Reversible Doors
- Leveling Feet
- Removable Door Racks
- Bottle Rack
- Adjustable Wire Shelves

OPTIONAL FEATURES

- Glass Shelf





GT/SN 143

TECHNICAL DATA

Product Dimensions (HxWxD cm):
83,8 x 54 x 61,5

Gross/Net Volume:
103 lt / 102 lt

Refrigerator/Freezer Net Volume:
103 lt / 102 lt

STANDARD FEATURES

Reversible Doors
Leveling Feet
Freezer Drawers
Transparent Freezer Compartments

OPTIONAL FEATURES

Drawers with add-on





GN 140

TECHNICAL DATA

Product Dimensions (HxWxD cm):

84 x 54 x 59,5

Gross/Net Volume :

119 lt /117 lt

Refrigerator/Freezer Net Volume:

105 lt/ 12 lt

Star Rating:



STANDARD FEATURES

Reversible Doors

Leveling Feet

Removable Door Racks

Bottle Rack

Adjustable Wire Shelf

OPTIONAL FEATURES

Glass Shelf





GT/N 1002

TECHNICAL DATA

Product Dimensions (HxWxD cm):

82 x 48 x 50


Gross/Net Volume:

91 lt / 89 lt

STANDARD FEATURES

- Reversible Doors
- Leveling Feet
- Removable Door Racks
- Bottle Rack
- Transparent Accessories





GT/N 1005

TECHNICAL DATA

Product Dimensions (HxWxD cm):

82 x 48 x 51

Gross/Net Volume :

64 lt / 63 lt

STANDARD FEATURES

Reversible Doors

Leveling Feet

Freezer Drawers

Transparent Freezer Compartments





GT/N 1001

TECHNICAL DATA

Product Dimensions (HxWxD cm):

82 x 48 x 50

Gross/Net Volume:

91 lt / 88 lt

OPTIONAL FEATURES

Glass Shelf

STANDARD FEATURES

Reversible Doors

Leveling Feet

Removable Door Racks

Bottle Rack

Adjustable Wire Shelf





GN 1101

TECHNICAL DATA

Product Dimensions (HxWxD cm):

84 x 48 x 56

Gross/Net Volume :

84 lt / 81 lt

Refrigerator/Freezer Net Volume:

73 lt/ 8 lt

Star Rating:



OPTIONAL FEATURES

Glass Shelf

STANDARD FEATURES

Reversible Doors

Leveling Feet

Fixed Door Racks

Bottle Rack

Adjustable Wire Shelf



SPECIFICATIONS



MULTI DOORS							
Model		910	911	916	916		850 (E6D)
Refrigerator Class		7	7	7	7		7
Climatic Class		GT/N (16 °C-43°C)		GT/N (16 °C-43°C)		GT/SN (10 °C-43°C)	
Energy Class		A+	A+	A++	A+	A	A++
Volume Total (gross)	lt	620	645	620	620	620	820
Volume Total (net)	lt	526	529	526	526	526	713
Volume refrigerator (gross)	lt	410	410	410	410	410	498
Volume refrigerator (net)	lt	362	362	362	362	362	466
Chiller Volume (net)	lt	38	38	38	38	38	-
Volume Freezer (gross)	lt	210	235	210	210	210	322
Volume Freezer (net)	lt	164	167	164	164	164	247
Performance (star rating)		4star	4star	4star	4star	4star	4*=216 2*=31
Energy consumption	kWh/24h	1,257	1,264	0,986	1,257	1,640	1,192
Energy consumption	kWh/year	459	461	360	459	599	435
Freezing Capacity	kg/24h	18	20	13	13	13	13
Temperature Rise Time (-18°C to -9°C)	mins	770	1451	740	740	740	820
Noise Emission	dB (A)	45	45	46	46	46	48
Defrost System Type Frigde/Freezer		Frost Free	Frost Free	Frost Free	Frost Free	Frost Free	Automatic
Built in		NO	NO	NO	NO	NO	YES
Product dimensions (WxDxH)	mm	910x750x1850	910x763x1850	910x750x1850	910x750x1850	910x750x1850	1210x710x2120 (660 without handle)
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	1025x858x1950	1025x878x1950	1025x858x1950	1025x858x1950	1025x858x1950	1300x780x2370
Loading Quantity / 40ft HC	pcs	28	26	28	28	28	24
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a

GLASS DOOR MODLES										
Model		591		5661			373		374	
Refrigerator Class		7		7			7		7	
Climatic Class		GT/N (16 °C-43°C)		GT/N (16 °C-43°C)			GT/SN (10 °C-43°C)		GT/N (16 °C-43°C)	
Energy Class		A++	A+	A+++	A++	A+	A++	A+	A++	A++
Volume Total (gross)	lt	585	585	486	486	486	341	341	348	348
Volume Total (net)	lt	569	569	437	437	437	324	324	336	336
Volume refrigerator (gross)	lt	450	450	364	364	364	237	237	235	235
Volume refrigerator (net)	lt	444	444	342	342	342	230	230	230	230
Chiller Volume (net)	lt	30	30	34	34	34	22	22	22	22
Volume Freezer (gross)	lt	135	135	122	122	122	104	104	113	113
Volume Freezer (net)	lt	125	125	95	95	95	94	94	106	106
Performance (star rating)		4	4	4	4	4	4	4	4	4
Energy consumption	kWh/24h	0,970	1,233	0,546	0,819	1,043	0,720	0,917	0,706	0,901
Energy consumption	kWh/year	354	450	199	299	381	263	335	258	329
Freezing Capacity	kg/24h	10	10	16	16	16	12	10	TBD	4,5
Temperature Rise Time (-18°C to -9°C)	mins	460	460	1380	1080	1080	1080	1080	1250	1250
Noise Emission	dB (A)	44	43	44	43	42	42	42	TBD	41
Defrost System Type Frigde/Freezer		Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic/Manual	Automatic/Manual
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO
Product dimensions (WxDxH)	mm	760x754x1950	760x754x1950	700x735x1868	700x735x1868	700x735x1868	595x650x1860	595x650x1860	595x650x1860	595x650x1860
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	870x852x2040	870x852x2040	768x800x1932	768x800x1932	768x800x1932	664x728x1916	664x728x1916	664x728x1916	664x728x1916
Loading Quantity / 40ft HC	pcs	28	28	45	45	45	72	72	72	72
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

TWO DOORS TOP FREEZERS																
Model		591			585			6401M			6401E			5401M		
Refrigerator Class		7			7			7			7			7		
Climatic Class		GT/N (16 °C-43°C)			GT/N (16 °C-43°C)			GT/N (16 °C-43°C)			GT/N (16 °C-43°C)			GT/N (16 °C-43°C)		
Energy Class		A++	A+	A	A++	A+	A	A++	A+	A	A++	A+	A	A++	A+	A
Volume Total (gross)	lt	585	585	585	585	585	585	532	532	532	532	532	532	484	484	484
Volume Total (net)	lt	569	569	569	569	569	569	498	498	498	498	498	498	457	457	457
Volume refrigerator (gross)	lt	450	450	450	450	450	450	400	400	400	400	400	400	367	367	367
Volume refrigerator (net)	lt	444	444	444	444	444	444	394	394	394	394	394	394	362	362	362
Chiller Volume (net)	lt	30	30	30	30	30	30	29	29	29	29	29	29	28	28	28
Volume Freezer (gross)	lt	135	135	135	135	135	135	132	132	132	132	132	132	117	117	117
Volume Freezer (net)	lt	125	125	125	125	125	125	104	104	104	104	104	104	95	95	95
Performance (star rating)		4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
Energy consumption	kWh/24h	0,970	1,233	0,970	1,233	0,970	1,233	0,880	1,121	1,468	0,880	1,121	1,468	0,835	1,063	1,390
Energy consumption	kWh/year	354	450	354	450	354	450	321	409	536	321	409	536	305	388	507
Freezing Capacity	kg/24h	10	10	10	10	10	10	6	6	6	6	6	6	5,5	5,5	5,5
Temperature Rise Time (-18°C to -9°C)	mins	460	460	460	460	460	460	506	506	506	750	750	750	420/649	420/649	420/649
Noise Emission	dB (A)	44	43	44	43	44	43	44	43	43	44	43	43	44	43	44
Defrost System Type Frigde/Freezer		Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product dimensions (WxDxH)	mm	760x754x1950	760x754x1950	760x760x1950	760x760x1950	760x760x1950	760x760x1950	810x720x1818	810x720x1818	810x720x1818	810x720x1818	810x720x1818	810x720x1818	760x680x1818	760x680x1818	760x680x1818
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	870x852x2040	870x852x2040	870x852x2040	870x852x2040	870x852x2040	870x852x2040	874x782x1900	874x782x1900	874x782x1900	874x782x1900	874x782x1900	874x782x1900	848x766x1905	848x766x1905	848x766x1905
Loading Quantity /40ft HC	pcs	28	28	28	28	28	28	39	39	39	39	39	39	42	42	42
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

TWO DOORS TOP FREEZERS																			
Model		5401E			4651M			4651E			485E			3702M			3702M W/O CHILLER		
Refrigerator Class		7			7			7			7			7			7		
Climatic Class		GT/N (16 °C-43°C)			GT/N (16 °C-43°C)			GT/N (16 °C-43°C)			GT/SN (10 °C-43°C)			GT/SN (10 °C-43°C)			GT/SN (10 °C-43°C)		
Energy Class		A++	A+	A	A++	A+	A	A++	A+	A	A++	A+	A	A++	A+	A	A+	A	
Volume Total (gross)	lt	484	484	484	435	435	435	435	435	435	530	530	341	341	341	341	341	341	
Volume Total (net)	lt	457	457	457	412	412	412	412	412	412	486	486	328	328	328	332	332	332	
Volume refrigerator (gross)	lt	367	367	367	327	327	327	327	327	327	400	400	278	278	278	278	278	278	
Volume refrigerator (net)	lt	362	362	362	324	324	324	324	324	324	385	385	271	271	271	275	275	275	
Chiller Volume (net)	lt	28	28	28	25	25	25	25	25	25	30	30	17	17	17	-	-	-	
Volume Freezer (gross)	lt	117	117	117	108	108	108	108	108	108	130	130	63	63	63	63	63	63	
Volume Freezer (net)	lt	95	95	95	88	88	88	88	88	88	101	101	57	57	57	57	57	57	
Performance (star rating)		4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
Energy consumption	kWh/24h	0,835	1,063	1,405	0,786	1,002	1,312	0,786	1,002	1,312	0,868	1,104	0,674	0,858	1,123	0,800	1,047	1,047	
Energy consumption	kWh/year	305	388	513	287	366	479	287	366	479	317	403	246	313	410	292	382	382	
Freezing Capacity	kg/24h	5,5	5,5	5,5	5	5	5	10	5	5	11	11	4	4	4	4	4	4	
Temperature Rise Time (-18°C to -9°C)	mins	649	649	649	620	620	620	620	620	620	670	670	680	680	680	680	680	680	
Noise Emission	dB (A)	44	43	44	44	43	44	43	43	44	44	43	44	44	44	44	44	44	
Defrost System Type Frigde/Freezer		Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	
Product dimensions (WxDxH)	mm	760x680x1818	760x680x1818	760x680x1818	700x680x1818	700x680x1818	700x680x1818	700x680x1818	700x680x1818	700x680x1818	700x735x1943	700x735x1943	595x682x1705	595x682x1705	595x682x1705	595x682x1705	595x682x1705		
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	848x766x1905	848x766x1905	848x766x1905	769x755x1891	769x755x1891	769x755x1891	769x755x1891	769x755x1891	769x755x1891	768x826x2007	768x826x2007	664x746x1755	664x746x1755	664x746x1755	664x746x1755	664x746x1755		
Loading Quantity /40ft HC	pcs	42	42	42	63	63	63	63	63	63	45	45	73	73	73	73	73		
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a		

TWO DOORS TOP FREEZERS											
Model		463M			473M			473E			483M
Refrigerator Class		7			7			7			7
Climatic Class		GT/SN (10 °C-43°C)			GT/SN (10 °C-43°C)			GT/SN (10 °C-43°C)			GT/SN (10 °C-43°C)
Energy Class		A++	A+	A	A++	A+	A	A+++	A++	A+	A+
Volume Total (gross)	lt	445	445	445	478	478	478	478	478	478	496
Volume Total (net)	lt	400	400	400	432	432	432	432	432	432	451
Volume refrigerator (gross)	lt	320	320	320	353	353	353	353	353	353	371
Volume refrigerator (net)	lt	303	303	303	335	335	335	335	335	335	354
Chiller Volume (net)	lt	27	27	27	27	27	27	27	27	27	27
Volume Freezer (gross)	lt	125	125	125	125	125	125	125	125	125	125
Volume Freezer (net)	lt	97	97	97	97	97	97	97	97	97	97
Performance (star rating)		4	4	4	4	4	4	4	4	4	4
Energy consumption	kWh/24h	0,789	1,005	1,315	0,816	1,038	1,361	0,542	0,816	1,038	1,060
Energy consumption	kWh/year	288	367	480	298	379	497	198	298	379	387
Freezing Capacity	kg/24h	5	5	5	5	5	5	5	5	5	5
Temperature Rise Time (-18°C to -9°C)	mins	960	960	960	960	960	960	1020	960	960	960
Noise Emission	dB (A)	43	42	42	43	42	42	TBD	43	42	TBD
Defrost System Type Frigde/Freezer		AUTOMATIC	AUTOMATIC	AUTOMATIC	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product dimensions (WxDxH)	mm	700x720x1730	700x720x1730	700x720x1730	700x720x1830	700x720x1830	700x720x1830	700x720x1830	700x720x1830	700x720x1830	700x720x1870
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	768x801x1807	768x801x1807	768x801x1807	768x801x1907	768x801x1907	768x801x1907	768x801x1907	768x801x1907	768x801x1907	768x828x1947
Loading Quantity / 40ft HC	pcs	60	60	60	60	60	60	60	60	60	60
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

TWO DOORS TOP FREEZERS												
Model		4561			4561 TURBO		555	555 TURBO			400	
Refrigerator Class		7			7		7	7			7	
Climatic Class		GN (16 °C-32°C)	GST/N (16 °C-38°C)	GT/N (16 °C-43°C)	GT/N (16 °C-43°C)		RT/N (16 °C-43°C)	GT/N (16 °C-43°C)			GN (16 °C-32°C)	GT/N (16 °C-43°C)
Energy Class		A+	A++	A	A++	A+	B	A+	A	B	A+	B
Volume Total (gross)	lt	420	420	420	420	420	528	528	528	528	342	342
Volume Total (net)	lt	415	415	415	414	414	521	520	520	520	337	337
Volume refrigerator (gross)	lt	330	330	330	330	330	408	408	408	408	271	271
Volume refrigerator (net)	lt	326	326	326	325	325	403	402	402	402	267	267
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-	-	-	-
Volume Freezer (gross)	lt	90	90	90	90	90	120	120	120	120	71	71
Volume Freezer (net)	lt	89	89	89	89	89	118	118	118	118	70	70
Performance (star rating)		4	4	4	4	4	4	4	4	4	4	4
Energy consumption	kWh/24h	0,809	0,559	1,181	0,708	0,901	1,871	1,050	1,368	1,874	0,721	1,412
Energy consumption	kWh/year	295	204	431	258	329	683	383	499	684	263	515
Freezing Capacity	kg/24h	5	5	5	5	5	6	6	6	6	3,5	3,5
Temperature Rise Time (-18°C to -9°C)	mins	1020	1020	1020	1020	1020	1020	1248	1248	1248	1140	960
Noise Emission	dB (A)	41	TBD	43	42	42	45	42	43	45	42	42
Defrost System Type Frigde/Freezer		Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product dimensions (WxDxH)	mm	700x635x1818	700x635x1818	700x635x1818	700x635x1818	700x635x1818	700x753x1818	700x753x1818	700x753x1818	700x753x1818	595x598x1805	595x598x1805
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	769x702x1891	769x702x1891	769x702x1891	769x702x1891	769x702x1891	772x825x1905	772x825x1905	772x825x1905	772x825x1905	664x668x1879	664x668x1879
Loading Quantity / 40ft HC	pcs	69	69	69	69	69	56	56	56	56	73	73
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R134	R600a	R600a	R600a	R600a	R600a

TWO DOORS TOP FREEZERS													
Model		3451 V			3451 GK			3451 TURBO		2801			
Refrigerator Class		7			7			7		7			
Climatic Class		GN (16 °C-32°C)	GST/N (16 °C-38°C)	GT/N (16 °C-43°C)	GN (16 °C-32°C)	GT/N (16 °C-43°C)	GST/N (16 °C-38°C)	GT/SN (10 °C-43°C)		GN (16 °C-32°C)		GT/N (16 °C-43°C)	
Energy Class		A+	A++	A	A+	A	A++	A++	A+	A++	A+	A+	B
Volume Total (gross)	lt	310	310	310	310	310	310	310	310	256	256	256	256
Volume Total (net)	lt	305	305	305	305	305	305	304	304	253	253	253	253
Volume refrigerator (gross)	lt	246	246	246	246	246	246	246	246	213	213	213	213
Volume refrigerator (net)	lt	242	242	242	242	242	242	241	241	211	211	211	211
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-	-	-	-	-
Volume Freezer (gross)	lt	64	64	64	64	64	64	64	64	43	43	43	43
Volume Freezer (net)	lt	63	63	63	63	63	63	63	63	42	42	42	42
Performance (star rating)		4	4	4	4	4	4	4	4	4	4	4	4
Energy consumption	kWh/24h	0,683	0,564	0,984	0,683	0,984	0,564	0,589	0,751	0,483	0,616	0,671	1,198
Energy consumption	kWh/year	249	206	359	249	359	206	215	274	176	225	245	437
Freezing Capacity	kg/24h	3,5	3,5	3,5	3,5	3,5	3,5	3,5	3,5	2	2	2	2
Temperature Rise Time (-18°C to -9°C)	mins	1150	1150	1150	1150	1150	1150	1150	1150	1290	1290	1290	1290
Noise Emission	dB (A)	42	42	42	42	42	42	TBD	42	42	40	42	42
Defrost System Type Frigde/Freezer		Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product dimensions (WxDxH)	mm	595X598X1700	595X598X1700	595X598X1700	595X598X1705	595X598X1705	595X598X1705	595X598X1705	595X598X1705	540X595X1600	540X595X1600	540X595X1600	540X595X1600
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	664x668x1779	664x668x1779	664x668x1779	664x668x1779	664x668x1779	664x668x1779	664x668x1779	664x668x1779	578x632x1669	578x632x1669	578x632x1669	578x632x1669
Loading Quantity/40ft HC	pcs	74	74	74	74	74	74	74	74	102	102	102	102
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

TWO DOORS TOP FREEZERS															
Model		2801 TURBO		2601				263	2301			643M DRAFT		643M DRAFT	
Refrigerator Class		7		7				7	7			7		7	
Climatic Class		GT/N (16 °C-43°C)	GSN (10 °C-32°C)	GN (16 °C-32°C)	GST/N (16 °C-38°C)		GT/N (16 °C-43°C)	GN (16 °C-32°C)	GST/N (16 °C-38°C)		GT/N (16 °C-43°C)	GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)	
Energy Class		A+	A+	A+	A++	A+	B	A+	A++	A+	A	A+ Draft	A++	A+ Draft	A++
Volume Total (gross)	lt	256	230	230	230	230	230	216	175	175	175	625	625	625	625
Volume Total (net)	lt	252	227	227	227	227	227	213	172	172	172	575	575	575	575
Volume refrigerator (gross)	lt	213	189	189	189	189	189	173	134	134	134	453	453	453	453
Volume refrigerator (net)	lt	210	187	187	187	187	187	171	132	132	132	435	435	435	435
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-	-	-	34	34	34	34
Volume Freezer (gross)	lt	43	41	41	41	41	41	43	41	41	41	172	172	172	172
Volume Freezer (net)	lt	42	40	40	40	40	40	42	40	40	40	140	140	140	140
Performance (star rating)		4	4	4	4	4	4	4	4	4	4	4	4	4	4
Energy consumption	kWh/24h	0,669	0,591	0,591	0,482	0,614	1,145	0,580	0,441	0,562	0,762	1,265	0,994	1,265	0,994
Energy consumption	kWh/year	244	216	216	176	224	418	212	161	205	278	462	365	462	365
Freezing Capacity	kg/24h	2	2	2	2	2	2	2	2,5	2,5	2,5	10	10	10	10
Temperature Rise Time (-18°C to -9°C)	mins	1290	850	850	700	700	700	850	1080	1080	1080	1020	1020	1020	1020
Noise Emission	dB (A)	42	41	41	42	41	43	41	42	42	42	TBD	44	TBD	44
Defrost System Type Frigde/Freezer		Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic	Automatic	Automatic	Automatic
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product dimensions (WxDxH)	mm	540X595X1600	540X595X1440	540X595X1440	540X595X1440	540X595X1440	540X595X1440	540X570X1440	540X595X1179	540X595X1179	540X595X1179	840*750*1860	840*750*1860	840*750*1860	840*750*1860
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	578x632x1669	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x600x1509	578x632x1238	578x632x1238	578x632x1238	900*790*1940	900*790*1940	900*790*1940	900*790*1940
Loading Quantity/40ft HC	pcs	102	128	128	128	128	128	134	152	152	152	30	30	30	30
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

TWO DOORS BOTTOM FREEZERS																	
Model		653E			5661E			3664M	3664E	373E		373M		373E W/O CHILLER	373M W/O CHILLER	309	
Refrigerator Class		7			7			7	7	7		7		7	7	7	
Climatic Class		GT/SN (10 °C-43°C)	GT/N (16 °C-43°C)			GT/N (16 °C-43°C)	GT/N (16 °C-43°C)	GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)	GT/SN (10 °C-43°C)	GN (16 °C-32°C)			
Energy Class		A++	A+++	A++	A+	A+	A+	A+	A++	A+	A++	A+	A+	A+	A+	A++	A+
Volume Total (gross)	lt	620	486	486	486	335	335	341	341	341	341	341	341	341	341	242	242
Volume Total (net)	lt	564	437	437	437	318	318	324	324	324	324	324	324	324	324	214	214
Volume refrigerator (gross)	lt	418	364	364	364	237	237	237	237	237	237	237	237	237	237	149	149
Volume refrigerator (net)	lt	400	342	342	342	231	231	230	230	230	230	230	230	230	230	147	147
Chiller Volume (net)	lt	34	34	34	34	-	-	22	22	22	22	22	22	22	22	-	-
Volume Freezer (gross)	lt	202	122	122	122	98	98	104	104	104	104	104	104	104	104	93	93
Volume Freezer (net)	lt	164	95	95	95	87	87	94	94	94	94	94	94	94	94	67	67
Performance (star rating)		4*	4	4	4	4	4	4	4	4	4	4	4	4	4	4*	4*
Energy consumption	kWh/24h	1,016	0,546	0,819	1,043	0,836	0,836	0,720	0,917	0,720	0,917	0,852	0,852	0,852	0,852	0,497	0,633
Energy consumption	kWh/year	371	199	299	381	305	305	263	335	263	335	311	311	311	311	181	231
Freezing Capacity	kg/24h	10	16	16	16	4,2	4,2	12	12	12	10	10	10	10	10	3	3
Temperature Rise Time (-18°C to -9°C)	mins	1080	1380	1080	1080	780(25°C)/600(32°C)	780(25°C)/600(32°C)	1080	1080	1080	1080	1080	1080	1080	1080	575	760
Noise Emission	dB (A)	43	44	43		45	45	42	42	42	42	42	42	42	42	43	43
Defrost System Type Frigde/Freezer		Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic/Manuel	Automatic/Manuel
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product dimensions (WxDxH)	mm	840x750x1860	700x735x1868	700x735x1868	700x735x1868	595x632,5x1855	595x632,5x1855	595x650x1860	595x650x1860	595x650x1860	595x650x1860	595x650x1860	595x650x1860	595x650x1860	595x650x1860	540x610x1700	540x610x1700
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	900x790x1940	768x800x1932	768x800x1932	768x800x1932	664x713x1916	664x713x1916	664x728x1916	664x728x1916	664x728x1916	664x728x1916	664x728x1916	664x728x1916	664x728x1916	664x728x1916	578x632x1752	578x632x1752
Loading Quantity / 40ft HC	pcs	30	45	45	45	72	72	72	72	72	72	72	72	72	72	96	96
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

TWO DOORS BOTTOM FREEZERS																		
Model		466M			466E			566M			566E			383E		383M		
Refrigerator Class		7			7			7			7			7		7		
Climatic Class		GT/N (16 °C-43°C)			GT/N (16 °C-43°C)			GT/N (16 °C-43°C)			GT/N (16 °C-43°C)			GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)		
Energy Class		A++	A+	A	A++	A+	A	A++	A+	A	A++	A+	A	A++	A+	A	A++	A+
Volume Total (gross)	lt	389	389	389	389	389	389	508	508	508	508	508	508	379	379	379	379	
Volume Total (net)	lt	357	357	357	357	357	357	455	455	455	455	455	455	360	360	360	360	
Volume refrigerator (gross)	lt	285	285	285	285	285	285	374	374	374	374	374	374	275	275	275	275	
Volume refrigerator (net)	lt	260	260	260	260	260	260	351	351	351	351	351	351	266	266	266	266	
Chiller Volume (net)	lt	31	31	31	31	31	31	39	39	39	39	39	39	22	22	22	22	
Volume Freezer (gross)	lt	104	104	104	104	104	104	134	134	134	134	134	134	104	104	104	104	
Volume Freezer (net)	lt	97	97	97	97	97	97	104	104	104	104	104	104	94	94	94	94	
Performance (star rating)		4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
Energy consumption	kWh/24h	0,754	0,959	1,258	0,754	0,959	1,258	0,847	1,079	1,414	0,847	1,079	1,414	0,75	0,956	0,75	0,956	
Energy consumption	kWh/year	275	350	459	275	350	459	309	394	516	309	394	516	274	349	274	349	
Freezing Capacity	kg/24h	12	12	8	12	12	8	14	14	14	14	14	14	8	8	8	8	
Temperature Rise Time (-18°C to -9°C)	mins	900	900	900	900	900	900	1260	1260	1260	1260	1260	1260	1080	1080	1080	1080	
Noise Emission	dB (A)	45	45	45	45	45	45	44	44	44	44	44	44	42	42	42	42	
Defrost System Type Frigde/Freezer		Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	
Product dimensions (WxDxH)	mm	700x635x1868	700x635x1868	700x635x1868	700x635x1868	700x635x1868	700x635x1868	700x735x1868	700x735x1868	700x735x1868	700x735x1868	700x735x1868	700x735x1868	595x650x2010	595x650x2010	595x650x2010	595x650x2010	
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	768x700x1932	768x700x1932	768x700x1932	768x700x1932	768x700x1932	768x700x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932	768x800x1932	664x728x2066	664x728x2066	664x728x2066	664x728x2066	
Loading Quantity / 40ft HC	pcs	51	51	51	51	51	51	45	45	45	45	45	45	54	54	54	54	
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	

TWO DOORS BOTTOM FREEZERS																			
Model		319			353E			353M		380		385		374		3651		360	
Refrigerator Class		7			7			7		7		7		7		7		7	
Climatic Class		GN (16 °C-32°C)			GT/SN (10 °C-43°C)			GT/SN (10 °C-43°C)		GST/N (16 °C-38°C)		GN (16 °C-32°C)		GT/N (16 °C-43°C)		GT/N (16 °C-43°C)		GST/N (16 °C-38°C)	
Energy Class		A+			A++			A+		A+ (2*)		A		A++		A++		A++	
Volume Total (gross)	lt	262	359	339	339	339	339	362	362	362	348	348	313	313	344	344			
Volume Total (net)	lt	239	313	313	313	313	313	338	338	338	336	336	290	290	318	318			
Volume refrigerator (gross)	lt	153	209	209	209	209	228	228	228	235	235	214	214	234	234				
Volume refrigerator (net)	lt	152	202	202	202	202	224	224	224	230	230	209	209	228	228				
Chiller Volume (net)	lt	-	22	22	22	22	-	-	-	22	22	-	-	-	-				
Volume Freezer (gross)	lt	109	130	130	130	130	134	134	134	113	113	99	99	110	110				
Volume Freezer (net)	lt	87	111	111	111	111	114	4*=100 2*=14	114	106	106	81	81	90	90				
Performance (star rating)		4*			4			4		4		4		4		4			
Energy consumption	kWh/24h	0,682	0,734	0,935	0,734	0,935	0,808	0,762	1,106	0,706	0,901	0,568	0,724	0,762	0,989				
Energy consumption	kWh/year	249	268	341	268	341	295	278	404	258	329	207	264	278	361				
Freezing Capacity	kg/24h	4	8	8			13	5,5	5,5	TBD	4,5	4,5	4,5	11,5	11,5				
Temperature Rise Time (-18°C to -9°C)	mins	805	1080	1080	1080	1080	655/840	1000	660	1250	1250	840	840	1020	1020				
Noise Emission	dB (A)	43	42	42	42	42	44	44	44	TBD	41	42	41	44	44				
Defrost System Type Frigde/Freezer		Automatic/Manual	Automatic	Automatic	Automatic	Automatic	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual				
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO				
Product dimensions (WxDxH)	mm	540x610x1830	595x650x1860	595x650x1860	595x650x1860	595x650x1860	595X598X2002	595X598X2002	595X598X2002	595x650x1860	595x650x1860	595X614X1855	595X614X1855	595X598X1855	595X598X1855				
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	578x632x1882	664x728x1916	664x728x1916	664x728x1916	664x728x1916	664x668x2062,5	664x668x2062,5	664x668x2062,5	664x728x1916	664x728x1916	664x668x1916	664x668x1916	664x668x1916	664x668x1916				
Loading Quantity / 40ft HC	pcs	95	72	72	72	72	54	54	54	72	72	72	72	72	72				
Refrigerating Gas		R600a			R600a			R600a		R600a		R600a		R600a		R600a			

TWO DOORS BOTTOM FREEZERS																
Model		350			330		310		170		172		270		272	
Refrigerator Class		7			7		7		7		7		7		7	
Climatic Class		GN (16 °C-32°C)			GST/N (16 °C-38°C)		GN (16 °C-32°C)		GST/N (16 °C-38°C)		GN (16 °C-32°C)		GN (16 °C-32°C)		GN (16 °C-32°C)	
Energy Class		A+ (2*)			B		A+		A+		A++		A+		A++	
Volume Total (gross)	lt	324	324	324	301	263	155	155	161	161	208	208	213	213		
Volume Total (net)	lt	302	302	302	279	244	143	143	148	148	192	192	198	198		
Volume refrigerator (gross)	lt	190	190	190	190	159	93	93	112	112	126	126	156	156		
Volume refrigerator (net)	lt	188	188	188	188	157	92	92	110	110	124	124	152	152		
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-	-	-	-	-	-		
Volume Freezer (gross)	lt	134	134	134	111	104	62	62	49	49	82	82	57	57		
Volume Freezer (net)	lt	4*=100 2*=14	114	114	91	87	51	51	38	38	68	68	46	46		
Performance (star rating)		4			4		4*		4*		4*		4*			
Energy consumption	kWh/24h	0,729	1,304	0,772	0,691	0,684	0,413	0,526	0,405	0,517	0,460	0,589	0,449	0,569		
Energy consumption	kWh/year	266	476	282	252	250	151	192	148	189	168	215	164	208		
Freezing Capacity	kg/24h	8	8	8	6	6	2,5	2,5	2	2	3,5	3,5	2,5	2,5		
Temperature Rise Time (-18°C to -9°C)	mins	930	930	930	908	720	960	960	518	518	825	825	750	750		
Noise Emission	dB (A)	44	44	44	43	42	TBD	40	40	40	39	39	39	39		
Defrost System Type Frigde/Freezer		Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual		
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO		
Product dimensions (WxDxH)	mm	595X598X1855	595X598X1855	595X598X1855	595X598X1709	540X595X1656	480x560x1480	480x560x1480	480x560x1480	480x560x1480	540x610x1520	540x610x1520	540x610x1520	540x610x1520		
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	664x668x1916	664x668x1916	664x668x1916	664x668x1783	578x632x1712	519x588x1522	519x588x1522	519x588x1522	519x588x1522	578x632x1572	578x632x1572	578x632x1572	578x632x1572		
Loading Quantity / 40ft HC	pcs	72	72	72	74	96	152	152	152	152	102	102	102	102		
Refrigerating Gas		R600a			R600a		R600a		R600a		R600a		R600a			

TWO DOORS BOTTOM FREEZERS					
Model		308		312	
Refrigerator Class		7		7	
Climatic Class		GN (16 °C-32°C)		GN (16 °C-32°C)	
Energy Class		A++	A+	A++	A+
Volume Total (gross)	lt	242	242	251	251
Volume Total (net)	lt	225	225	235	235
Volume refrigerator (gross)	lt	149	149	174	174
Volume refrigerator (net)	lt	147	147	172	172
Chiller Volume (net)	lt	-	-	-	-
Volume Freezer (gross)	lt	93	93	77	77
Volume Freezer (net)	lt	78	78	63	63
Performance (star rating)		4*	4*	4*	4*
Energy consumption	kWh/24h	0,493	0,627	0,487	0,621
Energy consumption	kWh/year	180	229	178	227
Freezing Capacity	kg/24h	4	4	3	3
Temperature Rise Time (-18°C to -9°C)	mins	1000	1000	1000	1000
Noise Emission	dB (A)	41	41	41	41
Defrost System Type Frigde/Freezer		Automatic/Manuel	Automatic/Manuel	Automatic/Manuel	Automatic/Manuel
Built in		NO	NO	NO	NO
Product dimensions (WxDxH)	mm	540x610x1700	540x610x1700	540x610x1700	540x610x1700
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	578x632x1752	578x632x1752	578x632x1752	578x632x1752
Loading Quantity / 40ft HC	pcs	96	96	96	96
Refrigerating Gas		R600a	R600a	R600a	R600a

FREEZERS									
Model		391E				390			
Refrigerator Class		8				8			
Climatic Class		GT/N (16 °C-43°C)				GT/SN (10 °C-43°C)			
Energy Class		A++	A+	A	B	A++	A+	A	B
Volume Total (gross)	lt	265	265	265	265	286	286	286	286
Volume Total (net)	lt	251	251	251	251	258	258	258	258
Volume refrigerator (gross)	lt	0	0	0	0	-	-	-	-
Volume refrigerator (net)	lt	0	0	0	0	-	-	-	-
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-
Volume Freezer (gross)	lt	265	265	265	265	286	286	286	286
Volume Freezer (net)	lt	251	251	251	251	258	258	258	258
Performance (star rating)		4	4	4	4	4	4	4	4
Energy consumption	kWh/24h	0,661	0,842	1,096	1,498	0,608	0,772	1,013	1,383
Energy consumption	kWh/year	241	307	400	547	222	282	370	505
Freezing Capacity	kg/24h	14(32°C)/15(25°C)	14(32°C)/15(25°C)	14(32°C)/15(25°C)	14(32°C)/15(25°C)	26	22(32°C)/26(25°C)	22(32°C)/26(25°C)	22(32°C)/26(25°C)
Temperature Rise Time (-18°C to -9°C)	mins	480/570	480/570	480/570	480/570	960	840(32°C)/960(25°C)	840(32°C)/960(25°C)	840(32°C)/960(25°C)
Noise Emission	dB (A)	45	44	44	44	43	39	40	43
Defrost System Type Frigde/Freezer		Automatic	Automatic	Automatic	Automatic	Manual	Manual	Manual	Manual
Built in		NO	NO	NO	NO	NO	NO	NO	NO
Product dimensions (WxDxH)	mm	595x634x1868	595x634x1868	595x634x1868	595x634x1868	595x632,5x1855	595x632,5x1855	595x632,5x1855	595x632,5x1855
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1916
Loading Quantity / 40ft HC	pcs	72	72	72	72	72	72	72	72
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

FREEZERS												
Model		321E				320			2451			243
Refrigerator Class		8				8			8			8
Climatic Class		GT/N (16 °C-43°C)				GT/SN (10 °C-43°C)			GT/SN (10 °C-43°C)			GT/SN (10 °C-43°C)
Energy Class		A++	A+	A	B	A++	A+	A	A++	A+	A	A+
Volume Total (gross)	lt	225	225	225	225	232	232	232	210	210	210	210
Volume Total (net)	lt	194	194	194	194	206	206	206	182	182	182	175
Volume refrigerator (gross)	lt	0	0	0	0	-	-	-	0	0	0	0
Volume refrigerator (net)	lt	0	0	0	0	-	-	-	0	0	0	0
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-	-	-	-
Volume Freezer (gross)	lt	225	225	225	225	232	232	232	210	210	210	210
Volume Freezer (net)	lt	194	194	194	194	206	206	206	4*=164/2*=18	182	182	175
Performance (star rating)		4	4	4	4	4	4	4	4	4	4	4
Energy consumption	kWh/24h	0,576	0,734	0,952	1,302	0,542	0,690	0,904	0,509	0,652	0,854	0,695
Energy consumption	kWh/year	210	268	348	475	198	252	330	186	238	312	254
Freezing Capacity	kg/24h	16	16	16	16	24	22(32°C)/24(25°C)	22	15	15	15	15
Temperature Rise Time (-18°C to -9°C)	mins	510/600	510/600	510	510	1080	1080	1080	780	780	780	600
Noise Emission	dB (A)	44	43	43	43	43	39	43	41	41	41	43
Defrost System Type Frigde/Freezer		Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Automatic
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product dimensions (WxDxH)	mm	595x634x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	540x595x1455	540x595x1455	540x595x1455	540x595x1455
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	578x632x1509	578x632x1509	578x632x1509	578x632x1509
Loading Quantity / 40ft HC	pcs	78	78	78	78	78	78	78	128	128	128	128
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

SINGLE DOOR														
Model		3951E TURBO		3951M TURBO		243	391E				390			
Refrigerator Class		1		1		8	8				8			
Climatic Class		GST/N (16 °C-38°C)	GT/N (16 °C-43°C)	GST/N (16 °C-38°C)	GT/N (16 °C-43°C)	GT/SN (10 °C-43°C)	GT/N (16 °C-43°C)				GT/SN (10 °C-43°C)			
Energy Class		A++	A+	A++	A+	A+	A++	A+	A	B	A++	A+	A	B
Volume Total (gross)	lt	353	353	353	353	210	265	265	265	265	286	286	286	286
Volume Total (net)	lt	349	349	349	349	175	251	251	251	251	258	258	258	258
Volume refrigerator (gross)	lt	353	353	353	353	0	0	0	0	0	-	-	-	-
Volume refrigerator (net)	lt	349	349	349	349	0	0	0	0	0	-	-	-	-
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-	-	-	-	-	-
Volume Freezer (gross)	lt	-	-	-	-	210	265	265	265	265	286	286	286	286
Volume Freezer (net)	lt	-	-	-	-	175	251	251	251	251	258	258	258	258
Performance (star rating)		-	-	-	-	4	4	4	4	4	4	4	4	4
Energy consumption	kWh/24h	0,301	0,391	0,301	0,391	0,695	0,661	0,842	1,096	1,498	0,608	0,772	1,013	1,383
Energy consumption	kWh/year	110	143	110	143	254	241	307	400	547	222	282	370	505
Freezing Capacity	kg/24h	-	-	-	-	15	14(32°C)/15(25°C)	14(32°C)/15(25°C)	14(32°C)/15(25°C)	14(32°C)/15(25°C)	26	22(32°C)/26(25°C)	22(32°C)/26(25°C)	22(32°C)/26(25°C)
Temperature Rise Time (-18°C to -9°C)	mins	-	-	-	-	600	480/570	480/570	480/570	480/570	960	840(32°C)/960(25°C)	840(32°C)/960(25°C)	840(32°C)/960(25°C)
Noise Emission	dB (A)	42	40	41	40	43	45	44	44	44	43	39	40	43
Defrost System Type Frigde/Freezer		Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic	Manual	Manual	Manual	Manual
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product dimensions (WxDxH)	mm	595x632,5x1868	595x632,5x1868	595x632,5x1850	595x632,5x1850	540x595x1455	595x634x1868	595x634x1868	595x634x1868	595x634x1868	595x632,5x1855	595x632,5x1855	595x632,5x1855	595x632,5x1855
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	664x703x1916	664x703x1916	664x703x1916	664x703x1916	578x632x1509	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1916	664x703x1916
Loading Quantity / 40ft HC	pcs	72	72	72	72	128	72	72	72	72	72	72	72	72
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

SINGLE DOOR															
Model		325	325 TURBO				321E				320			425	
Refrigerator Class		1												7	
Climatic Class		GN (16 °C-32°C)		GST/N (16 °C-38°C)		GT/N (16 °C-43°C)		GT/N (16 °C-43°C)				GT/SN (10 °C-43°C)			GT/N (16 °C-43°C)
Energy Class		A	A++	A+	B	A++	A+	A	B	A++	A+	A	B	GT/N (16 °C-43°C)	
Volume Total (gross)	lt	288	288	288	288	225	225	225	225	232	232	232	232	405	
Volume Total (net)	lt	285	284	284	284	194	194	194	194	206	206	206	206	382	
Volume refrigerator (gross)	lt	288	288	288	288	0	0	0	0	-	-	-	-	358	
Volume refrigerator (net)	lt	285	284	284	284	0	0	0	0	-	-	-	-	342	
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-	-	-	-	-	-	
Volume Freezer (gross)	lt	-	-	-	-	225	225	225	225	232	232	232	232	47	
Volume Freezer (net)	lt	-	-	-	-	194	194	194	194	206	206	206	206	40	
Performance (star rating)		-	-	-	-	4	4	4	4	4	4	4	4	4	
Energy consumption	kWh/24h	0,459	0,286	0,372	0,657	0,576	0,734	0,952	1,302	0,542	0,690	0,904	1,433		
Energy consumption	kWh/year	168	104	136	240	210	268	348	475	198	252	330	523		
Freezing Capacity	kg/24h	-	-	-	-	16	16	16	16	24	22(32°C) / 24(25°C)	22	2		
Temperature Rise Time (-18°C to -9°C)	mins	-	-	-	-	510/600	510/600	510	510	1080	1080	1080	780		
Noise Emission	dB (A)	40	42	40	41	44	43	43	43	43	39	43	42		
Defrost System Type Frigde/Freezer		Automatic	Automatic	Automatic	Automatic	Manual	Manual	Manual	Manual	Manual	Manual	Manual	Automatic/Manual		
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO		
Product dimensions (WxDxH)	mm	595x632,5x1555	595x632,5x1555	595x632,5x1555	595x632,5x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	595x634x1555	700x635,2x1728		
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	664x703x1616	769x702x1791		
Loading Quantity / 40ft HC	pcs	78	78	78	78	78	78	78	78	78	78	78	70		
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a		

SINGLE DOOR														
Model		425 TURBO		340	340 TURBO			255 DB (4*)	245					
Refrigerator Class		7												8
Climatic Class		GT/N (16 °C-43°C)		GT/N (16 °C-43°C)	GT/SN (10 °C-43°C)			GST/SN (10 °C-38°C)	GN (16 °C-32°C)	GT/N (16 °C-43°C)			FT/N (16 °C-43°C)	
Energy Class		A+	A	A	A+	A	A++	A+	A+	A	B	B		
Volume Total (gross)	lt	405	405	323	323	323	323	230	210	210	210	210	210	
Volume Total (net)	lt	381	381	312	311	311	311	226	182	182	182	182	182	
Volume refrigerator (gross)	lt	358	358	288	288	288	288	209	0	0	0	0	0	
Volume refrigerator (net)	lt	341	341	282	281	281	281	206	0	0	0	0	0	
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-	-	-	-	-	
Volume Freezer (gross)	lt	47	47	35	35	35	35	21	210	210	210	210	210	
Volume Freezer (net)	lt	40	40	30	30	30	30	20	182	182	182	182	182	
Performance (star rating)		4	4	4	4	4	4	4	4	4	4	4	4	
Energy consumption	kWh/24h	0,803	1,055	0,932	0,718	0,932	0,539	0,570	0,652	0,854	1,164	1,164		
Energy consumption	kWh/year	293	385	340	262	340	197	208	238	312	425	425		
Freezing Capacity	kg/24h	2	2	2	2	2	2	2	13(32°C) / 15(25°C)	13(32°C) / 15(25°C)	16	16		
Temperature Rise Time (-18°C to -9°C)	mins	1083	1083	720	720	720	720	800	660(32°C) / 780(25°C)	660(32°C) / 780(25°C)	660(32°C) / 780(25°C)	660		
Noise Emission	dB (A)	42	42	43	43	43	43	43	39	39	43	45		
Defrost System Type Frigde/Freezer		Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Manual	Manual	Manual	Manual		
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO		
Product dimensions (WxDxH)	mm	700x635,2x1728	700x635,2x1728	595x598x1720	595x598x1720	595x598x1720	595x598x1720	540x595x1440	540x595x1440	540x595x1440	540x595x1440	540x595x1440		
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	769x702x1791	769x702x1791	664x668x1779	664x668x1779	664x668x1779	664x668x1779	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x632x1509		
Loading Quantity / 40ft HC	pcs	70	70	74	74	74	74	128	128	128	128	128		
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R134		

SINGLE DOOR										
Model		2451			265			250	240	
Refrigerator Class		8			1			1	7	
Climatic Class		GT/SN (10 °C-43°C)			GN (16 °C-32°C)			GN (16 °C-32°C)	GN (16 °C-32°C)	
Energy Class		A++	A+	A	A++	A+	A	A+	A+	
Volume Total (gross)	lt	210	210	210	253	253	253	206	195	
Volume Total (net)	lt	182	182	182	250	250	250	204	192	
Volume refrigerator (gross)	lt	0	0	0	253	253	253	206	178	
Volume refrigerator (net)	lt	0	0	0	250	250	250	204	175	
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-	
Volume Freezer (gross)	lt	210	210	210	0	0	0	0	17	
Volume Freezer (net)	lt	4* \approx 164/2* \approx 18	182	182	0	0	0	0	17	
Performance (star rating)		4	4	4	-	-	-	-	4	
Energy consumption	kWh/24h	0,509	0,652	0,854	0,272	0,348	0,447	0,335	0,537	
Energy consumption	kWh/year	186	238	312	99	127	163	122	196	
Freezing Capacity	kg/24h	15	15	15	-	-	-	-	2	
Temperature Rise Time (-18°C to -9°C)	mins	780	780	780	-	-	-	-	750	
Noise Emission	dB (A)	41	41	41	42	42	42	40	43	
Defrost System Type Frigde/Freezer		Manual	Manual	Manual	Automatic	Automatic	Automatic	Automatic	Automatic/Manual	
Built in		NO	NO	NO	NO	NO	NO	NO	NO	
Product dimensions (WxDxH)	mm	540x595x1455	540x595x1455	540x595x1455	540x595x1440	540x595x1440	540x595x1440	540x562,5x1235	540x562,5x1235	
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x632x1509	578x627x1300	578x627x1300	
Loading Quantity / 40ft HC	pcs	128	128	128	128	128	128	152	152	
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	

TABLE TOP																	
Model		143			140 DB (2*)			140 DB (4*)					1101				
Refrigerator Class		8			5			7					5				
Climatic Class		GT/SN (10 °C-43°C)		GN (16 °C-32°C)	GT/N (16 °C-43°C)		GN (16 °C-32°C)			GT/SN (10 °C-43°C)		GN (16 °C-32°C)	GST/N (16 °C-38°C)		GT/N (16 °C-43°C)		
Energy Class		A++	A+	A	A+	A	A++	A+	A	A++	A+	A+++	A++	A+	A+		
Volume Total (gross)	lt	103	103	119	119	119	119	119	119	119	119	84	84	84	84		
Volume Total (net)	lt	102	102	117	117	117	117	117	117	117	117	81	81	81	81		
Volume refrigerator (gross)	lt	-	-	106	106	106	106	106	106	106	106	74	74	74	74		
Volume refrigerator (net)	lt	-	-	105	105	105	105	105	105	105	105	73	73	73	73		
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Volume Freezer (gross)	lt	103	103	13	13	13	13	13	13	13	13	10	10	10	10		
Volume Freezer (net)	lt	102	102	12	12	12	12	12	12	12	12	8	8	8	8		
Performance (star rating)		4	4	2	2	2	4	4	4	4	4	2	2	2	2		
Energy consumption	kWh/24h	0,410	0,523	0,445	0,359	0,463	0,364	0,464	0,600	0,383	0,487	0,171	0,260	0,331	0,335		
Energy consumption	kWh/year	150	191	163	131	169	133	169	219	140	178	62	95	121	122		
Freezing Capacity	kg/24h	7,5	7,5	-	-	-	2	2	2	2	2	-	-	-	-		
Temperature Rise Time (-18°C to -9°C)	mins	960	960	-	-	-	615	615	615	615	615	-	-	-	-		
Noise Emission	dB (A)	41	40	41	41	41	41	41	41	41	41	39	41	41	41		
Defrost System Type Frigde/Freezer		Manual	Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual		
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO		
Product dimensions (WxDxH)	mm	540x615x838	540x615x838	540x595x838	540x595x838	540x595x838	540x595x838	540x595x838	540x595x838	540x595x838	540x595x838	480x560x838	480x560x838	480x560x838	480x560x838		
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	578x632x883	578x632x883	578x632x883	578x632x883	578x632x883	578x632x883	578x632x883	578x632x883	578x632x883	578x632x883	519x587x878	519x587x878	519x587x878	519x587x878		
Loading Quantity / 40ft HC	pcs	225	225	225	225	225	225	225	225	225	225	274	274	274	274		
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a		

TABLE TOP												
Model		1001		1002		1005		1501		1501	1451	
Refrigerator Class		1		1		8		1		1	8	
Climatic Class		GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)		GT/SN (10 °C-43°C)		GT/N (16 °C-43°C)	GT/SN (10 °C-43°C)	
Energy Class		A++	A+	A++	A+	A++	A+	A+++	A+	A++	A++	A+
Volume Total (gross)	lt	91	91	91	91	64	64	107	107	107	80	80
Volume Total (net)	lt	88	88	89	89	63	63	106	106	106	71	71
Volume refrigerator (gross)	lt	91	91	91	91	-	-	107	107	107	-	-
Volume refrigerator (net)	lt	88	88	89	89	-	-	106	106	106	-	-
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-	-	-	-
Volume Freezer (gross)	lt	-	-	-	-	64	64	-	-	-	80	80
Volume Freezer (net)	lt	-	-	-	-	63	63	-	-	-	71	71
Performance (star rating)		-	-	-	-	4	4	-	-	-	4	4
Energy consumption	kWh/24h	0,241	0,309	0,241	0,309	0,361	0,460	0,165	0,315	0,246	0,372	0,474
Energy consumption	kWh/year	88	113	88	113	132	168	60	115	90	136	173
Freezing Capacity	kg/24h	-	-	-	-	4	4	-	-	-	7,5	7,5
Temperature Rise Time (-18°C to -9°C)	mins	-	-	-	-	960	960	-	-	-	840	840
Noise Emission	dB (A)	TBD	43	43	43	43	43	41	41	41	43	39
Defrost System Type Frigde/Freezer		Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Manual	Manual	Automatic	Automatic	Automatic	Manual	Manual
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO
Product dimensions (WxDxH)	mm	480x500x821	480x500x821	480x500x821	480x500x821	480x510x821	480x510x821	540x595x838	540x595x838	540x595x838	540x615x838	540x615x838
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	519x544x878	519x544x878	519x544x878	519x544x878	519x544x878	519x544x878	578x632x883	578x632x883	578x632x883	578x632x883	578x632x883
Loading Quantity/40ft HC	pcs	274	274	274	274	274	274	225	225	225	225	225
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a

RETRO																
Model		340 TURBO RETRO			345 TURBO RETRO			3451 TURBO RETRO		3451 RETRO	365 RETRO	3664M RETRO	373M		374	
Refrigerator Class		7			7			7		7	7	7	7		7	
Climatic Class		GT/SN (10 °C-43°C)	GST/SN (10 °C-38°C)	GST/N (16 °C-38°C)	GT/N (16 °C-43°C)			GT/SN (10 °C-43°C)		GST/N (16 °C-38°C)	GN (16 °C-32°C)	GT/N (16 °C-43°C)	GT/SN (10 °C-43°C)		GT/N (16 °C-43°C)	
Energy Class		A+	A++	A+	A+	A	A++	A+	A++	A+	A+	A+	A++	A+	A++	A++
Volume Total (gross)	lt	323	323	317	317	317	310	310	310	344	335	341	341	348	348	
Volume Total (net)	lt	311	311	311	311	311	304	304	305	317	318	324	324	336	336	
Volume refrigerator (gross)	lt	288	288	246	246	246	246	246	246	234	237	237	237	235	235	
Volume refrigerator (net)	lt	281	281	241	241	241	241	241	242	228	231	230	230	230	230	
Chiller Volume (net)	lt	-	-	-	-	-	-	-	-	-	-	22	22	22	22	
Volume Freezer (gross)	lt	35	35	71	71	71	64	64	64	110	98	104	104	113	113	
Volume Freezer (net)	lt	30	30	70	70	70	63	63	63	89	87	94	94	106	106	
Performance (star rating)		4	4	4	4	4	4	4	4	4	4	4	4	4	4	
Energy consumption	kWh/24h	0,718	0,539	0,732	0,767	1,005	0,589	0,751	0,564	0,720	0,836	0,720	0,917	0,706	0,901	
Energy consumption	kWh/year	262	197	267	280	367	215	274	206	263	305	263	335	258	329	
Freezing Capacity	kg/24h	2	2	3,5	3,5	3,5	3,5	3,5	3,5	4,6	4,2	12	10	TBD	4,5	
Temperature Rise Time (-18°C to -9°C)	mins	720	720	1140	960	960	1150	1150	1150	1020	600	1080	1080	1250	1250	
Noise Emission	dB (A)	43	43	42	42	42	42	42	42	42	45	42	42	TBD	41	
Defrost System Type Frigde/Freezer		Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic/Manual	Automatic	Automatic	Automatic	Automatic/Manual	Automatic/Manual	
Built in		NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	NO	
Product dimensions (WxDxH)	mm	605x635,5x1769	605x635,5x1769	605x635,5x1754	605x635,5x1754	605x635,5x1754	605x635,5x1754	605x635,5x1754	605x635,5x1754	605x635,5x1900	605x670x1900	595x650x1860	595x650x1860	595x650x1860	595x650x1860	
Packaged dims (WxDxH) (double-wave carton pack) / standard	mm	680 x 736 x 1845	680 x 736 x 1845	680 x 736 x 1830	680 x 736 x 1830	680 x 736 x 1830	680 x 736 x 1830	680 x 736 x 1830	680 x 736 x 1830	680 x 736 x 1975	680 x 770 x 1975	664x728x1916	664x728x1916	664x728x1916	664x728x1916	
Loading Quantity/40ft HC	pcs	67	67	67	67	67	67	67	67	65	62	72	72	72	72	
Refrigerating Gas		R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	R600a	

Vestel Trade Co.

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye

Phone: 90 - 236 233 25 82

Fax: 90 - 236 233 25 84

vesteltrade@vestel.com.tr

www.vestel.com.tr

Vestel Benelux B.V.Stationsplein 45,
Groothandelsgebouw A194,
3013 AK Rotterdam,

The Netherlands

Phone: 31 - 10 235 1000

info@vestelbenelux.nl

www.vestelbenelux.nl

TOO Vestel Central Asia

050026 Kazakhsatan/Almaty Aiteke bi 187, office:215

Phone: 7 - 727 263 39 39**Vestel CIS Ltd.**1-st Graivoronovsky Proezd, No.20 Building 16, 109518,
Moscow/Russia**Phone:** 7 - 095 956 8230

Fax: 7 - 095 956 8233

info@vestel.ru

www.vestel.ru

Vestel Electronica

Str Zidarului nr 9-11, Sector 5 Bucuresti, ZIP 051765

Bucharest/Romania

Phone: 40 - 31 425 42 93

Fax: 40 -31 425 42 95

office@vestel.ro

www.vestel.ro

Vestel France S.A.

17 Rue de la Couture-Silic BP 10190-94563 RUNGIS

Cedex/France

Phone: 33 - 1 46 75 00 29

Fax: 33 - 1 41 80 99 31

p.benhamou@vestel-france.fr

Vestel Germany GmbH

Parkring 6 D-85748 Garching bei München/Germany

Phone: 49 - 89 55295 - 0

Fax: 49 - 89 55295 - 2000

info@vestel-germany.de

www.vestel-germany.de

Gruppo Industriale Vesit SPASocietà Unipersonale Via Polidoro da Caravaggio, 6 20156
- Milano/Italy

Phone: 39 - 02 842 48577

Fax: 39 - 02 842 48617

info@givesit.it

www.givesit.it

Vestfrost Household

Spangsbjerg Mollevej 100, DK-6705 Esbjerg 0, Denmark

Phone: 45 - 7610 4045

Fax: 45 - 7610 4046

Vestel IberiaAvda. Partenon, 16-18 Planta 1 Oficina 6, 28042 Madrid/
Spain**Phone:** 34 - 91 320 63 98

Fax: 34 - 91 320 52 58

vestel@vestel.es www.vestel.es

Vestel Poland

Poleczki 33, 02-822 Warszawa, Mazowieckie

Phone: 48 22 2555700

info@vestel-poland.com

Vestel Scandinavia

Phone: 358 - 50 - 5681058

Vestel UK LtdVestel House, Waterside Drive
Langley, Berkshire SL3 6EZ

Phone: 44 - 3330 146 400

info@vestel-uk.com

www.vestel.co.uk

United Technical Services

S.R.O. ul. Senecká 16, 91101 Samorin, Slovakia

Phone: 421- 31 590 27 31

Fax: 421- 31 590 27 38

info@uts.sk

www.uts.sk

VESTEL

Organize Sanayi Bölgesi, 45030 Manisa/Türkiye
Phone: 90 - 236 233 25 82 Fax: 90 - 236 233 25 84
vesteltrade@vestel.com.tr
www.vestel.com.tr